



ENGINEERING CONSULTING SERVICES  
VOLUME 6 - APPENDIX  
**SECTION 6.21 – ROAD GEOMETRY**  
Feasibility Study Final Report Phase I



Consultant Reference: LGA-1-GN-F-FRN-RT-0006\_00\_LGA Final Technical Report  
2023-03-10



**Stantec** ■ **DESFOR** ■ **SYSTRA**

with subconsultant



# Table of Contents

---

1. HORIZONTAL GEOMETRY
2. VERTICAL GEOMETRY



Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	72,990	-	-
TC	0+072,99	-	-	-	-
PI	0+184,15	Curve/Courbe	222,323	354,18	92
CT	0+295,31	-	-	-	-
-	-	Tangent/Tangente	345,817	-	-
TC	0+641,13	-	-	-	-
PI	0+769,33	Curve/Courbe	256,392	419,507	97
CT	0+897,52	-	-	-	-
-	-	Tangent/Tangente	808,698	-	-
TC	1+706,22	-	-	-	-
PI	1+780,32	Curve/Courbe	148,200	927,651	150
CT	1+854,42	-	-	-	-
-	-	Tangent/Tangente	753,090	-	-
TC	2+607,51	-	-	-	-
PI	2+722,68	Curve/Courbe	230,340	364,293	94
CT	2+837,85	-	-	-	-
-	-	Tangent/Tangente	385,560	-	-
TC	3+223,41	-	-	-	-
PI	3+335,01	Curve/Courbe	223,203	391,312	100
CT	3+446,61	-	-	-	-
-	-	Tangent/Tangente	585,967	-	-
TC	4+032,58	-	-	-	-
PI	4+087,24	Curve/Courbe	109,310	516,186	115
CT	4+141,89	-	-	-	-
-	-	Tangent/Tangente	89,770	-	-
TC	4+231,66	-	-	-	-
PI	4+307,34	Curve/Courbe	151,360	500	113
CT	4+383,02	-	-	-	-
-	-	Tangent/Tangente	86,130	-	-
TC	4+469,15	-	-	-	-
PI	4+534,65	Curve/Courbe	131,000	367,817	97
CT	4+600,15	-	-	-	-
-	-	Tangent/Tangente	85,410	-	-
TC	4+685,56	-	-	-	-
PI	4+747,35	Curve/Courbe	123,570	285,474	85
CT	4+809,13	-	-	-	-
-	-	Tangent/Tangente	249,600	-	-
TC	5+058,73	-	-	-	-
PI	5+132,83	Curve/Courbe	148,190	514,432	114
CT	5+206,92	-	-	-	-
-	-	Tangent/Tangente	669,520	-	-
TC	5+876,44	-	-	-	-
PI	6+016,22	Curve/Courbe	279,560	455,237	108
CT	6+156,00	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	847,570	-	-
TC	7+003,57	-	-	-	-
PI	7+115,52	Curve/Courbe	223,890	839,783	146
CT	7+227,46	-	-	-	-
-	-	Tangent/Tangente	197,400	-	-
TC	7+424,86	-	-	-	-
PI	7+519,18	Curve/Courbe	188,640	537,867	117
CT	7+613,50	-	-	-	-
-	-	Tangent/Tangente	927,140	-	-
TC	8+540,64	-	-	-	-
PI	8+647,23	Curve/Courbe	213,170	1873,067	213
CT	8+753,81	-	-	-	-
-	-	Tangent/Tangente	712,370	-	-
TC	9+466,18	-	-	-	-
PI	9+603,07	Curve/Courbe	273,770	571,892	121
CT	9+739,95	-	-	-	-
-	-	Tangent/Tangente	539,070	-	-
TC	10+279,02	-	-	-	-
PI	10+440,18	Curve/Courbe	322,320	2945,793	267
CT	10+601,34	-	-	-	-
-	-	Tangent/Tangente	384,200	-	-
TC	10+985,54	-	-	-	-
PI	11+154,77	Curve/Courbe	338,450	354,897	92
CT	11+323,99	-	-	-	-
-	-	Tangent/Tangente	646,680	-	-
TC	11+970,67	-	-	-	-
PI	12+158,50	Curve/Courbe	375,658	891,738	150
CT	12+346,33	-	-	-	-
-	-	Tangent/Tangente	303,712	-	-
TC	12+650,04	-	-	-	-
PI	12+746,30	Curve/Courbe	192,510	800	138
CT	12+842,55	-	-	-	-
-	-	Tangent/Tangente	279,630	-	-
TC	13+122,18	-	-	-	-
PI	13+203,19	Curve/Courbe	162,010	863,987	148
CT	13+284,19	-	-	-	-
-	-	Tangent/Tangente	437,030	-	-
TC	13+721,22	-	-	-	-
PI	13+854,25	Curve/Courbe	266,050	600	123
CT	13+987,27	-	-	-	-
-	-	Tangent/Tangente	191,840	-	-
TC	14+179,11	-	-	-	-
PI	14+320,27	Curve/Courbe	282,320	299,741	87
CT	14+461,43	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
		Tangent/Tangente	222,380		-
TC	14+683,81	-	-	-	-
PI	14+801,43	Curve/Courbe	235,230	398,277	101
CT	14+919,04	-	-	-	-
-	-	Tangent/Tangente	333,560	-	-
TC	15+252,60	-	-	-	-
PI	15+364,93	Curve/Courbe	224,660	429,483	101
CT	15+477,26	-	-	-	-
-	-	Tangent/Tangente	439,530	-	-
TC	15+916,79	-	-	-	-
PI	16+081,93	Curve/Courbe	330,280	447,679	107
CT	16+247,07	-	-	-	-
		Tangent/Tangente	257,370		-
TC	16+504,44	-	-	-	-
PI	16+626,94	Curve/Courbe	244,990	383,730	99
CT	16+749,43	-	-	-	-
-	-	Tangent/Tangente	641,380	-	-
TC	17+390,81	-	-	-	-
PI	17+521,25	Curve/Courbe	260,880	647,65	114
CT	17+651,69	-	-	-	-
-	-	Tangent/Tangente	1191,720	-	-
TC	18+843,41	-	-	-	-
PI	18+963,35	Curve/Courbe	239,880	292,719	75
CT	19+083,29	-	-	-	-
-	-	Tangent/Tangente	128,270	-	-
TC	19+211,56	-	-	-	-
PI	19+332,56	Curve/Courbe	241,990	255	79
CT	19+453,55	-	-	-	-
-	-	Tangent/Tangente	97,500	-	-
TC	19+551,05	-	-	-	-
PI	19+635,34	Curve/Courbe	168,580	498,034	111
CT	19+719,63	-	-	-	-
-	-	Tangent/Tangente	734,390	-	-
TC	20+454,02	-	-	-	-
PI	20+623,98	Curve/Courbe	339,920	588,496	122
CT	20+793,94	-	-	-	-
-	-	Tangent/Tangente	1980,400	-	-
TC	22+774,34	-	-	-	-
PI	22+916,36	Curve/Courbe	284,030	306,814	88
CT	23+058,37	-	-	-	-
-	-	Tangent/Tangente	490,390	-	-
TC	23+548,76	-	-	-	-
PI	23+661,68	Curve/Courbe	225,840	349,577	94
CT	23+774,60	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	204,660	-	-
TC	23+979,26	-	-	-	-
PI	24+127,00	Curve/Courbe	295,470	297,463	85
CT	24+274,73	-	-	-	-
-	-	Tangent/Tangente	599,930	-	-
TC	24+874,66	-	-	-	-
PI	24+949,18	Curve/Courbe	149,040	1313,57	164
CT	25+023,70	-	-	-	-
-	-	Tangent/Tangente	629,120	-	-
TC	25+652,82	-	-	-	-
PI	25+766,13	Curve/Courbe	226,610	651,281	121
CT	25+879,43	-	-	-	-
-	-	Tangent/Tangente	759,650	-	-
TC	26+639,08	-	-	-	-
PI	26+759,59	Curve/Courbe	241,010	1499,871	188
CT	26+880,09	-	-	-	-
-	-	Tangent/Tangente	834,320	-	-
TC	27+714,41	-	-	-	-
PI	27+830,37	Curve/Courbe	231,910	540,417	117
CT	27+946,32	-	-	-	-
-	-	Tangent/Tangente	602,370	-	-
TC	28+548,69	-	-	-	-
PI	28+718,93	Curve/Courbe	340,480	906,264	150
CT	28+889,17	-	-	-	-
-	-	Tangent/Tangente	607,490	-	-
TC	29+496,66	-	-	-	-
PI	29+609,64	Curve/Courbe	225,950	975,25	150
CT	29+722,61	-	-	-	-
-	-	Tangent/Tangente	390,280	-	-
TC	30+112,89	-	-	-	-
PI	30+402,39	Curve/Courbe	578,990	587,021	119
CT	30+691,88	-	-	-	-
-	-	Tangent/Tangente	387,020	-	-
TC	31+078,90	-	-	-	-
PI	31+229,70	Curve/Courbe	301,600	621,332	126
CT	31+380,50	-	-	-	-
-	-	Tangent/Tangente	358,230	-	-
TC	31+738,73	-	-	-	-
PI	31+847,66	Curve/Courbe	217,860	584,134	115
CT	31+956,59	-	-	-	-
-	-	Tangent/Tangente	106,990	-	-
TC	32+063,58	-	-	-	-
PI	32+247,02	Curve/Courbe	366,880	452,683	107
CT	32+430,46	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	1079,500	-	-
TC	33+509,96	-	-	-	-
PI	33+642,92	Curve/Courbe	265,910	361,827	96
CT	33+775,87	-	-	-	-
-	-	Tangent/Tangente	675,090	-	-
TC	34+450,96	-	-	-	-
PI	34+554,81	Curve/Courbe	207,690	2286,462	217
CT	34+658,65	-	-	-	-
-	-	Tangent/Tangente	414,960	-	-
TC	35+073,61	-	-	-	-
PI	35+213,47	Curve/Courbe	279,710	460,825	108
CT	35+353,32	-	-	-	-
-	-	Tangent/Tangente	633,290	-	-
TC	35+986,61	-	-	-	-
PI	36+132,45	Curve/Courbe	291,670	294,069	85
CT	36+278,28	-	-	-	-
-	-	Tangent/Tangente	110,860	-	-
TC	36+389,14	-	-	-	-
PI	36+527,71	Curve/Courbe	277,140	327,347	84
CT	36+666,28	-	-	-	-
-	-	Tangent/Tangente	165,810	-	-
TC	36+832,09	-	-	-	-
PI	36+959,39	Curve/Courbe	254,590	379,86	92
CT	37+086,68	-	-	-	-
-	-	Tangent/Tangente	220,140	-	-
TC	37+306,82	-	-	-	-
PI	37+340,44	Curve/Courbe	67,240	865,742	138
CT	37+374,06	-	-	-	-
-	-	Tangent/Tangente	167,810	-	-
TC	37+541,87	-	-	-	-
PI	37+639,20	Curve/Courbe	194,650	391,482	100
CT	37+736,52	-	-	-	-
-	-	Tangent/Tangente	411,510	-	-
TC	38+148,03	-	-	-	-
PI	38+215,67	Curve/Courbe	135,270	1049,173	140
CT	38+283,30	-	-	-	-
-	-	Tangent/Tangente	66,400	-	-
TC	38+349,70	-	-	-	-
PI	38+452,73	Curve/Courbe	206,060	629,476	121
CT	38+555,76	-	-	-	-
-	-	Tangent/Tangente	360,460	-	-
TC	38+916,22	-	-	-	-
PI	39+026,41	Curve/Courbe	220,380	372,02	93
CT	39+136,60	-	-	-	-



Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	191,510	-	-
TC	39+328,11	-	-	-	-
PI	39+399,63	Curve/Courbe	143,040	891,375	133
CT	39+471,15	-	-	-	-
-	-	Tangent/Tangente	987,390	-	-
TC	40+458,54	-	-	-	-
PI	40+712,93	Curve/Courbe	508,770	592,599	123
CT	40+967,31	-	-	-	-
-	-	Tangent/Tangente	1870,170	-	-
TC	42+837,48	-	-	-	-
PI	42+903,32	Curve/Courbe	131,670	1299,847	172
CT	42+969,15	-	-	-	-
-	-	Tangent/Tangente	540,060	-	-
TC	43+509,21	-	-	-	-
PI	43+575,16	Curve/Courbe	131,890	665,763	130
CT	43+641,10	-	-	-	-
-	-	Tangent/Tangente	837,090	-	-
TC	44+478,19	-	-	-	-
PI	44+699,94	Curve/Courbe	443,500	849,325	128
CT	44+921,69	-	-	-	-
-	-	Tangent/Tangente	406,440	-	-
TC	45+328,13	-	-	-	-
PI	45+399,73	Curve/Courbe	143,190	189,85	69
CT	45+471,32	-	-	-	-
-	-	Tangent/Tangente	858,490	-	-
TC	46+329,81	-	-	-	-
PI	46+398,85	Curve/Courbe	138,070	978,966	147
CT	46+467,88	-	-	-	-
-	-	Tangent/Tangente	251,450	-	-
TC	46+719,33	-	-	-	-
PI	46+894,79	Curve/Courbe	350,920	335,867	88
CT	47+070,25	-	-	-	-
-	-	Tangent/Tangente	232,880	-	-
TC	47+303,13	-	-	-	-
PI	47+452,99	Curve/Courbe	299,710	422,02	95
CT	47+602,84	-	-	-	-
-	-	Tangent/Tangente	486,170	-	-
TC	48+089,01	-	-	-	-
PI	48+150,18	Curve/Courbe	122,340	652,716	129
CT	48+211,35	-	-	-	-
-	-	Tangent/Tangente	643,700	-	-
TC	48+855,05	-	-	-	-
PI	48+885,40	Curve/Courbe	60,690	254,348	73
CT	48+915,74	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	612,150	-	-
TC	49+527,89	-	-	-	-
PI	49+556,64	Curve/Courbe	57,490	553,699	111
CT	49+585,38	-	-	-	-
-	-	Tangent/Tangente	409,360	-	-
TC	49+994,74	-	-	-	-
PI	50+094,46	Curve/Courbe	199,440	261,745	78
CT	50+194,18	-	-	-	-
-	-	Tangent/Tangente	146,410	-	-
TC	50+340,59	-	-	-	-
PI	50+525,81	Curve/Courbe	370,440	272,167	83
CT	50+711,03	-	-	-	-
-	-	Tangent/Tangente	196,370	-	-
TC	50+907,40	-	-	-	-
PI	50+964,49	Curve/Courbe	114,180	435,718	101
CT	51+021,58	-	-	-	-
-	-	Tangent/Tangente	779,860	-	-
TC	51+801,44	-	-	-	-
PI	51+904,06	Curve/Courbe	205,230	263,644	76
CT	52+006,67	-	-	-	-
-	-	Tangent/Tangente	434,250	-	-
TC	52+440,92	-	-	-	-
PI	52+578,22	Curve/Courbe	274,600	317,77	90
CT	52+715,52	-	-	-	-
-	-	Tangent/Tangente	377,200	-	-
TC	53+092,72	-	-	-	-
PI	53+214,43	Curve/Courbe	243,420	262,173	70
CT	53+336,14	-	-	-	-
-	-	Tangent/Tangente	934,820	-	-
TC	54+270,96	-	-	-	-
PI	54+315,18	Curve/Courbe	88,430	557,287	114
CT	54+359,39	-	-	-	-
-	-	Tangent/Tangente	512,260	-	-
TC	54+871,65	-	-	-	-
PI	54+946,76	Curve/Courbe	150,220	645,443	128
CT	55+021,87	-	-	-	-
-	-	Tangent/Tangente	314,790	-	-
TC	55+336,66	-	-	-	-
PI	55+368,94	Curve/Courbe	64,560	605,573	115
CT	55+401,22	-	-	-	-
-	-	Tangent/Tangente	977,170	-	-
TC	56+378,39	-	-	-	-
PI	56+418,02	Curve/Courbe	79,250	223,307	66
CT	56+457,64	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	347,620	-	-
TC	56+805,26	-	-	-	-
PI	56+865,37	Curve/Courbe	120,220	740,404	111
CT	56+925,48	-	-	-	-
-	-	Tangent/Tangente	3825,400	-	-
TC	60+750,88	-	-	-	-
PI	60+805,81	Curve/Courbe	109,850	385,057	87
CT	60+860,73	-	-	-	-
-	-	Tangent/Tangente	264,680	-	-
TC	61+125,41	-	-	-	-
PI	61+170,68	Curve/Courbe	90,540	357,244	94
CT	61+215,95	-	-	-	-
-	-	Tangent/Tangente	1133,720	-	-
TC	62+349,67	-	-	-	-
PI	62+758,48	Curve/Courbe	817,620	14187,786	553
CT	63+167,29	-	-	-	-
-	-	Tangent/Tangente	3065,270	-	-
TC	66+232,56	-	-	-	-
PI	66+310,50	Curve/Courbe	155,880	1080,952	166
CT	66+388,44	-	-	-	-
-	-	Tangent/Tangente	375,830	-	-
TC	66+764,27	-	-	-	-
PI	66+795,06	Curve/Courbe	61,580	247,804	71
CT	66+825,85	-	-	-	-
-	-	Tangent/Tangente	116,520	-	-
TC	66+942,37	-	-	-	-
PI	66+982,52	Curve/Courbe	80,300	173,753	60
CT	67+022,67	-	-	-	-
-	-	Tangent/Tangente	867,220	-	-
TC	67+889,89	-	-	-	-
PI	67+927,87	Curve/Courbe	75,950	905,736	133
CT	67+965,84	-	-	-	-
-	-	Tangent/Tangente	908,060	-	-
TC	68+873,90	-	-	-	-
PI	68+892,53	Curve/Courbe	37,250	155,262	47
CT	68+911,15	-	-	-	-
-	-	Tangent/Tangente	3652,840	-	-
TC	72+563,99	-	-	-	-
PI	72+612,06	Curve/Courbe	96,140	257,931	66
CT	72+660,13	-	-	-	-
-	-	Tangent/Tangente	339,890	-	-
TC	73+000,02	-	-	-	-
PI	73+046,76	Curve/Courbe	93,480	330,194	81
CT	73+093,50	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	348,760	-	-
TC	73+442,26	-	-	-	-
PI	73+516,53	Curve/Courbe	148,530	338,415	89
CT	73+590,79	-	-	-	-
-	-	Tangent/Tangente	541,570	-	-
TC	74+132,36	-	-	-	-
PI	74+191,83	Curve/Courbe	118,940	534,723	93
CT	74+251,30	-	-	-	-
-	-	Tangent/Tangente	561,770	-	-
TC	74+813,07	-	-	-	-
PI	74+861,31	Curve/Courbe	96,470	651,023	115
CT	74+909,54	-	-	-	-
-	-	Tangent/Tangente	355,620	-	-
TC	75+265,16	-	-	-	-
PI	75+322,41	Curve/Courbe	114,490	971,138	129
CT	75+379,65	-	-	-	-
-	-	Tangent/Tangente	500,710	-	-
TC	75+880,36	-	-	-	-
PI	75+958,93	Curve/Courbe	157,130	235,467	-
CT	76+037,49	-	-	-	-
-	-	Tangent/Tangente	627,320	-	-
TC	76+664,81	-	-	-	-
PI	76+685,98	Curve/Courbe	42,330	464,291	81
CT	76+707,14	-	-	-	-
-	-	Tangent/Tangente	174,510	-	-
TC	76+881,65	-	-	-	-
PI	76+946,25	Curve/Courbe	129,190	380,878	96
CT	77+010,84	-	-	-	-
-	-	Tangent/Tangente	12,530	-	-
TC	77+023,37	-	-	-	-
PI	77+094,53	Curve/Courbe	142,320	328,615	89
CT	77+165,69	-	-	-	-
-	-	Tangent/Tangente	875,530	-	-
TC	78+041,22	-	-	-	-
PI	78+139,03	Curve/Courbe	195,620	249,377	80
CT	78+236,84	-	-	-	-
-	-	Tangent/Tangente	21,230	-	-
TC	78+258,07	-	-	-	-
PI	78+329,17	Curve/Courbe	142,190	200,495	71
CT	78+400,26	-	-	-	-
-	-	Tangent/Tangente	184,340	-	-
TC	78+584,60	-	-	-	-
PI	78+654,36	Curve/Courbe	139,520	272,35	83
CT	78+724,12	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	422,960	-	-
TC	79+147,08	-	-	-	-
PI	79+203,44	Curve/Courbe	112,720	637,113	119
CT	79+259,80	-	-	-	-
-	-	Tangent/Tangente	221,150	-	-
TC	79+480,95	-	-	-	-
PI	79+545,90	Curve/Courbe	129,890	341,798	75
CT	79+610,84	-	-	-	-
-	-	Tangent/Tangente	132,560	-	-
TC	79+743,40	-	-	-	-
PI	79+858,12	Curve/Courbe	229,440	246,958	71
CT	79+972,84	-	-	-	-
-	-	Tangent/Tangente	153,390	-	-
TC	80+126,23	-	-	-	-
PI	80+202,12	Curve/Courbe	151,770	433,415	92
CT	80+278,00	-	-	-	-
-	-	Tangent/Tangente	578,320	-	-
TC	80+856,32	-	-	-	-
PI	80+941,90	Curve/Courbe	171,150	414,376	100
CT	81+027,47	-	-	-	-
-	-	Tangent/Tangente	42,480	-	-
TC	81+069,95	-	-	-	-
PI	81+142,29	Curve/Courbe	144,670	277,337	84
CT	81+214,62	-	-	-	-
-	-	Tangent/Tangente	279,990	-	-
TC	81+494,61	-	-	-	-
PI	81+546,42	Curve/Courbe	103,620	384,43	97
CT	81+598,23	-	-	-	-
-	-	Tangent/Tangente	152,240	-	-
TC	81+750,47	-	-	-	-
PI	81+817,14	Curve/Courbe	133,340	514,417	112
CT	81+883,81	-	-	-	-
-	-	Tangent/Tangente	151,430	-	-
TC	82+035,24	-	-	-	-
PI	82+071,70	Curve/Courbe	72,910	380,84	97
CT	82+108,15	-	-	-	-
-	-	Tangent/Tangente	510,190	-	-
TC	82+618,34	-	-	-	-
PI	82+663,76	Curve/Courbe	90,840	232,825	57
CT	82+709,18	-	-	-	-
-	-	Tangent/Tangente	90,430	-	-
TC	82+799,61	-	-	-	-
PI	82+883,17	Curve/Courbe	167,120	285,986	79
CT	82+966,73	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	288,470	-	-
TC	83+255,20	-	-	-	-
PI	83+343,78	Curve/Courbe	177,160	581,219	108
CT	83+432,36	-	-	-	-
-	-	Tangent/Tangente	529,690	-	-
TC	83+962,05	-	-	-	-
PI	84+002,01	Curve/Courbe	79,920	247,22	69
CT	84+041,97	-	-	-	-
-	-	Tangent/Tangente	766,880	-	-
TC	84+808,85	-	-	-	-
PI	84+895,80	Curve/Courbe	173,890	314,952	72
CT	84+982,74	-	-	-	-
-	-	Tangent/Tangente	313,290	-	-
TC	85+296,03	-	-	-	-
PI	85+358,96	Curve/Courbe	125,860	418,657	96
CT	85+421,89	-	-	-	-
-	-	Tangent/Tangente	618,120	-	-
TC	86+040,01	-	-	-	-
PI	86+095,52	Curve/Courbe	111,010	442,729	104
CT	86+151,02	-	-	-	-
-	-	Tangent/Tangente	162,130	-	-
TC	86+313,15	-	-	-	-
PI	86+379,08	Curve/Courbe	131,850	650,516	121
CT	86+445,00	-	-	-	-
-	-	Tangent/Tangente	292,000	-	-
TC	86+737,00	-	-	-	-
PI	86+755,90	Curve/Courbe	37,790	486,856	91
CT	86+774,79	-	-	-	-
-	-	Tangent/Tangente	642,060	-	-
TC	87+416,85	-	-	-	-
PI	87+477,65	Curve/Courbe	121,600	832,291	133
CT	87+538,45	-	-	-	-
-	-	Tangent/Tangente	198,420	-	-
TC	87+736,87	-	-	-	-
PI	87+787,07	Curve/Courbe	100,390	309,911	76
CT	87+837,26	-	-	-	-
-	-	Tangent/Tangente	746,210	-	-
TC	88+583,47	-	-	-	-
PI	88+707,27	Curve/Courbe	247,600	942,366	146
CT	88+831,07	-	-	-	-
-	-	Tangent/Tangente	461,150	-	-
TC	89+292,22	-	-	-	-
PI	89+420,17	Curve/Courbe	255,900	309,007	75
CT	89+548,12	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	251,490	-	-
TC	89+799,61	-	-	-	-
PI	89+922,32	Curve/Courbe	245,420	289,667	67
CT	90+045,03	-	-	-	-
-	-	Tangent/Tangente	392,900	-	-
TC	90+437,93	-	-	-	-
PI	90+530,23	Curve/Courbe	184,600	541,064	115
CT	90+622,53	-	-	-	-
-	-	Tangent/Tangente	812,540	-	-
TC	91+435,07	-	-	-	-
PI	91+490,28	Curve/Courbe	110,420	388,33	81
CT	91+545,49	-	-	-	-
-	-	Tangent/Tangente	385,440	-	-
TC	91+930,93	-	-	-	-
PI	92+015,90	Curve/Courbe	169,930	350,352	79
CT	92+100,86	-	-	-	-
-	-	Tangent/Tangente	902,480	-	-
TC	93+003,34	-	-	-	-
PI	93+081,49	Curve/Courbe	156,290	1395,619	167
CT	93+159,63	-	-	-	-
-	-	Tangent/Tangente	419,890	-	-
TC	93+579,52	-	-	-	-
PI	93+729,77	Curve/Courbe	300,500	350,663	81
CT	93+880,02	-	-	-	-
-	-	Tangent/Tangente	685,660	-	-
TC	94+565,68	-	-	-	-
PI	94+637,44	Curve/Courbe	143,520	1295,462	157
CT	94+709,20	-	-	-	-
-	-	Tangent/Tangente	1189,080	-	-
TC	95+898,28	-	-	-	-
PI	95+929,57	Curve/Courbe	62,580	308,285	82
CT	95+960,86	-	-	-	-
-	-	Tangent/Tangente	360,390	-	-
TC	96+321,25	-	-	-	-
PI	96+365,59	Curve/Courbe	88,680	296,736	85
CT	96+409,93	-	-	-	-
-	-	Tangent/Tangente	634,180	-	-
TC	97+044,11	-	-	-	-
PI	97+085,62	Curve/Courbe	83,020	341,558	87
CT	97+127,13	-	-	-	-
-	-	Tangent/Tangente	428,960	-	-
TC	97+556,09	-	-	-	-
PI	97+654,90	Curve/Courbe	197,610	637,806	106
CT	97+753,70	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	539,710	-	-
TC	98+293,41	-	-	-	-
PI	98+433,25	Curve/Courbe	279,670	928,204	148
CT	98+573,08	-	-	-	-
-	-	Tangent/Tangente	580,250	-	-
TC	99+153,33	-	-	-	-
PI	99+277,46	Curve/Courbe	248,250	400,784	81
CT	99+401,58	-	-	-	-
-	-	Tangent/Tangente	579,710	-	-
TC	99+981,29	-	-	-	-
PI	100+091,97	Curve/Courbe	221,350	370,866	88
CT	100+202,64	-	-	-	-
-	-	Tangent/Tangente	86,230	-	-
TC	100+288,87	-	-	-	-
PI	100+402,58	Curve/Courbe	227,420	245,448	75
CT	100+516,29	-	-	-	-
-	-	Tangent/Tangente	177,630	-	-
TC	100+693,92	-	-	-	-
PI	100+842,68	Curve/Courbe	297,520	323,058	71
CT	100+991,44	-	-	-	-
-	-	Tangent/Tangente	825,947	-	-
TC	101+817,39	-	-	-	-
PI	101+935,40	Curve/Courbe	236,023	1151,48	132
CT	102+053,41	-	-	-	-
-	-	Tangent/Tangente	564,910	-	-
TC	102+618,32	-	-	-	-
PI	102+717,67	Curve/Courbe	198,700	516,278	115
CT	102+817,02	-	-	-	-
-	-	Tangent/Tangente	1255,820	-	-
TC	104+072,84	-	-	-	-
PI	104+183,01	Curve/Courbe	220,330	378,476	97
CT	104+293,17	-	-	-	-
-	-	Tangent/Tangente	3600,390	-	-
TC	107+893,56	-	-	-	-
PI	107+977,03	Curve/Courbe	166,940	499,76	107
CT	108+060,50	-	-	-	-
-	-	Tangent/Tangente	118,390	-	-
TC	108+178,89	-	-	-	-
PI	108+465,02	Curve/Courbe	572,260	303,414	74
CT	108+751,15	-	-	-	-
-	-	Tangent/Tangente	566,100	-	-
TC	109+317,25	-	-	-	-
PI	109+489,17	Curve/Courbe	343,840	3338,52	283
CT	109+661,09	-	-	-	-



Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	1719,365		-
TC	111+380,46	-			-
PI	111+449,54	Curve/Courbe	138,124	2093,323	221
CT	111+518,58	-			-
-	-	Tangent/Tangente	3825,165		-
CT	115+343,74	-			-
PI	115+453,19	Curve/Courbe	213,484	392,935	79
TC	115+557,23	-			-
-	-	Tangent/Tangente	1244,317		-
TC	116+801,55	-			-
PI	116+969,58	Curve/Courbe	314,774	363,344	84
CT	117+116,32	-			-
-	-	Tangent/Tangente	617,918		-
TC	117+734,24	-			-
PI	117+886,06	Curve/Courbe	294,825	500,571	113
CT	118+029,06	-			-
-	-	Tangent/Tangente	2374,331		-
TC	120+403,39	-			-
PI	120+479,22	Curve/Courbe	151,219	819,411	139
CT	120+554,61	-			-
-	-	Tangent/Tangente	208,962		-
TC	120+763,57	-			-
PI	120+893,96	Curve/Courbe	259,961	1347,422	179
CT	121+023,54	-			-
-	-	Tangent/Tangente	1437,467		-
TC	122+461,00	-	-	-	-
PI	122+573,27	Curve/Courbe	224,231	1786,783	201
CT	122+685,23	-			-
-	-	Tangent/Tangente	692,522		-
TC	123+377,76	-			-
PI	123+531,64	Curve/Courbe	307,414	2593,883	234
CT	123+685,17	-			-
-	-	Tangent/Tangente	314,273		-
PI	123+999,44	-			-
-	-	Tangent/Tangente	204,651		-
PI	124+204,09	-			-
-	-	Tangent/Tangente	366,009		-
TC	124+570,10	-			-
PI	124+629,64	Curve/Courbe	118,979	1206,063	144
CT	124+689,08	-			-
-	-	Tangent/Tangente	381,342		-
TC	125+070,42	-			-
PI	125+198,76	Curve/Courbe	256,226	1786,397	195
CT	125+326,65	-			-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	279,218	-	-
TC	125+605,87	-	-	-	-
PI	125+621,30	Curve/Courbe	30,839	358,594	86
CT	125+636,71	-	-	-	-
-	-	Tangent/Tangente	1707,220	-	-
TC	127+343,93	-	-	-	-
PI	127+427,18	Curve/Courbe	166,425	2099,613	210
CT	127+510,35	-	-	-	-
-	-	Tangent/Tangente	403,028	-	-
TC	127+913,38	-	-	-	-
PI	128+026,69	Curve/Courbe	225,412	892,499	112
CT	128+138,79	-	-	-	-
-	-	Tangent/Tangente	475,102	-	-
PI	128+613,89	-	-	-	-
-	-	Tangent/Tangente	211,866	-	-
TC	128+825,76	-	-	-	-
PI	129+062,05	Curve/Courbe	415,401	348,95	83
CT	129+241,16	-	-	-	-
-	-	Tangent/Tangente	572,624	-	-
TC	129+813,78	-	-	-	-
PI	129+982,56	Curve/Courbe	336,348	1632,623	189
CT	130+150,13	-	-	-	-
-	-	Tangent/Tangente	1356,303	-	-
PI	131+506,44	-	-	-	-
-	-	Tangent/Tangente	385,945	-	-
PI	131+892,38	-	-	-	-
-	-	Tangent/Tangente	189,103	-	-
TC	132+081,48	-	-	-	-
PI	132+181,62	Curve/Courbe	200,119	2109,61	204
CT	132+281,60	-	-	-	-
-	-	Tangent/Tangente	2432,228	-	-
TC	134+713,83	-	-	-	-
PI	134+775,53	Curve/Courbe	123,318	1407,445	156
CT	134+837,15	-	-	-	-
-	-	Tangent/Tangente	44,528	-	-
TC	134+881,68	-	-	-	-
PI	134+986,64	Curve/Courbe	209,714	1911,529	181
CT	135+091,39	-	-	-	-
-	-	Tangent/Tangente	574,975	-	-
PI	135+666,37	-	-	-	-
-	-	Tangent/Tangente	175,572	-	-
PI	135+841,94	-	-	-	-
-	-	Tangent/Tangente	399,200	-	-
TC	136+241,14	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PI	136+401,75	Curve/Courbe	310,920	502,699	109
CT	136+552,06			-	-
-	-	Tangent/Tangente	131,597		-
TC	136+683,65			-	-
PI	136+743,91	Curve/Courbe	119,829	459,26	102
CT	136+803,48			-	-
-	-	Tangent/Tangente	327,838		-
TC	137+131,32			-	-
PI	137+269,41	Curve/Courbe	274,525	1023,146	124
CT	137+405,85			-	-
-	-	Tangent/Tangente	2270,941		-
TC	139+676,79			-	-
PI	139+888,46	Curve/Courbe	405,201	567,523	118
CT	140+081,99			-	-
-	-	Tangent/Tangente	495,214		-
PI	140+577,20			-	-
-	-	Tangent/Tangente	154,804		-
TC	140+732,01			-	-
PI	140+904,61	Curve/Courbe	341,512	952,836	140
CT	141+073,52			-	-
-	-	Tangent/Tangente	623,479		-
TC	141+697,00			-	-
PI	141+736,10	Curve/Courbe	78,000	429,722	100
CT	141+775,00			-	-
-	-	Tangent/Tangente	188,220		-
TC	141+963,22			-	-
PI	142+159,88	Curve/Courbe	365,808	401,997	95
CT	142+329,03			-	-
-	-	Tangent/Tangente	134,672		-
TC	142+463,70			-	-
PI	142+531,93	Curve/Courbe	134,735	345,214	92
CT	142+598,43			-	-
-	-	Tangent/Tangente	590,188		-
TC	143+188,62			-	-
PI	143+373,24	Curve/Courbe	360,729	687,496	129
CT	143+549,35			-	-
-	-	Tangent/Tangente	1420,182		-
TC	144+969,53			-	-
PI	145+250,89	Curve/Courbe	541,264	803,27	139
CT	145+510,80			-	-
-	-	Tangent/Tangente	166,455		-
TC	145+677,25			-	-
PI	145+942,43	Curve/Courbe	479,089	449,166	97
CT	146+156,34			-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	588,631		-
TC	146+744,97			-	-
PI	147+023,26	Curve/Courbe	499,772	456,238	108
CT	147+244,74			-	-
-	-	Tangent/Tangente	629,985		-
TC	147+874,73			-	-
PI	147+895,14	Curve/Courbe	40,773	359,874	88
CT	147+915,50			-	-
-	-	Tangent/Tangente	203,200		-
TC	148+118,70			-	-
PI	148+304,35	Curve/Courbe	355,171	494,113	87
CT	148+473,87			-	-
		Tangent/Tangente	5179,841		
TC	153+653,71			-	-
PI	153+883,03	Curve/Courbe	435,182	558,37	90
CT	154+088,89			-	-
-	-	Tangent/Tangente	57,591		-
TC	154+146,49			-	-
PI	154+414,97	Curve/Courbe	475,370	409,816	79
CT	154+621,86			-	-
-	-	Tangent/Tangente	2588,924		-
TC	157+210,78			-	-
PI	157+343,07	Curve/Courbe	264,407	3024,313	277
CT	157+475,19			-	-
-	-	Tangent/Tangente	1636,588		-
TC	159+111,77			-	-
PI	159+273,52	Curve/Courbe	319,943	882,385	140
CT	159+431,72			-	-
-	-	Tangent/Tangente	770,214		-
TC	160+201,93			-	-
PI	160+458,06	Curve/Courbe	474,436	507,831	100
CT	160+676,37			-	-
-	-	Tangent/Tangente	470,448		-
TC	161+146,82			-	-
PI	161+291,48	Curve/Courbe	286,932	911,692	134
CT	161+433,75			-	-
-	-	Tangent/Tangente	612,860		-
TC	162+046,61			-	-
PI	162+291,80	Curve/Courbe	466,318	610,547	103
CT	162+512,93			-	-
-	-	Tangent/Tangente	38,999		-
PI	162+551,92			-	-
-	-	Tangent/Tangente	186,626		-
TC	162+738,55			-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PI	162+955,99	Curve/Courbe	405,703	455,129	98
CT	163+144,25			-	-
-	-	Tangent/Tangente	191,063		-
TC	163+335,32			-	-
PI	163+484,57	Curve/Courbe	296,735	1110,982	133
CT	163+632,05			-	-
-	-	Tangent/Tangente	4,230		-
TC	163+636,28			-	-
PI	163+936,94	Curve/Courbe	589,234	1201,885	162
CT	164+225,52			-	-
-	-	Tangent/Tangente	80,373		-
TC	164+305,89			-	-
PI	164+510,12	Curve/Courbe	397,943	717,866	117
CT	164+703,83			-	-
-	-	Tangent/Tangente	2082,636		-
TC	166+786,47			-	-
PI	166+996,47	Curve/Courbe	378,825	352,683	88
CT	167+165,29			-	-
-	-	Tangent/Tangente	115,417		-
TC	167+280,71			-	-
PI	167+456,18	Curve/Courbe	319,143	308,807	79
CT	167+599,85			-	-
-	-	Tangent/Tangente	392,971		-
TC	167+992,82			-	-
PI	168+049,69	Curve/Courbe	113,699	1695,693	196
CT	168+106,52			-	-
-	-	Tangent/Tangente	1130,132		-
TC	169+236,65			-	-
PI	169+346,69	Curve/Courbe	219,698	1557,602	186
CT	169+456,35			-	-
-	-	Tangent/Tangente	227,939		-
TC	169+684,29			-	-
PI	169+985,14	Curve/Courbe	530,440	450,229	102
CT	170+214,73			-	-
-	-	Tangent/Tangente	151,393		-
TC	170+366,12			-	-
PI	170+553,10	Curve/Courbe	318,029	240,967	78
CT	170+684,15			-	-
-	-	Tangent/Tangente	126,244		-
TC	170+810,40			-	-
PI	170+896,29	Curve/Courbe	164,746	235,743	77
CT	170+975,14			-	-
-	-	Tangent/Tangente	259,880		-
TC	171+235,02			-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PI	171+344,04	Curve/Courbe	217,531	1312,343	169
CT	171+452,55			-	-
-	-	Tangent/Tangente	5191,431		-
TC	176+643,99			-	-
PI	176+884,52	Curve/Courbe	458,299	610,911	119
CT	177+102,28			-	-
-	-	Tangent/Tangente	499,691		-
TC	177+601,98			-	-
PI	177+712,93	Curve/Courbe	220,389	767,044	132
CT	177+822,36			-	-
-	-	Tangent/Tangente	165,081		-
TC	177+987,45			-	-
PI	178+209,68	Curve/Courbe	406,037	402,089	101
CT	178+393,48			-	-
-	-	Tangent/Tangente	441,805		-
TC	178+835,29			-	-
PI	178+956,71	Curve/Courbe	242,321	1496,787	163
CT	179+077,61			-	-
-	-	Tangent/Tangente	149,887		-
TC	179+227,50			-	-
PI	179+458,78	Curve/Courbe	449,688	780,013	108
CT	179+677,18			-	-
-	-	Tangent/Tangente	6777,747		-
TC	186+454,93			-	-
PI	186+742,92	Curve/Courbe	522,651	500,421	102
CT	186+977,58			-	-
-	-	Tangent/Tangente	972,645		-
TC	187+950,23			-	-
PI	188+204,77	Curve/Courbe	482,668	614,792	123
CT	188+432,89			-	-
-	-	Tangent/Tangente	4050,871		-
TC	192+483,77			-	-
PI	192+546,96	Curve/Courbe	126,244	1055,084	124
CT	192+610,01			-	-
-	-	Tangent/Tangente	187,637		-
PI	192+797,65			-	-
-	-	Tangent/Tangente	191,629		-
TC	192+989,28			-	-
PI	193+082,56	Curve/Courbe	182,166	342,973	76
CT	193+171,44			-	-
-	-	Tangent/Tangente	151,955		-
TC	193+323,40			-	-
PI	193+401,98	Curve/Courbe	155,151	396,209	86
CT	193+478,55			-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	5335,514		-
TC	198+814,06			-	-
PI	199+040,81	Curve/Courbe	444,988	939,252	134
CT	199+259,05			-	-
-	-	Tangent/Tangente	239,967		-
TC	199+499,02			-	-
PI	199+743,03	Curve/Courbe	447,986	455,201	92
CT	199+947,00			-	-
-	-	Tangent/Tangente	266,764		-
PI	200+213,77			-	-
-	-	Tangent/Tangente	-154,804		-
TC	199+792,20	-			-
PI	199+934,47	Curve/Courbe	280,972	725	114
CT	200+073,17	-			-
-	-	Tangent/Tangente	6282,903		-
TC	206+356,07	-			-
PI	206+817,18	Curve/Courbe	786,288	600	115
CT	207+142,36	-			-
-	-	Tangent/Tangente	1216,146		-
TC	208+358,51	-			-
PI	208+576,83	Curve/Courbe	423,265	700	111
CT	208+781,77	-			-
-	-	Tangent/Tangente	420,386		-
TC	209+202,16	-			-
PI	209+376,92	Curve/Courbe	336,254	500	113
CT	209+538,41	-			-
-	-	Tangent/Tangente	443,607		-
TC	209+982,02	-			-
PI	210+151,52	Curve/Courbe	335,084	900	138
CT	210+317,10	-			-
-	-	Tangent/Tangente	1601,911		-
TC	211+919,01	-		-	-
PI	212+171,72	Curve/Courbe	489,537	800	127
CT	212+408,55	-			-
-	-	Tangent/Tangente	863,866		-
TC	213+272,42	-			-
PI	213+513,64	Curve/Courbe	450,639	510	114
CT	213+723,06	-			-
-	-	Tangent/Tangente	915,332		-
TC	214+638,39	-			-
PI	214+890,95	Curve/Courbe	493,923	960	154
CT	215+132,31	-			-
-	-	Tangent/Tangente	208,390		-
TC	215+340,70	-			-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PI	215+455,24	Curve/Courbe	228,842	2040	228
CT	215+569,54	-			-
-	-	Tangent/Tangente	427,470		-
TC	215+997,01	-			-
PI	216+060,74	Curve/Courbe	125,754	315	77
CT	216+122,77	-			-
-	-	Tangent/Tangente	183,200		-
TC	216+305,97	-			-
PI	216+369,00	Curve/Courbe	124,525	325	88
CT	216+430,49	-			-
-	-	Tangent/Tangente	2881,870		-
TC	219+312,36	-			-
PI	219+505,35	Curve/Courbe	377,568	740	130
CT	219+689,93	-			-
PI	220+694,28	Curve/Courbe	623,134	500	109
CT	220+958,08	-			-
-	-	Tangent/Tangente	167,885		-
TC	221+125,97	-			-
PI	221+301,18	Curve/Courbe	344,967	799,959	140
CT	221+470,94	-			-
-	-	Tangent/Tangente	237,968		-
TC	221+708,90	-			-
PI	222+079,54	Curve/Courbe	713,804	1074,327	120
CT	222+422,71	-			-
-	-	Tangent/Tangente	500,378		-
TC	222+923,09	-			-
PI	223+142,72	Curve/Courbe	431,285	925	141
CT	223+354,37	-			-
-	-	Tangent/Tangente	2722,398		-
TC	226+076,77	-			-
PI	226+274,24	Curve/Courbe	362,020	365	77
CT	226+438,79	-			-
-	-	Tangent/Tangente	202,130		-
TC	226+640,92	-			-
PI	226+862,96	Curve/Courbe	436,256	950	125
CT	227+077,17	-			-
-	-	Tangent/Tangente	890,080		-
TC	227+967,25	-			-
PI	228+217,87	Curve/Courbe	469,286	540	90
CT	228+436,54	-			-
-	-	Tangent/Tangente	337,920		-
TC	228+774,46	-			-
PI	228+983,47	Curve/Courbe	399,478	550	82
CT	229+173,94	-			-



Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	228,569	-	-
TC	229+402,51	-	-	-	-
PI	229+648,22	Curve/Courbe	483,491	1100	124
CT	229+886,00	-	-	-	-
-	-	Tangent/Tangente	466,793	-	-
TC	230+352,79	-	-	-	-
PI	230+547,49	Curve/Courbe	347,748	310,222	75
CT	230+700,54	-	-	-	-
-	-	Tangent/Tangente	130,459	-	-
TC	230+831,00	-	-	-	-
PI	230+954,58	Curve/Courbe	225,037	219,074	60
CT	231+056,04	-	-	-	-
-	-	Tangent/Tangente	469,381	-	-
TC	231+525,42	-	-	-	-
PI	231+641,01	Curve/Courbe	230,631	1356,139	144
CT	231+756,05	-	-	-	-
-	-	Tangent/Tangente	258,478	-	-
TC	232+014,53	-	-	-	-
PI	232+143,83	Curve/Courbe	254,382	574,805	121
CT	232+268,91	-	-	-	-
-	-	Tangent/Tangente	146,030	-	-
TC	232+414,94	-	-	-	-
PI	232+470,46	Curve/Courbe	110,209	367,647	92
CT	232+525,15	-	-	-	-
-	-	Tangent/Tangente	3004,274	-	-
TC	235+529,42	-	-	-	-
PI	235+691,83	Curve/Courbe	323,712	1600	184
CT	235+853,13	-	-	-	-
-	-	Tangent/Tangente	163,472	-	-
TC	236+016,60	-	-	-	-
PI	236+152,54	Curve/Courbe	245,880	231,742	77
CT	236+262,48	-	-	-	-
-	-	Tangent/Tangente	153,605	-	-
TC	236+416,09	-	-	-	-
PI	236+781,22	Curve/Courbe	527,647	297,265	66
CT	236+943,74	-	-	-	-
-	-	Tangent/Tangente	163,266	-	-
TC	237+107,00	-	-	-	-
PI	237+308,94	Curve/Courbe	355,473	300	73
CT	237+462,48	-	-	-	-
-	-	Tangent/Tangente	502,170	-	-
TC	237+964,65	-	-	-	-
PI	238+004,19	Curve/Courbe	79,056	1102,228	167
CT	238+043,70	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	1226,062		-
TC	239+269,76	-		-	-
PI	239+285,42	Curve/Courbe	31,271	256,231	60
CT	239+301,03	-		-	-
-	-	Tangent/Tangente	419,519		-
TC	239+720,55	-		-	-
PI	239+876,97	Curve/Courbe	294,592	354,296	85
CT	240+015,15	-		-	-
-	-	Tangent/Tangente	1313,945		-
TC	241+329,09	-	-	-	-
PI	241+424,63	Curve/Courbe	189,777	663,037	119
CT	241+518,87	-		-	-
-	-	Tangent/Tangente	70,884		-
TC	241+589,75	-		-	-
PI	241+841,43	Curve/Courbe	416,003	293,294	69
CT	242+005,75	-		-	-
-	-	Tangent/Tangente	141,141		-
TC	242+146,90	-		-	-
PI	242+272,17	Curve/Courbe	241,910	377,214	86
CT	242+388,81	-		-	-
-	-	Tangent/Tangente	265,658		-
TC	242+654,46	-		-	-
PI	242+877,54	Curve/Courbe	438,718	982,966	144
CT	243+093,18	-		-	-
-	-	Tangent/Tangente	379,129		-
TC	243+472,31	-		-	-
PI	243+575,17	Curve/Courbe	205,229	1203,462	161
CT	243+677,54	-		-	-
-	-	Tangent/Tangente	1302,452		-
TC	244+979,99	-		-	-
PI	245+069,81	Curve/Courbe	174,072	286,152	82
CT	245+154,06	-		-	-
-	-	Tangent/Tangente	120,383		-
TC	245+274,45	-		-	-
PI	245+383,50	Curve/Courbe	213,047	405,072	101
CT	245+487,49	-		-	-
-	-	Tangent/Tangente	1768,755		-
TC	247+256,25	-		-	-
PI	247+318,80	Curve/Courbe	124,707	647,707	114
CT	247+380,96	-		-	-
-	-	Tangent/Tangente	211,480		-
TC	247+592,44	-		-	-
PI	247+777,22	Curve/Courbe	359,935	645,169	92
CT	247+952,37	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	388,689		-
TC	248+341,06	-		-	-
PI	248+683,93	Curve/Courbe	601,425	501,223	86
CT	248+942,48	-		-	-
-	-	Tangent/Tangente	485,180		-
TC	249+427,66	-		-	-
PI	249+601,62	Curve/Courbe	342,890	824,57	98
CT	249+770,55	-		-	-
-	-	Tangent/Tangente	236,363		-
TC	250+006,92	-		-	-
PI	250+118,51	Curve/Courbe	223,098	3453,889	272
CT	250+230,02	-		-	-
-	-	Tangent/Tangente	1230,142		-
TC	251+460,16	-		-	-
PI	251+677,61	Curve/Courbe	410,223	500	111
CT	251+870,38	-		-	-
-	-	Tangent/Tangente	162,307		-
TC	252+032,69	-		-	-
PI	252+202,04	Curve/Courbe	336,937	1350	180
CT	252+369,62	-		-	-
-	-	Tangent/Tangente	2644,135		-
TC	255+013,76	-		-	-
PI	255+174,36	Curve/Courbe	285,506	250	75
CT	255+299,27	-		-	-
-	-	Tangent/Tangente	215,038		-
TC	255+514,30	-		-	-
PI	255+644,71	Curve/Courbe	255,645	525	112
CT	255+769,95	-		-	-
-	-	Tangent/Tangente	340,919		-
TC	256+110,87	-		-	-
PI	256+169,19	Curve/Courbe	116,391	725	136
CT	256+227,26	-		-	-
-	-	Tangent/Tangente	410,557		-
TC	256+637,82	-		-	-
PI	256+788,04	Curve/Courbe	296,527	750	100
CT	256+934,34	-		-	-
-	-	Tangent/Tangente	135,781		-
TC	257+070,12	-		-	-
PI	257+203,01	Curve/Courbe	264,494	1100	121
CT	257+334,62	-		-	-
-	-	Tangent/Tangente	191,618		-
TC	257+526,24	-		-	-
PI	257+636,26	Curve/Courbe	219,971	3300	290
CT	257+746,21	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	404,803		-
TC	258+151,01	-		-	-
PI	258+180,60	Curve/Courbe	46,709	30	
CT	258+197,72	-		-	-
-	-	Tangent/Tangente	70,866		-
TC	258+268,58	-		-	-
PI	258+381,36	Curve/Courbe	224,892	1200	147
CT	258+493,48	-		-	-
-	-	Tangent/Tangente	354,811		-
TC	258+848,29	-		-	-
PI	259+047,33	Curve/Courbe	387,842	700	106
CT	259+236,13	-		-	-
-	-	Tangent/Tangente	304,506		-
TC	259+540,64	-		-	-
PI	259+771,50	Curve/Courbe	455,397	1125	141
CT	259+996,03	-		-	-
-	-	Tangent/Tangente	569,521		-
TC	260+565,55	-		-	-
PI	260+778,75	Curve/Courbe	424,109	1675	192
CT	260+989,66	-		-	-
-	-	Tangent/Tangente	765,816		-
TC	261+755,48	-		-	-
PI	261+949,77	Curve/Courbe	377,590	650	105
CT	262+133,07	-		-	-
-	-	Tangent/Tangente	115,222		-
TC	262+248,29	-		-	-
PI	262+389,86	Curve/Courbe	281,582	1100	134
CT	262+529,87	-		-	-
-	-	Tangent/Tangente	846,645		-
TC	263+376,52	-		-	-
PI	263+482,60	Curve/Courbe	211,965	2000	207
CT	263+588,48	-		-	-
-	-	Tangent/Tangente	500,217		-
TC	264+088,70	-		-	-
PI	264+767,94	Curve/Courbe	1294,157	1725	209
CT	265+382,86	-		-	-
-	-	Tangent/Tangente	156,995		-
TC	265+539,85	-		-	-
PI	265+778,00	Curve/Courbe	467,580	1000	155
CT	266+007,43	-		-	-
-	-	Tangent/Tangente	170,112		-
TC	266+177,54	-		-	-
PI	266+369,96	Curve/Courbe	378,076	825	138
CT	266+555,62	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	774,324	-	-
TC	267+329,94	-	-	-	-
PI	267+429,62	Curve/Courbe	197,545	600	122
CT	267+527,49	-	-	-	-
-	-	Tangent/Tangente	218,908	-	-
TC	267+746,40	-	-	-	-
PI	267+894,21	Curve/Courbe	301,292	725	136
CT	268+047,69	-	-	-	-
-	-	Tangent/Tangente	710,017	-	-
TC	268+757,71	-	-	-	-
PI	268+975,30	Curve/Courbe	432,178	850	126
CT	269+189,88	-	-	-	-
-	-	Tangent/Tangente	1151,835	-	-
PI	270+341,72	-	-	-	-
-	-	Tangent/Tangente	774,963	-	-
TC	271+116,68	-	-	-	-
PI	271+297,56	Curve/Courbe	348,388	525	105
CT	271+465,07	-	-	-	-
-	-	Tangent/Tangente	36,576	-	-
TC	271+501,65	-	-	-	-
PI	271+657,10	Curve/Courbe	306,559	750	132
CT	271+808,20	-	-	-	-
-	-	Tangent/Tangente	101,078	-	-
TC	271+909,28	-	-	-	-
PI	272+008,95	Curve/Courbe	198,783	1100	164
CT	272+108,07	-	-	-	-
-	-	Tangent/Tangente	774,054	-	-
TC	272+882,12	-	-	-	-
PI	273+157,94	Curve/Courbe	523,693	675	113
CT	273+405,81	-	-	-	-
-	-	Tangent/Tangente	122,991	-	-
TC	273+528,80	-	-	-	-
PI	273+802,17	Curve/Courbe	533,039	975	143
CT	274+061,84	-	-	-	-
-	-	Tangent/Tangente	144,376	-	-
TC	274+206,22	-	-	-	-
PI	274+413,08	Curve/Courbe	413,564	6000	360
CT	274+619,78	-	-	-	-
-	-	Tangent/Tangente	364,552	-	-
TC	274+984,33	-	-	-	-
PI	275+182,41	Curve/Courbe	375,323	475	108
CT	275+359,66	-	-	-	-
-	-	Tangent/Tangente	134,382	-	-
TC	275+494,04	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PI	275+852,15	Curve/Courbe	625,829	515	101
CT	276+119,87	-	-	-	-
-	-	Tangent/Tangente	668,022	-	-
TC	276+787,89	-	-	-	-
PI	277+005,41	Curve/Courbe	411,624	515	111
CT	277+199,51	-	-	-	-
-	-	Tangent/Tangente	1099,359	-	-
TC	278+298,87	-	-	-	-
PI	278+486,69	Curve/Courbe	338,718	315	87
CT	278+637,59	-	-	-	-
-	-	Tangent/Tangente	1651,493	-	-
PI	280+289,08	-	-	-	-
-	-	Tangent/Tangente	563,999	-	-
TC	280+853,08	-	-	-	-
PI	281+796,95	Curve/Courbe	1796,827	2375	210
CT	282+649,91	-	-	-	-
-	-	Tangent/Tangente	1360,895	-	-
PI	284+010,81	-	-	-	-
-	-	Tangent/Tangente	821,390	-	-
PI	284+832,20	-	-	-	-
-	-	Tangent/Tangente	1055,205	-	-
TC	285+887,40	-	-	-	-
PI	286+273,63	Curve/Courbe	765,012	2250	239
CT	286+652,41	-	-	-	-
-	-	Tangent/Tangente	1778,370	-	-
TC	288+430,78	-	-	-	-
PI	288+862,91	Curve/Courbe	784,077	750	120
CT	289+214,86	-	-	-	-
-	-	Tangent/Tangente	260,458	-	-
TC	289+475,32	-	-	-	-
PI	290+550,55	Curve/Courbe	1865,784	1500	187
CT	291+341,10	-	-	-	-
-	-	Tangent/Tangente	#REF!	-	-
TC	289+475,32	-	-	-	-
PI	290+550,55	Curve/Courbe	1865,784	1500	187
CT	291+341,10	-	-	-	-
-	-	Tangent/Tangente	2553,517	-	-
TC	293+894,62	-	-	-	-
PI	294+137,59	Curve/Courbe	459,767	575	121
CT	294+354,39	-	-	-	-
-	-	Tangent/Tangente	2024,438	-	-
TC	296+378,82	-	-	-	-
PI	296+605,23	Curve/Courbe	443,099	875	149
CT	296+821,92	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	1274,266		-
TC	298+096,19	-			-
PI	298+274,68	Curve/Courbe	352,416	900	138
CT	298+448,60	-			-
-	-	Tangent/Tangente	72,990		-
TC	300+368,42	-	-	-	-
PI	300+589,47	Curve/Courbe	435,111	1000	139
CT	300+803,53	-		-	-
-	-	Tangent/Tangente	2055,016		-
TC	302+858,54	-		-	-
PI	303+084,06	Curve/Courbe	429,837	575	110
CT	303+288,38	-		-	-
-	-	Tangent/Tangente	1245,278		-
TC	304+533,66	-		-	-
PI	304+793,83	Curve/Courbe	513,017	1250	178
CT	305+046,68	-		-	-
-	-	Tangent/Tangente	84,361		-
TC	305+131,04	-		-	-
PI	305+294,22	Curve/Courbe	326,179	4000	286
CT	305+457,22	-		-	-
-	-	Tangent/Tangente	45,416		-
TC	305+502,63	-		-	-
PI	305+620,91	Curve/Courbe	236,382	2500	235
CT	305+739,01	-		-	-
-	-	Tangent/Tangente	94,180		-
TC	305+833,19	-		-	-
PI	306+070,12	Curve/Courbe	472,926	3100	256
CT	306+306,12	-		-	-
-	-	Tangent/Tangente	71,955		-
TC	306+378,08	-		-	-
PI	306+501,25	Curve/Courbe	246,159	2500	245
CT	306+624,23	-		-	-
-	-	Tangent/Tangente	843,659		-
TC	307+467,89	-		-	-
PI	307+633,52	Curve/Courbe	329,170	1200	157
CT	307+797,06	-		-	-
-	-	Tangent/Tangente	200,317		-
TC	307+997,38	-		-	-
PI	308+210,48	Curve/Courbe	424,232	1800	183
CT	308+421,61	-		-	-
-	-	Tangent/Tangente	394,145		-
TC	308+815,76	-		-	-
PI	308+891,85	Curve/Courbe	151,991	1200	167
CT	308+967,75	-		-	-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	37,322		-
TC	309+005,07	-		-	-
PI	309+101,67	Curve/Courbe	192,887	1400	169
CT	309+197,96	-		-	-
-	-	Tangent/Tangente	3358,696		-
TC	312+556,65	-	-	-	-
PI	312+787,60	Curve/Courbe	450,361	825	132
CT	313+007,01	-		-	-
-	-	Tangent/Tangente	271,983		-
TC	313+279,00	-		-	-
PI	313+540,55	Curve/Courbe	478,162	475	95
CT	313+757,16	-		-	-
-	-	Tangent/Tangente	212,401		-
TC	313+969,56	-		-	-
PI	314+105,30	Curve/Courbe	265,656	525	115
CT	314+235,22	-		-	-
-	-	Tangent/Tangente	14,822		-
TC	314+250,04	-		-	-
PI	314+586,61	Curve/Courbe	640,943	850	137
CT	314+890,98	-		-	-
-	-	Tangent/Tangente	1693,414		-
TC	316+584,40	-		-	-
PI	316+791,67	Curve/Courbe	409,741	1100	151
CT	316+994,14	-		-	-
-	-	Tangent/Tangente	126,832		-
TC	317+120,97	-		-	-
PI	317+403,06	Curve/Courbe	517,700	525	112
CT	317+638,67	-		-	-
-	-	Tangent/Tangente	1176,671		-
TC	318+815,34	-		-	-
PI	319+059,50	Curve/Courbe	461,786	575	118
CT	319+277,13	-		-	-
-	-	Tangent/Tangente	1400,849		-
TC	320+677,97	-		-	-
PI	320+911,58	Curve/Courbe	464,124	1650	189
CT	321+142,10	-		-	-
-	-	Tangent/Tangente	175,350		-
TC	321+317,45	-		-	-
PI	321+416,85	Curve/Courbe	198,010	900	134
CT	321+515,46	-		-	-
-	-	Tangent/Tangente	55,302		-
TC	321+570,76	-		-	-
PI	321+641,71	Curve/Courbe	141,239	600	98
CT	321+712,00	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	568,967		-
TC	322+280,97	-		-	-
PI	322+358,39	Curve/Courbe	154,639	1200	166
CT	322+435,61	-		-	-
-	-	Tangent/Tangente	73,443		-
TC	322+509,05	-		-	-
PI	322+598,28	Curve/Courbe	178,143	1200	175
CT	322+687,19	-		-	-
-	-	Tangent/Tangente	1916,346		-
TC	324+603,54	-		-	-
PI	324+865,25	Curve/Courbe	485,568	525	112
CT	325+089,11	-		-	-
-	-	Tangent/Tangente	456,613		-
TC	325+545,72	-	-	-	-
PI	325+731,03	Curve/Courbe	332,000	300	78
CT	325+877,72	-		-	-
-	-	Tangent/Tangente	37,063		-
TC	325+914,78	-		-	-
PI	326+047,65	Curve/Courbe	256,564	400	93
CT	326+171,35	-		-	-
-	-	Tangent/Tangente	247,419		-
TC	326+418,76	-		-	-
PI	326+632,39	Curve/Courbe	353,553	250	79
CT	326+772,32	-		-	-
-	-	Tangent/Tangente	431,432		-
TC	327+203,75	-	-	-	-
PI	327+362,25	Curve/Courbe	287,576	275	80
CT	327+491,33	-		-	-
-	-	Tangent/Tangente	67,706		-
TC	327+559,03	-		-	-
PI	327+727,93	Curve/Courbe	300,744	265	82
CT	327+859,78	-		-	-
-	-	Tangent/Tangente	72,990		-
TC	329+914,91	-	-	-	-
PI	330+094,11	Curve/Courbe	357,608	2200	197
CT	330+272,51	-		-	-
-	-	Tangent/Tangente	1047,451		-
TC	331+319,97	-		-	-
PI	331+583,44	Curve/Courbe	511,845	875	145
CT	331+831,81	-		-	-
-	-	Tangent/Tangente	375,656		-
TC	332+207,47	-		-	-
PI	332+477,47	Curve/Courbe	534,975	1600	187
CT	332+742,44	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	555,738		-
TC	333+298,18	-		-	-
PI	333+504,18	Curve/Courbe	410,554	2000	210
CT	333+708,73	-		-	-
-	-	Tangent/Tangente	1161,810		-
TC	334+870,54	-		-	-
PI	335+092,47	Curve/Courbe	439,267	1250	151
CT	335+309,81	-		-	-
-	-	Tangent/Tangente	557,158		-
TC	335+866,97	-		-	-
PI	336+096,86	Curve/Courbe	374,170	255	80
CT	336+241,14	-		-	-
-	-	Tangent/Tangente	1240,553		-
TC	337+481,69	-		-	-
PI	337+784,96	Curve/Courbe	567,514	650	124
CT	338+049,21	-		-	-
-	-	Tangent/Tangente	174,467		-
TC	338+223,67	-		-	-
PI	338+521,54	Curve/Courbe	543,578	535	114
CT	338+767,25	-		-	-
-	-	Tangent/Tangente	292,295		-
TC	339+059,55	-		-	-
PI	339+353,59	Curve/Courbe	542,242	565	120
CT	339+601,79	-		-	-
CT	340+150,72	-		-	-
-	-	Tangent/Tangente	72,990		-
TC	339+708,27	-		-	-
PI	339+933,72	Curve/Courbe	442,444	935	131
CT	340+150,72	-		-	-
-	-	Tangent/Tangente	206,429		-
TC	340+357,15	-		-	-
PI	340+543,27	Curve/Courbe	359,171	555	100
CT	340+716,32	-		-	-
-	-	Tangent/Tangente	111,000		-
TC	340+827,32	-		-	-
PI	340+929,67	Curve/Courbe	198,675	335	92
CT	341+025,99	-		-	-
-	-	Tangent/Tangente	150,833		-
TC	341+176,83	-		-	-
PI	341+226,52	Curve/Courbe	99,265	800	111
CT	341+276,09	-		-	-
-	-	Tangent/Tangente	72,568		-
TC	341+348,66	-		-	-
PI	341+377,08	Curve/Courbe	56,788	500	102

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	341+405,45	-		-	-
-	-	Tangent/Tangente	362,248		-
TC	341+767,69	-		-	-
PI	342+085,42	Curve/Courbe	481,975	290	74
CT	342+249,67	-		-	-
-	-	Tangent/Tangente	973,833		-
TC	343+223,50	-		-	-
PI	343+544,89	Curve/Courbe	427,032	220	66
CT	343+650,53	-		-	-
-	-	Tangent/Tangente	1671,864		-
TC	345+322,40	-		-	-
PI	345+539,77	Curve/Courbe	427,386	950	127
CT	345+749,78	-		-	-
-	-	Tangent/Tangente	1929,495		-
TC	347+679,28	-		-	-
PI	347+922,78	Curve/Courbe	478,920	1075	134
CT	348+158,20	-		-	-
-	-	Tangent/Tangente	548,432		-
TC	348+706,63	-		-	-
PI	349+063,62	Curve/Courbe	614,236	575	109
CT	349+320,87	-		-	-
-	-	Tangent/Tangente	1147,302		-
TC	350+468,17	-		-	-
PI	350+717,93	Curve/Courbe	414,503	295	87
CT	350+882,67	-		-	-
-	-	Tangent/Tangente	89,774		-
TC	350+972,45	-		-	-
PI	351+365,33	Curve/Courbe	636,678	430	104
CT	351+609,12	-		-	-
-	-	Tangent/Tangente	311,777		-
TC	351+920,90	-		-	-
PI	352+220,04	Curve/Courbe	551,660	575	99
CT	352+472,56	-		-	-
-	-	Tangent/Tangente	440,026		-
TC	352+912,59	-		-	-
PI	353+326,49	Curve/Courbe	703,510	532	97
CT	353+616,10	-		-	-
-	-	Tangent/Tangente	172,550		-
TC	353+788,65	-		-	-
PI	354+047,22	Curve/Courbe	377,173	215	73
CT	354+165,82	-		-	-
-	-	Tangent/Tangente	2693,083		-
TC	356+858,90	-		-	-
PI	357+114,59	Curve/Courbe	448,019	372	97

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	357+306,92	-	-	-	-
	-	Tangent/Tangente	5132,687	-	-
TC	362+439,61	-	-	-	-
PI	362+693,03	Curve/Courbe	484,563	670	114
CT	362+924,17	-	-	-	-
	-	Tangent/Tangente	907,823	-	-
TC	363+832,00	-	-	-	-
PI	364+099,00	Curve/Courbe	514,023	770	136
CT	364+346,02	-	-	-	-
	-	Tangent/Tangente	1155,662	-	-
TC	365+501,68	-	-	-	-
PI	365+742,24	Curve/Courbe	439,475	435	100
CT	365+941,16	-	-	-	-
	-	Tangent/Tangente	73,087	-	-
TC	366+014,24	-	-	-	-
PI	366+251,99	Curve/Courbe	417,681	350	94
CT	366+431,92	-	-	-	-
	-	Tangent/Tangente	1225,096	-	-
TC	367+657,02	-	-	-	-
PI	367+933,26	Curve/Courbe	536,049	900	147
CT	368+193,07	-	-	-	-
	-	Tangent/Tangente	385,908	-	-
TC	368+578,98	-	-	-	-
PI	368+827,05	Curve/Courbe	480,373	780	136
CT	369+059,35	-	-	-	-
	-	Tangent/Tangente	1236,697	-	-
TC	370+296,05	-	-	-	-
PI	370+491,40	Curve/Courbe	389,310	1875	198
CT	370+685,36	-	-	-	-
	-	Tangent/Tangente	1425,288	-	-
TC	372+110,64	-	-	-	-
PI	372+382,54	Curve/Courbe	534,386	1175	152
CT	372+645,03	-	-	-	-
	-	Tangent/Tangente	784,752	-	-
TC	373+429,78	-	-	-	-
PI	373+627,33	Curve/Courbe	388,198	850	128
CT	373+817,98	-	-	-	-
	-	Tangent/Tangente	2780,280	-	-
TC	376+598,26	-	-	-	-
PI	376+811,97	Curve/Courbe	409,216	575	108
CT	377+007,48	-	-	-	-
	-	Tangent/Tangente	800,331	-	-
TC	377+807,81	-	-	-	-
PI	377+822,28	Curve/Courbe	28,935	500	106

Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	377+836,74	-		-	-
-	-	Tangent/Tangente	30,009		-
TC	377+866,75	-		-	-
PI	377+886,37	Curve/Courbe	39,207	500	97
CT	377+905,96	-		-	-
-	-	Tangent/Tangente	29,968		-
TC	377+935,93	-		-	-
PI	378+141,84	Curve/Courbe	410,229	1900	197
CT	378+346,16	-		-	-
-	-	Tangent/Tangente	885,542		-
TC	379+231,70	-		-	-
PI	379+392,70	Curve/Courbe	321,596	2600	218
CT	379+553,29	-		-	-
-	-	Tangent/Tangente	162,600		-
TC	379+715,89	-		-	-
PI	379+779,06	Curve/Courbe	126,248	1350	185
CT	379+842,14	-		-	-
-	-	Tangent/Tangente	163,151		-
TC	380+005,29	-		-	-
PI	380+069,59	Curve/Courbe	128,542	2000	225
CT	380+133,83	-		-	-
-	-	Tangent/Tangente	319,895		-
TC	380+453,73	-		-	-
PI	380+678,95	Curve/Courbe	445,265	1200	160
CT	380+898,99	-		-	-
-	-	Tangent/Tangente	842,681		-
TC	381+741,68	-		-	-
PI	382+027,76	Curve/Courbe	539,454	655	127
CT	382+281,13	-		-	-
-	-	Tangent/Tangente	300,075		-
TC	382+581,20	-		-	-
PI	382+819,93	Curve/Courbe	463,663	790	132
CT	383+044,87	-		-	-
-	-	Tangent/Tangente	492,062		-
TC	383+536,93	-		-	-
PI	383+803,70	Curve/Courbe	514,987	800	131
CT	384+051,92	-		-	-
-	-	Tangent/Tangente	307,998		-
TC	384+359,91	-		-	-
PI	384+648,60	Curve/Courbe	530,224	540	117
CT	384+890,14	-		-	-
-	-	Tangent/Tangente	463,089		-
TC	385+353,23	-		-	-
PI	385+607,46	Curve/Courbe	494,841	875	138

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	385+848,07	-		-	-
-	-	Tangent/Tangente	953,998		-
TC	386+802,07	-		-	-
PI	387+023,91	Curve/Courbe	439,641	1330	177
CT	387+241,71	-		-	-
-	-	Tangent/Tangente	2244,047		-
TC	389+485,75	-		-	-
PI	389+814,58	Curve/Courbe	550,437	400	93
CT	390+036,19	-		-	-
-	-	Tangent/Tangente	606,940	-	-
TC	390+643,13	-		-	-
PI	390+888,54	Curve/Courbe	480,524	960	129
CT	391+123,66	-		-	-
-	-	Tangent/Tangente	459,930		-
TC	391+583,59	-		-	-
PI	391+902,78	Curve/Courbe	544,177	415	84
CT	392+127,76	-		-	-
-	-	Tangent/Tangente	2063,597		-
TC	394+191,36	-		-	-
PI	394+500,90	Curve/Courbe	612,570	1725	188
CT	394+803,93	-		-	-
-	-	Tangent/Tangente	2303,264		-
TC	397+107,19	-		-	-
PI	397+600,72	Curve/Courbe	930,628	1130	158
CT	398+037,82	-		-	-
-	-	Tangent/Tangente	82210,499		-
TC	401+487,62	-		-	-
PI	401+643,59	Curve/Courbe	310,941	1600	174
CT	401+798,57	-		-	-
-	-	Tangent/Tangente	709,830		-
TC	402+508,40	-		-	-
PI	402+752,82	Curve/Courbe	485,100	1600	176
CT	402+993,50	-		-	-
-	-	Tangent/Tangente	901,882		-
TC	403+895,38	-		-	-
PI	404+444,55	Curve/Courbe	1046,702	1400	149
CT	404+942,08	-		-	-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Radius Rayon	Speed Vitesse (km/h)
START	0+290,000	-	270,560	-	-
-	-	Tangent/Tangente	-	-	-
TC	0+270,555	-	-	-	-
PI	0+248,625	Curve/Courbe	-43,748	250	79,69
CT	0+226,807	-	-	-	-
-	-	Tangent/Tangente	-20,956	-	-
TC	0+205,851	-	-	-	-
PI	0+155,534	Curve/Courbe	-97,992	175	66,67
CT	0+107,859	-	-	-	-
-	-	Tangent/Tangente	-21,988	-	-
TC	0+085,871	-	-	-	-
PI	0+051,383	Curve/Courbe	-68,543	250,002	79,69
CT	0+017,328	-	-	-	-
-	-	Tangent/Tangente	-4,046	-	-
TC	0+013,282	-	-	-	-
PI	0+147,349	Curve/Courbe	258,720	400	98,50
CT	0+272,002	-	-	-	-
-	-	Tangent/Tangente	362,096	-	-
TC	0+634,098	-	-	-	-
PI	0+724,242	Curve/Courbe	179,428	750	130,57
CT	0+813,526	-	-	-	-
-	-	Tangent/Tangente	153,918	-	-
TC	0+967,444	-	-	-	-
PI	1+074,952	Curve/Courbe	203,062	250	79,69
CT	1+170,506	-	-	-	-
-	-	Tangent/Tangente	74,477	-	-
TC	1+244,983	-	-	-	-
PI	1+280,505	Curve/Courbe	71,014	1000	147,80
CT	1+315,997	-	-	-	-
-	-	Tangent/Tangente	137,204	-	-
TC	1+453,201	-	-	-	-
PI	1+554,524	Curve/Courbe	199,322	450	104,48
CT	1+652,523	-	-	-	-
-	-	Tangent/Tangente	78,095	-	-
TC	1+730,618	-	-	-	-
PI	1+825,358	Curve/Courbe	176,955	200	71,27
CT	1+907,573	-	-	-	-
-	-	Tangent/Tangente	510,779	-	-
TC	2+418,352	-	-	-	-
PI	2+517,237	Curve/Courbe	174,852	150	61,73
CT	2+593,204	-	-	-	-
-	-	Tangent/Tangente	247,439	-	-
TC	2+840,643	-	-	-	-
PI	2+922,268	Curve/Courbe	161,039	400	98,50
CT	3+001,682	-	-	-	-
-	-	Tangent/Tangente	126,583	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
TC	3+128,265	-		-	-
PI	3+228,392	Curve/Courbe	168,840	125	56,35
CT	3+297,105	-		-	-
-	-	Tangent/Tangente	141,190		-
TC	3+438,295	-		-	-
PI	3+529,994	Curve/Courbe	180,284	400	98,50
CT	3+618,579	-		-	-
-	-	Tangent/Tangente	203,596		-
TC	3+822,175	-		-	-
PI	3+917,908	Curve/Courbe	190,437	750	130,57
CT	4+012,612	-		-	-
-	-	Tangent/Tangente	606,843		-
TC	4+619,455	-		-	-
PI	4+719,943	Curve/Courbe	192,686	275	83,58
CT	4+812,141	-		-	-
-	-	Tangent/Tangente	966,691		-
TC	5+778,832	-		-	-
PI	5+863,213	Curve/Courbe	163,747	275	83,58
CT	5+942,579	-		-	-
-	-	Tangent/Tangente	100,584		-
TC	6+043,163	-		-	-
PI	6+222,030	Curve/Courbe	330,714	350	92,86
CT	6+373,877	-		-	-
-	-	Tangent/Tangente	250,644		-
TC	6+624,521	-		-	-
PI	6+660,068	Curve/Courbe	71,085	1800	193,62
CT	6+695,606	-		-	-
-	-	Tangent/Tangente	311,714		-
TC	7+007,320	-		-	-
PI	7+124,125	Curve/Courbe	232,986	1300	166,54
CT	7+240,306	-		-	-
-	-	Tangent/Tangente	482,320		-
TC	7+722,626	-		-	-
PI	7+869,037	Curve/Courbe	287,209	600	117,76
CT	8+009,835	-		-	-
-	-	Tangent/Tangente	1388,979		-
TC	9+398,814	-		-	-
PI	9+527,327	Curve/Courbe	251,581	500	108,68
CT	9+650,395	-		-	-
-	-	Tangent/Tangente	607,130		-
TC	10+257,525	-		-	-
PI	10+480,877	Curve/Courbe	395,231	340	92,23
CT	10+652,756	-		-	-
-	-	Tangent/Tangente	820,721		-
TC	11+473,477	-		-	-
PI	11+655,872	Curve/Courbe	334,821	340	92,23



Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	11+808,298	-		-	-
-	-	Tangent/Tangente	685,541		-
TC	12+493,839	-		-	-
PI	12+628,701	Curve/Courbe	261,181	425	101,53
CT	12+755,020	-		-	-
-	-	Tangent/Tangente	558,419		-
TC	13+313,439	-		-	-
PI	13+463,061	Curve/Courbe	296,805	950	144,89
CT	13+610,244	-		-	-
-	-	Tangent/Tangente	1097,326		-
TC	14+707,570	-		-	-
PI	14+837,135	Curve/Courbe	258,042	1150	158,49
CT	14+965,612	-		-	-
-	-	Tangent/Tangente	924,210		-
TC	15+889,822	-		-	-
PI	16+050,635	Curve/Courbe	311,178	500	108,68
CT	16+201,000	-		-	-
-	-	Tangent/Tangente	522,521		-
TC	16+723,521	-		-	-
PI	16+783,839	Curve/Courbe	120,572	1500	176,75
CT	16+844,093	-		-	-
-	-	Tangent/Tangente	383,979		-
TC	17+228,072	-		-	-
PI	17+408,080	Curve/Courbe	359,773	4000	285,10
CT	17+587,845	-		-	-
-	-	Tangent/Tangente	1313,908		-
TC	18+901,753	-		-	-
PI	19+118,155	Curve/Courbe	408,463	500	108,68
CT	19+310,216	-		-	-
-	-	Tangent/Tangente	559,831		-
TC	19+870,047	-		-	-
PI	20+006,201	Curve/Courbe	268,951	700	126,15
CT	20+138,998	-		-	-
-	-	Tangent/Tangente	70,037		-
TC	20+209,035	-		-	-
PI	20+365,740	Curve/Courbe	307,543	650	122,57
CT	20+516,578	-		-	-
-	-	Tangent/Tangente	234,333		-
TC	20+750,911	-		-	-
PI	20+889,049	Curve/Courbe	262,422	340	92,23
CT	21+013,333	-		-	-
-	-	Tangent/Tangente	1604,654		-
TC	22+617,987	-		-	-
PI	22+738,289	Curve/Courbe	240,342	2100	193,23
CT	22+858,329	-		-	-
-	-	Tangent/Tangente	690,883		-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
TC	23+549,212	-		-	-
PI	23+554,170	Curve/Courbe	9,916	5000	298,16
CT	23+559,128	-		-	-
-	-	Tangent/Tangente	1025,786		-
TC	24+584,914	-		-	-
PI	24+687,408	Curve/Courbe	201,892	475	91,90
CT	24+786,806	-		-	-
-	-	Tangent/Tangente	159,444		-
TC	24+946,250	-		-	-
PI	25+061,542	Curve/Courbe	228,778	746,672	115,22
CT	25+175,028	-		-	-
-	-	Tangent/Tangente	16,412		-
TC	25+191,440	-		-	-
PI	25+389,251	Curve/Courbe	383,022	621,57	105,13
CT	25+574,462	-		-	-
-	-	Tangent/Tangente	408,853		-
TC	25+983,315	-		-	-
PI	26+122,051	Curve/Courbe	273,205	636,971	106,42
CT	26+256,520	-		-	-
-	-	Tangent/Tangente	217,630		-
TC	26+474,150	-		-	-
PI	26+608,111	Curve/Courbe	265,318	777,567	117,58
CT	26+739,468	-		-	-
-	-	Tangent/Tangente	313,023		-
TC	27+052,491	-		-	-
PI	27+195,807	Curve/Courbe	275,140	398,286	84,15
CT	27+327,631	-		-	-
-	-	Tangent/Tangente	111,236		-
TC	27+438,867	-		-	-
PI	27+568,392	Curve/Courbe	258,409	1500	159,37
CT	27+697,276	-		-	-
-	-	Tangent/Tangente	800,214		-
TC	28+497,490	-		-	-
PI	28+626,669	Curve/Courbe	249,899	400	84,33
CT	28+747,389	-		-	-
-	-	Tangent/Tangente	185,169		-
TC	28+932,558	-		-	-
PI	29+228,941	Curve/Courbe	550,576	600	103,29
CT	29+483,134	-		-	-
-	-	Tangent/Tangente	1106,764		-
TC	30+589,898	-		-	-
PI	30+715,725	Curve/Courbe	248,579	650	93,22
CT	30+838,477	-		-	-
-	-	Tangent/Tangente	1032,045		-
TC	31+870,522	-		-	-
PI	32+037,000	Curve/Courbe	324,786	600	103,29

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	32+195,308	-		-	-
-	-	Tangent/Tangente	789,331		-
TC	32+984,639	-		-	-
PI	33+149,048	Curve/Courbe	328,001	1900	159,37
CT	33+312,640	-		-	-
-	-	Tangent/Tangente	400,440		-
TC	33+713,080	-		-	-
PI	33+871,674	Curve/Courbe	314,568	1000	120,23
CT	34+027,648	-		-	-
-	-	Tangent/Tangente	2030,283		-
TC	36+057,931	-		-	-
PI	36+356,775	Curve/Courbe	573,136	819,676	120,72
CT	36+631,067	-		-	-
-	-	Tangent/Tangente	1060,177		-
TC	37+691,244	-		-	-
PI	37+810,634	Curve/Courbe	238,655	2997,825	230,87
CT	37+929,899	-		-	-
-	-	Tangent/Tangente	499,164		-
TC	38+429,063	-		-	-
PI	38+575,589	Curve/Courbe	288,574	675	109,55
CT	38+717,637	-		-	-
-	-	Tangent/Tangente	601,557		-
TC	39+319,194	-		-	-
PI	39+480,140	Curve/Courbe	321,449	2500	210,83
CT	39+640,643	-		-	-
-	-	Tangent/Tangente	739,261		-
TC	40+379,904	-		-	-
PI	40+524,999	Curve/Courbe	287,251	825	121,11
CT	40+667,155	-		-	-
-	-	Tangent/Tangente	556,605		-
TC	41+223,760	-		-	-
PI	41+416,669	Curve/Courbe	360,618	410	79,27
CT	41+584,378	-		-	-
-	-	Tangent/Tangente	405,840		-
TC	41+990,218	-		-	-
PI	42+133,457	Curve/Courbe	284,400	965	127,83
CT	42+274,618	-		-	-
-	-	Tangent/Tangente	544,396		-
TC	42+819,014	-		-	-
PI	43+027,242	Curve/Courbe	407,417	800	119,26
CT	43+226,431	-		-	-
-	-	Tangent/Tangente	175,182		-
TC	43+401,613	-		-	-
PI	43+604,357	Curve/Courbe	391,897	620	102,46
CT	43+793,510	-		-	-
-	-	Tangent/Tangente	2363,657		-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
TC	46+157,167	-		-	-
PI	46+350,419	Curve/Courbe	379,150	795	118,89
CT	46+536,317	-		-	-
-	-	Tangent/Tangente	1464,205		-
TC	48+000,522	-		-	-
PI	48+142,631	Curve/Courbe	284,031	3195,387	232,61
CT	48+284,553	-		-	-
-	-	Tangent/Tangente	734,523		-
TC	49+019,076	-		-	-
PI	49+216,279	Curve/Courbe	386,507	790	98,09
CT	49+405,583	-		-	-
-	-	Tangent/Tangente	268,245		-
TC	49+673,828	-		-	-
PI	49+815,473	Curve/Courbe	276,579	520	96,15
CT	49+950,407	-		-	-
-	-	Tangent/Tangente	980,384		-
TC	50+930,791	-		-	-
PI	51+116,522	Curve/Courbe	369,699	1550	166,01
CT	51+300,490	-		-	-
-	-	Tangent/Tangente	1367,830		-
TC	52+668,320	-		-	-
PI	52+838,960	Curve/Courbe	320,770	380	82,20
CT	52+989,090	-		-	-
-	-	Tangent/Tangente	263,073		-
TC	53+252,163	-		-	-
PI	53+455,804	Curve/Courbe	388,190	520	96,15
CT	53+640,353	-		-	-
-	-	Tangent/Tangente	1691,173		-
TC	55+331,526	-		-	-
PI	55+497,485	Curve/Courbe	327,218	795	114,94
CT	55+658,744	-		-	-
-	-	Tangent/Tangente	1395,578		-
TC	57+054,322	-		-	-
PI	57+236,522	Curve/Courbe	358,288	800	119,26
CT	57+412,610	-		-	-
-	-	Tangent/Tangente	990,782		-
TC	58+403,392	-		-	-
PI	58+583,634	Curve/Courbe	359,559	2050	190,92
CT	58+762,951	-		-	-
-	-	Tangent/Tangente	523,141		-
TC	59+286,092	-		-	-
PI	59+428,480	Curve/Courbe	282,157	850	122,93
CT	59+568,249	-		-	-
-	-	Tangent/Tangente	550,923		-
TC	60+119,172	-		-	-
PI	60+297,898	Curve/Courbe	343,299	500	94,29

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	60+462,471	-		-	-
-	-	Tangent/Tangente	822,335		-
TC	61+284,806	-		-	-
PI	61+470,083	Curve/Courbe	347,532	405	84,86
CT	61+632,338	-		-	-
-	-	Tangent/Tangente	137,996		-
TC	61+770,334	-		-	-
PI	61+908,413	Curve/Courbe	271,276	590	102,42
CT	62+041,610	-		-	-
-	-	Tangent/Tangente	152,788		-
TC	62+194,398	-		-	-
PI	62+302,126	Curve/Courbe	215,195	1789,861	177,51
CT	62+409,593	-		-	-
-	-	Tangent/Tangente	309,067		-
HPI	62+718,660	-		-	-
-	-	Tangent/Tangente	463,714		-
TC	63+182,374	-		-	-
PI	63+325,673	Curve/Courbe	286,109	2000	188,57
CT	63+468,483	-		-	-
-	-	Tangent/Tangente	665,461		-
TC	64+133,944	-		-	-
PI	64+269,911	Curve/Courbe	270,779	1200	131,71
CT	64+404,723	-		-	-
-	-	Tangent/Tangente	928,539		-
TC	65+333,262	-		-	-
PI	65+470,258	Curve/Courbe	267,428	500	87,92
CT	65+600,690	-		-	-
-	-	Tangent/Tangente	2081,634		-
TC	67+682,324	-		-	-
PI	67+802,084	Curve/Courbe	235,839	550	87,07
CT	67+918,163	-		-	-
-	-	Tangent/Tangente	239,226		-
TC	68+157,389	-		-	-
PI	68+300,292	Curve/Courbe	258,526	243,873	65,85
CT	68+415,915	-		-	-
-	-	Tangent/Tangente	20,697		-
TC	68+436,612	-		-	-
PI	68+524,583	Curve/Courbe	168,642	240	65,32
CT	68+605,254	-		-	-
-	-	Tangent/Tangente	220,379		-
TC	68+825,633	-		-	-
PI	68+928,903	Curve/Courbe	202,613	425	86,93
CT	69+028,246	-		-	-
-	-	Tangent/Tangente	122,076		-
TC	69+150,322	-		-	-
PI	69+273,664	Curve/Courbe	234,044	300	73,03

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	69+384,366	-		-	-
-	-	Tangent/Tangente	733,720		-
TC	70+118,086	-		-	-
PI	70+240,159	Curve/Courbe	235,385	360	80,00
CT	70+353,471	-		-	-
-	-	Tangent/Tangente	264,440		-
TC	70+617,911	-		-	-
PI	70+743,271	Curve/Courbe	234,727	270	69,29
CT	70+852,638	-		-	-
-	-	Tangent/Tangente	768,698		-
TC	71+621,336	-		-	-
PI	71+728,101	Curve/Courbe	212,969	1200	145,34
CT	71+834,305	-		-	-
-	-	Tangent/Tangente	153,270		-
HPI	71+987,575	-		-	-
-	-	Tangent/Tangente	169,187		-
TC	72+156,762	-		-	-
PI	72+240,524	Curve/Courbe	163,364	300	73,03
CT	72+320,126	-		-	-
-	-	Tangent/Tangente	146,293		-
TC	72+466,419	-		-	-
PI	72+568,272	Curve/Courbe	198,230	350	78,89
CT	72+664,649	-		-	-
-	-	Tangent/Tangente	752,551		-
TC	73+417,200	-		-	-
PI	73+546,576	Curve/Courbe	252,864	485	89,77
CT	73+670,064	-		-	-
-	-	Tangent/Tangente	969,245		-
TC	74+639,309	-		-	-
PI	74+757,369	Curve/Courbe	235,846	2000	188,57
CT	74+875,155	-		-	-
-	-	Tangent/Tangente	107,414		-
TC	74+982,569	-		-	-
PI	75+079,163	Curve/Courbe	193,038	2000	188,57
CT	75+175,607	-		-	-
-	-	Tangent/Tangente	255,670		-
TC	75+431,277	-		-	-
PI	75+544,456	Curve/Courbe	213,930	265	68,64
CT	75+645,207	-		-	-
-	-	Tangent/Tangente	191,819		-
TC	75+837,026	-		-	-
PI	75+963,899	Curve/Courbe	239,194	290	71,81
CT	76+076,220	-		-	-
-	-	Tangent/Tangente	618,511		-
TC	76+694,731	-		-	-
PI	76+714,865	Curve/Courbe	40,267	5000	298,16

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	76+734,998	-		-	-
-	-	Tangent/Tangente	1145,380		-
TC	77+880,378	-		-	-
PI	78+006,201	Curve/Courbe	243,423	390	80,50
CT	78+123,801	-		-	-
-	-	Tangent/Tangente	523,491		-
TC	78+647,292	-		-	-
PI	78+777,201	Curve/Courbe	256,440	650	107,50
CT	78+903,732	-		-	-
-	-	Tangent/Tangente	337,809		-
TC	79+241,541	-		-	-
PI	79+282,435	Curve/Courbe	81,777	2000	188,57
CT	79+323,318	-		-	-
-	-	Tangent/Tangente	164,842		-
HPI	79+488,160	-		-	-
-	-	Tangent/Tangente	160,562		-
HPI	79+648,722	-		-	-
-	-	Tangent/Tangente	308,199		-
TC	79+956,921	-		-	-
PI	80+080,850	Curve/Courbe	245,128	675	109,55
CT	80+202,049	-		-	-
-	-	Tangent/Tangente	121,524		-
TC	80+323,573	-		-	-
PI	80+433,925	Curve/Courbe	219,608	900	108,08
CT	80+543,181	-		-	-
-	-	Tangent/Tangente	46,467		-
TC	80+589,648	-		-	-
PI	80+686,016	Curve/Courbe	191,341	650	107,50
CT	80+780,989	-		-	-
-	-	Tangent/Tangente	393,147		-
HPI	81+174,136	-		-	-
-	-	Tangent/Tangente	3328,700		-
TC	84+502,836	-		-	-
PI	84+615,971	Curve/Courbe	224,781	800	115,30
CT	84+727,617	-		-	-
-	-	Tangent/Tangente	410,060		-
TC	85+137,677	-		-	-
PI	85+250,451	Curve/Courbe	224,239	850	122,93
CT	85+361,916	-		-	-
-	-	Tangent/Tangente	143,262		-
TC	85+505,178	-		-	-
PI	85+632,536	Curve/Courbe	242,761	325	76,02
CT	85+747,939	-		-	-
-	-	Tangent/Tangente	1049,646		-
TC	86+797,585	-		-	-
PI	86+924,008	Curve/Courbe	242,074	340	77,75

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
CT	87+039,659	-		-	-
-	-	Tangent/Tangente	403,858		-
HPI	87+443,517	-		-	-
-	-	Tangent/Tangente	1036,537		-
TC	88+480,054	-		-	-
PI	88+610,555	Curve/Courbe	258,723	800	119,26
CT	88+738,777	-		-	-
-	-	Tangent/Tangente	1117,086		-
TC	89+855,863	-		-	-
PI	89+984,507	Curve/Courbe	251,827	500	94,29
CT	90+107,690	-		-	-
-	-	Tangent/Tangente	90,850		-
TC	90+198,540	-		-	-
PI	90+313,735	Curve/Courbe	228,777	790	118,52
CT	90+427,317	-		-	-
-	-	Tangent/Tangente	553,592		-
TC	90+980,909	-		-	-
PI	91+107,381	Curve/Courbe	244,987	400	81,91
CT	91+225,896	-		-	-
-	-	Tangent/Tangente	358,733		-
TC	91+584,629	-		-	-
PI	91+699,349	Curve/Courbe	227,101	650	105,93
CT	91+811,730	-		-	-
-	-	Tangent/Tangente	416,906		-
TC	92+228,636	-		-	-
PI	92+353,717	Curve/Courbe	249,091	1100	135,83
CT	92+477,727	-		-	-
-	-	Tangent/Tangente	1093,587		-
TC	93+571,314	-		-	-
PI	93+701,332	Curve/Courbe	254,812	520	96,15
CT	93+826,126	-		-	-
-	-	Tangent/Tangente	88,712		-
TC	93+914,838	-		-	-
PI	94+033,405	Curve/Courbe	235,310	775	107,16
CT	94+150,148	-		-	-
-	-	Tangent/Tangente	334,412		-
TC	94+484,560	-		-	-
PI	94+544,603	Curve/Courbe	120,064	2500	210,83
CT	94+604,624	-		-	-
-	-	Tangent/Tangente	115,237		-
TC	94+719,861	-		-	-
PI	94+851,310	Curve/Courbe	249,823	325	71,83
CT	94+969,684	-		-	-
-	-	Tangent/Tangente			-



Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
START	0+000.000	-	-	-	-
-	-	Tangent/Tangente	33,168	-	-
HPI	0+033.168	-	-	-	-
-	-	Tangent/Tangente	329,299	-	-
PC	0+362.467	-	-	-	-
PI	0+512.700	Curve/Courbe	296,199	718.459	120,83
PT	0+658.666	-	-	-	-
-	-	Tangent/Tangente	820,733	-	-
PC	1+479.399	-	-	-	-
PI	1+643.338	Curve/Courbe	316,612	494.743	99,18
PT	1+796.011	-	-	-	-
-	-	Tangent/Tangente	1057,787	-	-
PC	2+853.798	-	-	-	-
PI	2+970.569	Curve/Courbe	233,277	2000.000	201,59
PT	3+087.075	-	-	-	-
-	-	Tangent/Tangente	253,025	-	-
PC	3+340.101	-	-	-	-
PI	3+407.524	Curve/Courbe	134,177	550.000	105,72
PT	3+474.278	-	-	-	-
-	-	Tangent/Tangente	79,403	-	-
PC	3+553.680	-	-	-	-
PI	3+714.699	Curve/Courbe	319,957	1150.000	152,87
PT	3+873.638	-	-	-	-
-	-	Tangent/Tangente	568,058	-	-
PC	4+441.695	-	-	-	-
PI	4+554.928	Curve/Courbe	217,980	326.300	81,43
PT	4+659.676	-	-	-	-
-	-	Tangent/Tangente	168,665	-	-
PC	4+828.341	-	-	-	-
PI	4+908.988	Curve/Courbe	159,640	455.436	89,99
PT	4+987.981	-	-	-	-
-	-	Tangent/Tangente	1168,900	-	-
PC	6+156.881	-	-	-	-
PI	6+283.988	Curve/Courbe	252,657	932.536	128,77
PT	6+409.538	-	-	-	-
-	-	Tangent/Tangente	773,095	-	-
PC	7+182.633	-	-	-	-
PI	7+267.463	Curve/Courbe	168,015	492.943	93,62
PT	7+350.648	-	-	-	-
-	-	Tangent/Tangente	170,845	-	-
PC	7+521.493	-	-	-	-
PI	7+629.301	Curve/Courbe	206,993	300.000	70,05
PT	7+728.486	-	-	-	-
-	-	Tangent/Tangente	535,482	-	-
PC	8+263.968	-	-	-	-
PI	8+382.540	Curve/Courbe	225,838	300.000	73,03

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Radius Rayon	Speed Vitesse (km/h)
PT	8+489.806	-	-		-
-	-	Tangent/Tangente	903,554		-
PC	9+393.360	-	-		-
PI	9+537.264	Curve/Courbe	274,706	373.359	80,13
PT	9+668.066	-	-		-
-	-	Tangent/Tangente	1547,154		-
PC	11+215.220	-	-		-
PI	11+291.075	Curve/Courbe	147,782	265.824	68,75
PT	11+363.002	-	-		-
-	-	Tangent/Tangente	857,121		-
PC	12+220.123	-	-		-
PI	12+356.736	Curve/Courbe	258,236	320.000	75,43
PT	12+478.358	-	-		-
-	-	Tangent/Tangente	391,132		-
PC	12+869.491	-	-		-
PI	12+991.941	Curve/Courbe	240,174	500.000	94,29
PT	13+109.664	-	-		-
-	-	Tangent/Tangente	50,916		-
PC	13+160.580	-	-		-
PI	13+277.591	Curve/Courbe	229,884	500.000	94,29
PT	13+390.464	-	-		-
-	-	Tangent/Tangente	642,292		-
PC	14+032.756	-	-		-
PI	14+069.189	Curve/Courbe	72,459	280.000	70,56
PT	14+105.215	-	-		-
-	-	Tangent/Tangente	430,976		-
PC	14+536.191	-	-		-
PI	14+683.375	Curve/Courbe	290,574	739.777	114,69
PT	14+826.765	-	-		-
-	-	Tangent/Tangente	1147,838		-
PC	15+974.603	-	-		-
PI	16+078.240	Curve/Courbe	206,366	900.000	126,50
PT	16+180.969	-	-		-
-	-	Tangent/Tangente	1665,194		-
HPI	17+846.163	-	-		-
-	-	Tangent/Tangente	103,213		-
PC	17+949.376	-	-		-
PI	18+079.025	Curve/Courbe	253,990	513.464	95,55
PT	18+203.366	-	-		-
-	-	Tangent/Tangente	67,552		-
PC	18+270.918	-	-		-
PI	18+426.966	Curve/Courbe	294,495	360.000	80,00
PT	18+565.413	-	-		-
-	-	Tangent/Tangente	63,962		-
PC	18+629.374	-	-		-
PI	18+742.584	Curve/Courbe	225,750	1200.000	146,07

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PT	18+855.125	-	-	-	-
-	-	Tangent/Tangente	140,768	-	-
HPI	18+995.892	-	-	-	-
-	-	Tangent/Tangente	137,210	-	-
PC	19+133.102	-	-	-	-
PI	19+227.467	Curve/Courbe	185,913	440.000	88,45
PT	19+319.015	-	-	-	-
-	-	Tangent/Tangente	28,224	-	-
PC	19+347.240	-	-	-	-
PI	19+413.553	Curve/Courbe	132,170	650.000	107,50
PT	19+479.409	-	-	-	-
-	-	Tangent/Tangente	26,312	-	-
PC	19+505.721	-	-	-	-
PI	19+610.247	Curve/Courbe	208,296	1000.000	133,34
PT	19+714.017	-	-	-	-
-	-	Tangent/Tangente	941,592	-	-
PC	20+655.610	-	-	-	-
PI	20+752.405	Curve/Courbe	192,991	1000.000	133,34
PT	20+848.600	-	-	-	-
-	-	Tangent/Tangente	172,349	-	-
PC	21+020.949	-	-	-	-
PI	21+385.637	Curve/Courbe	654,858	597.496	96,58
PT	21+675.807	-	-	-	-
-	-	Tangent/Tangente	171,139	-	-
PC	21+846.947	-	-	-	-
PI	21+999.818	Curve/Courbe	297,124	512.305	95,44
PT	22+144.071	-	-	-	-
-	-	Tangent/Tangente	275,688	-	-
PC	22+419.758	-	-	-	-
PI	22+570.921	Curve/Courbe	297,997	720.000	113,14
PT	22+717.755	-	-	-	-
-	-	Tangent/Tangente	470,321	-	-
PC	23+188.076	-	-	-	-
PI	23+313.258	Curve/Courbe	242,638	400.000	84,33
PT	23+430.714	-	-	-	-
-	-	Tangent/Tangente	607,972	-	-
PC	24+038.686	-	-	-	-
PI	24+046.806	Curve/Courbe	16,240	4999.999	298,16
PT	24+054.926	-	-	-	-
-	-	Tangent/Tangente	575,979	-	-
PC	24+630.906	-	-	-	-
PI	24+898.038	Curve/Courbe	532,541	2707.182	219,39
PT	25+163.446	-	-	-	-
-	-	Tangent/Tangente	193,233	-	-
PC	25+356.679	-	-	-	-
PI	25+574.512	Curve/Courbe	433,004	1600.000	168,67

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PT	25+789.682	-	-		-
-	-	Tangent/Tangente	152,650		-
PC	25+942.332	-	-		-
PI	26+152.263	Curve/Courbe	376,595	342.158	78,00
PT	26+318.927	-	-		-
-	-	Tangent/Tangente	1216,449		-
PC	27+535.376	-	-		-
PI	27+710.391	Curve/Courbe	339,654	571.197	100,13
PT	27+875.030	-	-		-
-	-	Tangent/Tangente	702,325		-
PC	28+577.355	-	-		-
PI	28+742.497	Curve/Courbe	329,042	1549.221	165,97
PT	28+906.396	-	-		-
-	-	Tangent/Tangente	561,862		-
PC	29+468.259	-	-		-
PI	29+629.452	Curve/Courbe	320,659	1265.000	149,97
PT	29+788.917	-	-		-
-	-	Tangent/Tangente	835,588		-
PC	30+624.505	-	-		-
PI	30+840.545	Curve/Courbe	420,691	750.000	111,07
PT	31+045.197	-	-		-
-	-	Tangent/Tangente	1095,725		-
PC	32+140.922	-	-		-
PI	32+324.996	Curve/Courbe	353,731	518.020	92,61
PT	32+494.653	-	-		-
-	-	Tangent/Tangente	1518,465		-
PC	34+013.117	-	-		-
PI	34+232.140	Curve/Courbe	433,383	1213.828	144,54
PT	34+446.500	-	-		-
-	-	Tangent/Tangente	901,534		-
PC	35+348.034	-	-		-
PI	35+501.814	Curve/Courbe	297,242	470.061	91,42
PT	35+645.277	-	-		-
-	-	Tangent/Tangente	722,439		-
PC	36+367.715	-	-		-
PI	36+509.144	Curve/Courbe	270,175	370.000	75,44
PT	36+637.891	-	-		-
-	-	Tangent/Tangente	348,542		-
PC	36+986.433	-	-		-
PI	36+995.911	Curve/Courbe	18,956	5000.000	285,46
PT	37+005.389	-	-		-
-	-	Tangent/Tangente	350,927		-
PC	37+356.317	-	-		-
PI	37+554.868	Curve/Courbe	394,648	1450.000	160,56
PT	37+750.964	-	-		-
-	-	Tangent/Tangente	775,844		-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PC	38+526.808	-	-	-	-
PI	38+918.490	Curve/Courbe	639,122	437.927	88,24
PT	39+165.930	-	-	-	-
-	-	Tangent/Tangente	508,485	-	-
PC	39+674.415	-	-	-	-
PI	39+824.262	Curve/Courbe	299,420	2855.170	218,63
PT	39+973.835	-	-	-	-
-	-	Tangent/Tangente	349,924	-	-
PC	40+323.759	-	-	-	-
PI	40+613.714	Curve/Courbe	544,502	640.000	106,67
PT	40+868.260	-	-	-	-
-	-	Tangent/Tangente	325,859	-	-
PC	41+194.120	-	-	-	-
PI	41+487.438	Curve/Courbe	538,929	550.000	81,53
PT	41+733.049	-	-	-	-
-	-	Tangent/Tangente	385,825	-	-
PC	42+118.874	-	-	-	-
PI	42+250.255	Curve/Courbe	262,202	1640.000	170,76
PT	42+381.077	-	-	-	-
-	-	Tangent/Tangente	234,003	-	-
PC	42+615.079	-	-	-	-
PI	42+796.252	Curve/Courbe	362,338	25250.000	670,03
PT	42+977.417	-	-	-	-
-	-	Tangent/Tangente	214,363	-	-
PC	43+191.781	-	-	-	-
PI	43+367.707	Curve/Courbe	349,365	1200.000	146,07
PT	43+541.145	-	-	-	-
-	-	Tangent/Tangente	1950,130	-	-
PC	45+491.275	-	-	-	-
PI	45+641.096	Curve/Courbe	292,544	550.000	98,89
PT	45+783.819	-	-	-	-
-	-	Tangent/Tangente	321,609	-	-
PC	46+105.428	-	-	-	-
PI	46+258.899	Curve/Courbe	300,066	580.000	101,55
PT	46+405.494	-	-	-	-
-	-	Tangent/Tangente	671,290	-	-
PC	47+076.784	-	-	-	-
PI	47+223.147	Curve/Courbe	288,199	670.000	109,14
PT	47+364.983	-	-	-	-
-	-	Tangent/Tangente	1764,012	-	-
PC	49+128.996	-	-	-	-
PI	49+284.332	Curve/Courbe	308,209	1000.000	133,34
PT	49+437.205	-	-	-	-
-	-	Tangent/Tangente	147,065	-	-
PC	49+584.271	-	-	-	-
PI	49+740.666	Curve/Courbe	310,277	1000.000	133,34

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Radius Rayon	Speed Vitesse (km/h)
PT	49+894.548	-	-		-
-	-	Tangent/Tangente	1810,010		-
PC	51+704.558	-	-		-
PI	51+842.474	Curve/Courbe	274,424	1110.000	140,48
PT	51+978.983	-	-		-
-	-	Tangent/Tangente	317,443		-
PC	52+296.425	-	-		-
PI	52+396.391	Curve/Courbe	199,876	3500.000	249,46
PT	52+496.302	-	-		-
-	-	Tangent/Tangente	584,429		-
PC	53+080.730	-	-		-
PI	53+177.431	Curve/Courbe	191,577	570.000	100,67
PT	53+272.307	-	-		-
-	-	Tangent/Tangente	160,317		-
PC	53+432.624	-	-		-
PI	53+575.589	Curve/Courbe	282,356	730.000	113,93
PT	53+714.980	-	-		-
-	-	Tangent/Tangente	975,663		-
PC	54+690.643	-	-		-
PI	54+857.309	Curve/Courbe	329,431	880.000	125,09
PT	55+020.074	-	-		-
-	-	Tangent/Tangente	396,523		-
PC	55+416.597	-	-		-
PI	55+619.076	Curve/Courbe	397,714	860.000	123,66
PT	55+814.311	-	-		-
-	-	Tangent/Tangente	2693,235		-
PC	58+507.547	-	-		-
PI	58+711.190	Curve/Courbe	404,968	1550.000	137,86
PT	58+912.514	-	-		-
-	-	Tangent/Tangente	310,900		-
PC	59+223.415	-	-		-
PI	59+328.156	Curve/Courbe	209,424	3600.000	241,22
PT	59+432.839	-	-		-
-	-	Tangent/Tangente	1491,329		-
PC	60+924.168	-	-		-
PI	61+159.759	Curve/Courbe	458,230	800.000	119,26
PT	61+382.398	-	-		-
-	-	Tangent/Tangente	310,699		-
PC	61+693.097	-	-		-
PI	61+784.560	Curve/Courbe	182,788	1925.000	185,00
PT	61+875.885	-	-		-
-	-	Tangent/Tangente	1252,782		-
PC	63+128.667	-	-		-
PI	63+861.334	Curve/Courbe	1425,419	2500.000	201,02
PT	64+554.086	-	-		-
-	-	Tangent/Tangente	86,976		-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PC	64+641.062	-	-	-	-
PI	64+760.639	Curve/Courbe	239,027	3000.000	230,95
PT	64+880.089	-	-	-	-
-	-	Tangent/Tangente	426,492	-	-
PC	65+306.582	-	-	-	-
PI	65+457.314	Curve/Courbe	293,569	525.000	96,62
PT	65+600.151	-	-	-	-
-	-	Tangent/Tangente	196,070	-	-
PC	65+796.220	-	-	-	-
PI	65+975.446	Curve/Courbe	355,154	1070.000	137,93
PT	66+151.375	-	-	-	-
-	-	Tangent/Tangente	362,472	-	-
PC	66+513.846	-	-	-	-
PI	66+658.598	Curve/Courbe	288,366	1329.210	153,73
PT	66+802.212	-	-	-	-
-	-	Tangent/Tangente	1974,794	-	-
PC	68+777.007	-	-	-	-
PI	68+983.140	Curve/Courbe	410,141	1650.000	159,10
PT	69+187.148	-	-	-	-
-	-	Tangent/Tangente	765,751	-	-
PC	69+952.899	-	-	-	-
PI	70+219.489	Curve/Courbe	528,873	1700.000	173,86
PT	70+481.771	-	-	-	-
-	-	Tangent/Tangente	780,068	-	-
PC	71+261.839	-	-	-	-
PI	71+525.206	Curve/Courbe	508,643	795.000	113,88
PT	71+770.482	-	-	-	-
-	-	Tangent/Tangente	604,381	-	-
PC	72+374.863	-	-	-	-
PI	72+505.654	Curve/Courbe	257,978	635.393	106,29
PT	72+632.841	-	-	-	-
-	-	Tangent/Tangente	169,468	-	-
PC	72+802.309	-	-	-	-
PI	72+866.451	Curve/Courbe	128,275	4578.411	285,31
PT	72+930.584	-	-	-	-
-	-	Tangent/Tangente	154,375	-	-
PC	73+084.959	-	-	-	-
PI	73+274.715	Curve/Courbe	377,966	1710.609	174,40
PT	73+462.925	-	-	-	-
-	-	Tangent/Tangente	371,833	-	-
PC	73+834.758	-	-	-	-
PI	73+995.305	Curve/Courbe	320,307	1870.000	182,34
PT	74+155.065	-	-	-	-
-	-	Tangent/Tangente	517,456	-	-
PC	74+672.522	-	-	-	-
PI	74+861.616	Curve/Courbe	355,354	420.000	79,93

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PT	75+027.876	-	-		-
-	-	Tangent/Tangente	613,486		-
PC	75+641.361	-	-		-
PI	75+858.744	Curve/Courbe	421,896	710.000	110,07
PT	76+063.257	-	-		-
-	-	Tangent/Tangente	1099,592		-
PC	77+162.849	-	-		-
PI	77+291.561	Curve/Courbe	248,645	390.000	82,29
PT	77+411.494	-	-		-
-	-	Tangent/Tangente	867,121		-
PC	78+278.614	-	-		-
PI	78+358.335	Curve/Courbe	159,427	5000.000	298,16
PT	78+438.042	-	-		-
-	-	Tangent/Tangente	872,034		-
PC	79+310.075	-	-		-
PI	79+494.845	Curve/Courbe	368,095	1700.000	173,86
PT	79+678.170	-	-		-
-	-	Tangent/Tangente	1300,745		-
PC	80+978.915	-	-		-
PI	81+105.362	Curve/Courbe	252,296	1500.000	163,31
PT	81+231.211	-	-		-
-	-	Tangent/Tangente	414,317		-
PC	81+645.528	-	-		-
PI	81+829.179	Curve/Courbe	366,221	1950.000	186,20
PT	82+011.749	-	-		-
-	-	Tangent/Tangente	400,488		-
PC	82+412.238	-	-		-
PI	82+563.575	Curve/Courbe	301,209	1250.000	147,83
PT	82+713.447	-	-		-
-	-	Tangent/Tangente	278,056		-
PC	82+991.503	-	-		-
PI	83+141.583	Curve/Courbe	285,379	373.053	81,44
PT	83+276.882	-	-		-
-	-	Tangent/Tangente	100,476		-
PC	83+377.357	-	-		-
PI	83+519.226	Curve/Courbe	282,429	1200.619	146,11
PT	83+659.786	-	-		-
-	-	Tangent/Tangente	659,118		-
PC	84+318.904	-	-		-
PI	84+447.164	Curve/Courbe	254,099	755.734	108,33
PT	84+573.002	-	-		-
-	-	Tangent/Tangente	57,918		-
PC	84+630.920	-	-		-
PI	84+813.594	Curve/Courbe	336,982	351.845	79,09
PT	84+967.903	-	-		-
-	-	Tangent/Tangente	480,480		-



Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PC	85+448.383	-	-	-	-
PI	85+764.348	Curve/Courbe	619,355	1270.000	150,27
PT	86+067.738	-	-	-	-
-	-	Tangent/Tangente	1661,223	-	-
PC	87+728.961	-	-	-	-
PI	88+098.860	Curve/Courbe	719,271	1250.000	141,12
PT	88+448.232	-	-	-	-
-	-	Tangent/Tangente	1021,395	-	-
PC	89+469.627	-	-	-	-
PI	89+756.904	Curve/Courbe	551,610	800.000	119,26
PT	90+021.236	-	-	-	-
-	-	Tangent/Tangente	733,812	-	-
PC	90+755.048	-	-	-	-
PI	91+170.376	Curve/Courbe	749,696	700.000	111,56
PT	91+504.744	-	-	-	-
-	-	Tangent/Tangente	209,234	-	-
PC	91+713.978	-	-	-	-
PI	91+928.631	Curve/Courbe	380,624	330.000	76,60
PT	92+094.601	-	-	-	-
-	-	Tangent/Tangente	1134,707	-	-
PC	93+229.309	-	-	-	-
PI	93+399.467	Curve/Courbe	338,620	1385.444	156,95
PT	93+567.929	-	-	-	-
-	-	Tangent/Tangente	429,989	-	-
HPI	93+997.917	-	-	-	-
-	-	Tangent/Tangente	728,416	-	-
PC	94+726.333	-	-	-	-
PI	94+880.498	Curve/Courbe	307,492	1703.861	174,05
PT	95+033.825	-	-	-	-
-	-	Tangent/Tangente	513,029	-	-
PC	95+546.854	-	-	-	-
PI	95+779.648	Curve/Courbe	449,479	700.000	111,56
PT	95+996.334	-	-	-	-
-	-	Tangent/Tangente	730,319	-	-
PC	96+726.653	-	-	-	-
PI	96+866.238	Curve/Courbe	277,841	1163.293	143,82
PT	97+004.494	-	-	-	-
-	-	Tangent/Tangente	524,007	-	-
PC	97+528.501	-	-	-	-
PI	97+722.935	Curve/Courbe	370,972	501.482	91,67
PT	97+899.472	-	-	-	-
-	-	Tangent/Tangente	1068,302	-	-
PC	98+967.774	-	-	-	-
PI	99+216.909	Curve/Courbe	452,252	433.576	87,80
PT	99+420.026	-	-	-	-
-	-	Tangent/Tangente	632,793	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PC	100+052.818	-	-		-
PI	100+399.222	Curve/Courbe	538,148	336.194	77,31
PT	100+590.967	-	-		-
-	-	Tangent/Tangente	206,904		-
HPI	100+797.871	-	-		-
-	-	Tangent/Tangente	635,450		-
PC	101+433.321	-	-		-
PI	101+697.040	Curve/Courbe	465,055	395.000	83,80
PT	101+898.376	-	-		-
-	-	Tangent/Tangente	195,091		-
PC	102+093.468	-	-		-
PI	102+337.374	Curve/Courbe	471,631	750.000	110,00
PT	102+565.099	-	-		-
-	-	Tangent/Tangente	400,063		-
PC	102+965.162	-	-		-
PI	103+224.543	Curve/Courbe	484,741	550.000	98,89
PT	103+449.902	-	-		-
-	-	Tangent/Tangente	121,300		-
PC	103+571.202	-	-		-
PI	103+924.629	Curve/Courbe	550,249	345.000	78,32
PT	104+121.451	-	-		-
-	-	Tangent/Tangente	228,548		-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
START	27+329,722	-		-	-
-	-	Tangent/Tangente	210,206		-
TC	27+539,928	-		-	-
PI	27+732,725	Curve/Courbe	374,191	630	105,84
TC	27+914,119	-		-	-
-	-	Tangent/Tangente	138,982		-
TC	28+053,101	-		-	-
PI	28+267,553	Curve/Courbe	405,172	500	94,29
TC	28+458,273	-		-	-
-	-	Tangent/Tangente	281,991		-
TC	28+740,264	-		-	-
PI	28+981,351	Curve/Courbe	449,285	500	94,29
TC	29+189,549	-		-	-
-	-	Tangent/Tangente	966,339		-
TC	30+155,888	-		-	-
PI	30+357,931	Curve/Courbe	402,402	1800	178,90
TC	30+558,290	-		-	-
-	-	Tangent/Tangente	1478,040		-
TC	32+036,330	-		-	-
PI	32+268,390	Curve/Courbe	441,490	580	101,55
TC	32+477,820	-		-	-
-	-	Tangent/Tangente	1524,800		-
TC	34+002,620	-		-	-
PI	34+229,133	Curve/Courbe	419,700	450	89,45
TC	34+422,320	-		-	-
-	-	Tangent/Tangente	1738,352		-
TC	36+160,672	-		-	-
PI	36+379,309	Curve/Courbe	416,205	550	98,89
TC	36+576,877	-		-	-
-	-	Tangent/Tangente	1065,488		-
TC	37+642,365	-		-	-
PI	37+870,406	Curve/Courbe	448,413	1000	133,34
TC	38+090,778	-		-	-
-	-	Tangent/Tangente	289,388		-
TC	38+380,166	-		-	-
PI	38+520,087	Curve/Courbe	279,824	10000	421,66
TC	38+659,990	-		-	-
-	-	Tangent/Tangente	268,369		-
TC	38+928,359	-		-	-
PI	39+124,064	Curve/Courbe	383,872	800	116,95
TC	39+312,231	-		-	-
-	-	Tangent/Tangente	223,824		-
TC	39+536,055	-		-	-
PI	39+705,055	Curve/Courbe	336,372	1400	157,77
TC	39+872,427	-		-	-
-	-	Tangent/Tangente	1561,571		-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
TC	41+433,998	-		-	-
PI	41+549,737	Curve/Courbe	231,468	10000	421,66
TC	41+665,466	-		-	-
-	-	Tangent/Tangente	671,802		-
TC	42+337,268	-		-	-
PI	42+569,775	Curve/Courbe	462,714	1900	183,80
TC	42+799,982			-	-
-	-	Tangent/Tangente	417,480		-
TC	43+217,462			-	-
PI	43+428,111	Curve/Courbe	411,948	800	119,26
TC	43+629,410			-	-
-	-	Tangent/Tangente	969,404		-
TC	44+598,814			-	-
PI	44+765,506	Curve/Courbe	333,041	3000	220,21
TC	44+931,855			-	-
-	-	Tangent/Tangente	709,707		-
TC	45+641,562			-	-
PI	45+802,848	Curve/Courbe	322,461	5000	295,95
TC	45+964,023			-	-
-	-	Tangent/Tangente	360,732		-
TC	46+324,755			-	-
PI	46+524,618	Curve/Courbe	395,412	1100	129,96
TC	46+720,167			-	-
-	-	Tangent/Tangente	2298,005		-
TC	49+018,172			-	-
PI	49+214,507	Curve/Courbe	382,833	700	111,56
TC	49+401,005			-	-
-	-	Tangent/Tangente	122,787		-
TC	49+523,792			-	-
PI	49+721,046	Curve/Courbe	391,522	1300	152,03
TC	49+915,314			-	-
-	-	Tangent/Tangente	966,200		-
TC	50+881,514			-	-
PI	51+097,496	Curve/Courbe	431,545	4000	266,68
TC	51+313,059			-	-
-	-	Tangent/Tangente	1057,414		-
TC	52+370,473			-	-
PI	52+552,490	Curve/Courbe	363,782	4000	266,68
TC	52+734,255			-	-
-	-	Tangent/Tangente	217,773		-
TC	52+952,028			-	-
PI	53+149,192	Curve/Courbe	391,850	1427,563	155,26
TC	53+343,878			-	-
-	-	Tangent/Tangente			-
START	50+506,43	-	-	-	-
-	-	Tangent/Tangente	1057,415		-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Radius Rayon	Speed Vitesse (km/h)
TC	51+563,84	-	-	-	-
PI	51+745,86	Curve/Courbe	363,781	4000	266,68
TC	51+927,63	-	-	-	-
-	-	Tangent/Tangente	217,761	-	-
TC	52+145,39	-	-	-	-
PI	52+342,56	Curve/Courbe	391,874	1427,563	159,32
TC	52+537,26	-	-	-	-
-	-	Tangent/Tangente	514,651	-	-
HPI	53+051,91	-	-	-	-
-	-	Tangent/Tangente	1325,999	-	-
TC	54+377,91	-	-	-	-
PI	54+583,00	Curve/Courbe	409,709	3500	249,46
TC	54+787,62	-	-	-	-
-	-	Tangent/Tangente	229,901	-	-
HPI	55+017,52	-	-	-	-
-	-	Tangent/Tangente	274,117	-	-
TC	55+291,64	-	-	-	-
PI	55+546,47	Curve/Courbe	508,987	4000	266,68
TC	55+800,62	-	-	-	-
-	-	Tangent/Tangente	150,230	-	-
TC	55+950,85	-	-	-	-
PI	56+156,40	Curve/Courbe	409,106	1700	173,86
TC	56+359,96	-	-	-	-
-	-	Tangent/Tangente	653,265	-	-
TC	57+013,23	-	-	-	-
PI	57+209,21	Curve/Courbe	389,439	1400	154,71
TC	57+402,66	-	-	-	-
-	-	Tangent/Tangente	336,043	-	-
TC	57+738,71	-	-	-	-
PI	57+936,57	Curve/Courbe	394,142	1800	166,82
TC	58+132,85	-	-	-	-
-	-	Tangent/Tangente	1045,225	-	-
HPI	59+178,07	-	-	-	-
-	-	Tangent/Tangente	1015,360	-	-
TC	60+193,43	-	-	-	-
PI	60+394,96	Curve/Courbe	402,902	6000	326,62
TC	60+596,34	-	-	-	-
-	-	Tangent/Tangente	2126,858	-	-
TC	62+723,19	-	-	-	-
PI	62+908,80	Curve/Courbe	369,896	1800	178,90
TC	63+093,09	-	-	-	-
-	-	Tangent/Tangente	295,387	-	-
TC	63+388,48	-	-	-	-
PI	63+586,39	Curve/Courbe	394,936	2400	206,57
TC	63+783,41	-	-	-	-
-	-	Tangent/Tangente	429,719	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
HPI	64+213,13	-		-	-
-	-	Tangent/Tangente	367,551		-
TC	64+580,68	-		-	-
PI	64+783,42	Curve/Courbe	404,328	2200	197,78
TC	64+985,01	-		-	-
-	-	Tangent/Tangente	725,473		-
TC	65+710,48	-		-	-
PI	65+943,14	Curve/Courbe	460,444	1300	152,03
TC	66+170,93	-		-	-
-	-	Tangent/Tangente	585,108		-
TC	66+756,04	-		-	-
PI	66+984,65	Curve/Courbe	415,376	400	84,33
TC	67+171,41	-		-	-
-	-	Tangent/Tangente	201,925		-
TC	67+373,34	-		-	-
PI	67+608,33	Curve/Courbe	447,942	600	103,29
TC	67+821,28	-		-	-
-	-	Tangent/Tangente	380,702		-
TC	68+201,98	-		-	-
PI	68+400,84	Curve/Courbe	396,721	2300	202,22
TC	68+598,70	-		-	-
-	-	Tangent/Tangente	593,522		-
HPI	69+192,22	-		-	-
-	-	Tangent/Tangente	612,289		-
TC	69+804,51	-		-	-
PI	70+005,52	Curve/Courbe	395,530	900	122,29
TC	70+200,04	-		-	-
-	-	Tangent/Tangente	1122,770		-
TC	71+322,81	-		-	-
PI	71+536,99	Curve/Courbe	420,529	900	126,31
TC	71+743,34	-		-	-
-	-	Tangent/Tangente	340,511		-
TC	72+083,85	-		-	-
PI	72+283,04	Curve/Courbe	397,289	2200	197,78
TC	72+481,14	-		-	-
-	-	Tangent/Tangente	416,429		-
TC	72+897,57	-		-	-
PI	73+083,78	Curve/Courbe	370,240	1400	155,91
TC	73+267,81	-		-	-
-	-	Tangent/Tangente	300,480		-
HPI	73+568,29	-		-	-
-	-	Tangent/Tangente	260,354		-
TC	73+828,65	-		-	-
PI	74+085,85	Curve/Courbe	497,717	800	115,84
TC	74+326,36	-		-	-
-	-	Tangent/Tangente	319,824		-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Radius Rayon	Speed Vitesse (km/h)
TC	74+646,19	-		-	-
PI	74+853,79	Curve/Courbe	389,017	450	89,45
TC	75+035,20	-		-	-
-	-	Tangent/Tangente	190,161		-
TC	75+225,36	-		-	-
PI	75+419,15	Curve/Courbe	380,254	800	119,26
TC	75+605,62	-		-	-
-	-	Tangent/Tangente	400,122		-
TC	76+005,74	-		-	-
PI	76+224,69	Curve/Courbe	433,828	1300	152,03
TC	76+439,57	-		-	-
-	-	Tangent/Tangente	1041,619		-
TC	77+481,19	-		-	-
PI	77+694,95	Curve/Courbe	422,262	1100	139,85
TC	77+903,45	-		-	-
-	-	Tangent/Tangente	484,780		-
HPI	78+388,23	-		-	-
-	-	Tangent/Tangente	476,754		-
TC	78+864,98	-		-	-
PI	79+056,65	Curve/Courbe	381,727	1700	173,86
TC	79+246,71	-		-	-
-	-	Tangent/Tangente	914,145		-
TC	80+160,86	-		-	-
PI	80+362,06	Curve/Courbe	394,240	800	119,26
TC	80+555,10	-		-	-
-	-	Tangent/Tangente	799,289		-
HPI	81+354,38	-		-	-
-	-	Tangent/Tangente	137,503		-
TC	81+491,89	-		-	-
PI	81+703,13	Curve/Courbe	419,723	1500	163,31
TC	81+911,61	-		-	-
-	-	Tangent/Tangente	381,162		-
TC	82+292,77	-		-	-
PI	82+502,94	Curve/Courbe	420,236	8000	377,15
TC	82+713,01	-		-	-
-	-	Tangent/Tangente	655,743		-
HPI	83+368,75	-		-	-
-	-	Tangent/Tangente	707,370		-
TC	84+076,12	-		-	-
PI	84+255,50	Curve/Courbe	357,260	1600	168,67
TC	84+433,38	-		-	-
-	-	Tangent/Tangente	1018,871		-
TC	85+452,25	-		-	-
PI	85+626,75	Curve/Courbe	342,888	750	115,48
TC	85+795,14	-		-	-
-	-	Tangent/Tangente	1320,345		-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
TC	87+115,49	-		-	-
PI	87+272,37	Curve/Courbe	313,667	5000	298,16
TC	87+429,15	-		-	-
-	-	Tangent/Tangente	759,635		-
HPI	88+188,79	-		-	-
-	-	Tangent/Tangente	766,811		-
TC	88+955,60	-		-	-
PI	89+125,98	Curve/Courbe	338,493	1200	146,07
TC	89+294,09	-		-	-
-	-	Tangent/Tangente	1521,550		-
TC	90+815,64	-		-	-
PI	91+040,97	Curve/Courbe	433,796	650	107,50
TC	91+249,44	-		-	-
-	-	Tangent/Tangente	753,269		-
TC	92+002,71	-		-	-
PI	92+065,37	Curve/Courbe	125,329	10000	421,66
TC	92+128,04	-		-	-
-	-	Tangent/Tangente	487,415		-
HPI	92+615,45	-		-	-
-	-	Tangent/Tangente	523,200		-
HPI	93+138,65	-		-	-
-	-	Tangent/Tangente	1005,534		-
TC	94+144,18	-		-	-
PI	94+306,06	Curve/Courbe	321,815	1200	146,07
TC	94+466,00	-		-	-
-	-	Tangent/Tangente	1282,441		-
TC	95+748,44	-		-	-
PI	95+970,95	Curve/Courbe	441,283	1390,89	157,26
TC	96+189,72	-		-	-
-	-	Tangent/Tangente	332,192		-
TC	96+521,92	-		-	-
PI	96+684,22	Curve/Courbe	323,504	1600	168,67
TC	96+845,42	-		-	-
-	-	Tangent/Tangente	502,031		-
HPI	97+347,45	-		-	-
-	-	Tangent/Tangente	516,049		-
TC	97+863,50	-		-	-
PI	98+151,19	Curve/Courbe	504,477	420	86,42
TC	98+367,98	-		-	-
-	-	Tangent/Tangente	247,877		-
TC	98+615,85	-		-	-
PI	98+770,61	Curve/Courbe	308,896	2000	188,57
TC	98+924,75	-		-	-
-	-	Tangent/Tangente	1928,158		-
TC	100+852,91	-		-	-
PI	101+023,86	Curve/Courbe	339,947	1300	152,03



Point	Stationing Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
TC	101+192,85	-		-	-
-	-	Tangent/Tangente			-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
-	-	Tangent/Tangente	27,589	-	-
TC	0+027,589	-	-	-	-
PI	0+080,018	Curve/Courbe	103,168	235	64,64
CT	0+130,757	-	-	-	-
-	-	Tangent/Tangente	217,531	-	-
TC	0+348,288	-	-	-	-
PI	0+366,296	Curve/Courbe	35,983	340	77,75
CT	0+384,271	-	-	-	-
-	-	Tangent/Tangente	365,389	-	-
TC	0+749,660	-	-	-	-
PI	0+822,430	Curve/Courbe	141,626	250	66,67
CT	0+891,286	-	-	-	-
-	-	Tangent/Tangente	21,023	-	-
TC	0+912,309	-	-	-	-
PI	0+990,268	Curve/Courbe	153,268	340	77,75
CT	1+065,577	-	-	-	-
-	-	Tangent/Tangente	130,892	-	-
TC	1+196,469	-	-	-	-
PI	1+302,361	Curve/Courbe	209,224	550	98,89
CT	1+405,693	-	-	-	-
-	-	Tangent/Tangente	358,099	-	-
TC	1+763,792	-	-	-	-
PI	1+812,554	Curve/Courbe	97,515	3000	230,95
CT	1+861,307	-	-	-	-
-	-	Tangent/Tangente	310,422	-	-
TC	2+171,729	-	-	-	-
PI	2+302,788	Curve/Courbe	250,804	350	78,89
CT	2+422,533	-	-	-	-
-	-	Tangent/Tangente	167,230	-	-
TC	2+589,763	-	-	-	-
PI	2+658,230	Curve/Courbe	131,933	200	59,63
CT	2+721,696	-	-	-	-
-	-	Tangent/Tangente	123,045	-	-
TC	2+844,741	-	-	-	-
PI	2+928,263	Curve/Courbe	164,678	400	84,33
CT	3+009,419	-	-	-	-
-	-	Tangent/Tangente	120,421	-	-
TC	3+129,840	-	-	-	-
PI	3+150,955	Curve/Courbe	42,176	340	77,75
CT	3+172,016	-	-	-	-
-	-	Tangent/Tangente	81,590	-	-
TC	3+253,606	-	-	-	-
PI	3+300,744	Curve/Courbe	94,191	900	126,50
CT	3+347,797	-	-	-	-
-	-	Tangent/Tangente	194,405	-	-
TC	3+542,202	-	-	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PI	3+591,912	Curve/Courbe	99,094	500	94,29
CT	3+641,296	-		-	-
-	-	Tangent/Tangente	363,757		-
HPI	4+005,053	-		-	-
-	-	Tangent/Tangente	253,752		-
TC	4+258,805	-		-	-
PI	4+317,393	Curve/Courbe	117,116	1500	163,31
CT	4+375,921	-		-	-
-	-	Tangent/Tangente	65,057		-
TC	4+440,978	-		-	-
PI	4+474,819	Curve/Courbe	67,521	400	84,33
CT	4+508,499	-		-	-
-	-	Tangent/Tangente	43,854		-
TC	4+552,353	-		-	-
PI	4+598,060	Curve/Courbe	88,732	150	51,64
CT	4+641,085	-		-	-
-	-	Tangent/Tangente	557,345		-
TC	5+198,430	-		-	-
PI	5+457,354	Curve/Courbe	407,329	260	67,99
CT	5+605,759	-		-	-
-	-	Tangent/Tangente	297,076		-
TC	5+902,835	-		-	-
PI	6+002,267	Curve/Courbe	193,469	340	77,75
CT	6+096,304	-		-	-
-	-	Tangent/Tangente	124,802		-
TC	6+221,106	-		-	-
PI	6+304,139	Curve/Courbe	163,742	400	84,33
CT	6+384,848	-		-	-
-	-	Tangent/Tangente	478,593		-
TC	6+863,441	-		-	-
PI	6+902,679	Curve/Courbe	78,365	600	103,29
CT	6+941,806	-		-	-
-	-	Tangent/Tangente	909,602		-
TC	7+851,408	-		-	-
PI	7+909,316	Curve/Courbe	115,016	400	79,44
CT	7+966,424	-		-	-
-	-	Tangent/Tangente	142,882		-
TC	8+109,306	-		-	-
PI	8+125,985	Curve/Courbe	33,351	600	103,29
CT	8+142,657	-		-	-
-	-	Tangent/Tangente	140,705		-
TC	8+283,362	-		-	-
PI	8+317,109	Curve/Courbe	67,424	600	103,29
CT	8+350,786	-		-	-
-	-	Tangent/Tangente	725,660		-
TC	9+076,446	-		-	-

Point	Stationning Chaînage	Element Élément	Lenght Longeur (m)	Radius Rayon	Speed Vitesse (km/h)
PI	9+141,525	Curve/Courbe	129,429	500	88,35
CT	9+205,875	-		-	-
-	-	Tangent/Tangente	968,058		-
TC	10+173,933	-		-	-
PI	10+251,169	Curve/Courbe	151,894	340	68,72
CT	10+325,827	-		-	-
		Tangent/Tangente	57,682		-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	57,03	-	-
TCV	0+057,03	-	-	-	-
PIV	0+109,45	PARABOLE	104,85	Crest/Saillante	253
CTV	0+161,87	-	-	-	-
-	-	Tangent/Tangente	142,72	-	-
TCV	0+304,59	-	-	-	-
PIV	0+334,59	PARABOLE	60,00	Crest/Saillante	205
CTV	0+364,59	-	-	-	-
-	-	Tangent/Tangente	6,75	-	-
TCV	0+371,35	-	-	-	-
PIV	0+401,35	PARABOLE	60,00	Sag/Rentrante	265
CTV	0+431,35	-	-	-	-
-	-	Tangent/Tangente	204,63	-	-
TCV	0+635,98	-	-	-	-
PIV	0+687,71	PARABOLE	103,47	Sag/Rentrante	263
CTV	0+739,45	-	-	-	-
-	-	Tangent/Tangente	68,10	-	-
TCV	0+807,55	-	-	-	-
PIV	0+853,68	PARABOLE	92,27	Crest/Saillante	159
CTV	0+899,81	-	-	-	-
-	-	Tangent/Tangente	217,22	-	-
TCV	1+117,04	-	-	-	-
PIV	1+161,64	PARABOLE	89,21	Sag/Rentrante	265
CTV	1+206,25	-	-	-	-
-	-	Tangent/Tangente	6,00	-	-
TCV	1+212,24	-	-	-	-
PIV	1+258,64	PARABOLE	92,80	Sag/Rentrante	263
CTV	1+305,04	-	-	-	-
-	-	Tangent/Tangente	193,77	-	-
TCV	1+498,81	-	-	-	-
PIV	1+571,53	PARABOLE	145,44	Crest/Saillante	255
CTV	1+644,25	-	-	-	-
-	-	Tangent/Tangente	141,01	-	-
TCV	1+785,26	-	-	-	-
PIV	1+802,18	PARABOLE	33,84	Crest/Saillante	163
CTV	1+819,10	-	-	-	-
-	-	Tangent/Tangente	15,82	-	-
TCV	1+834,92	-	-	-	-
PIV	1+854,71	PARABOLE	39,58	Sag/Rentrante	165
CTV	1+874,50	-	-	-	-
-	-	Tangent/Tangente	11,23	-	-
TCV	1+885,73	-	-	-	-
PIV	1+905,11	PARABOLE	38,76	Crest/Saillante	141

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	1+924,49	-		-	-
-	-	Tangent/Tangente	16,83	-	-
TCV	1+941,31	-		-	-
PIV	1+971,31	PARABOLE	60,00	Sag/Rentrante	163
CTV	2+001,31	-		-	-
-	-	Tangent/Tangente	268,30	-	-
TCV	2+269,61	-		-	-
PIV	2+369,63	PARABOLE	200,04	Crest/Saillante	94
CTV	2+469,65	-		-	-
-	-	Tangent/Tangente	475,39	-	-
TCV	2+945,04	-		-	-
PIV	3+001,84	PARABOLE	113,60	Sag/Rentrante	152
CTV	3+058,64	-		-	-
-	-	Tangent/Tangente	93,64	-	-
TCV	3+152,28	-		-	-
PIV	3+252,60	PARABOLE	200,65	Sag/Rentrante	313
CTV	3+352,93	-		-	-
-	-	Tangent/Tangente	62,09	-	-
TCV	3+415,02	-		-	-
PIV	3+495,01	PARABOLE	159,97	Crest/Saillante	159
CTV	3+574,99	-		-	-
-	-	Tangent/Tangente	520,55	-	-
TCV	4+095,54	-		-	-
PIV	4+154,99	PARABOLE	118,90	Crest/Saillante	190
CTV	4+214,44	-		-	-
-	-	Tangent/Tangente	366,55	-	-
TCV	4+580,98	-		-	-
PIV	4+639,92	PARABOLE	117,88	Sag/Rentrante	162
CTV	4+698,86	-		-	-
-	-	Tangent/Tangente	165,88	-	-
TCV	4+864,74	-		-	-
PIV	4+924,88	PARABOLE	120,28	Crest/Saillante	114
CTV	4+985,02	-		-	-
-	-	Tangent/Tangente	106,99	-	-
TCV	5+092,01	-		-	-
PIV	5+145,01	PARABOLE	106,00	Sag/Rentrante	262
CTV	5+198,01	-		-	-
-	-	Tangent/Tangente	162,04	-	-
TCV	5+360,05	-		-	-
PIV	5+422,52	PARABOLE	124,96	Sag/Rentrante	92
CTV	5+485,00	-		-	-
-	-	Tangent/Tangente	75,16	-	-
TCV	5+560,16	-		-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
PIV	5+605,09	PARABOLE	89,85	Crest/Saillante	84	
CTV	5+650,02	-		-	-	
-	-	Tangent/Tangente	302,88	-	-	
TCV	5+952,89	-		-	-	
PIV	6+024,83	PARABOLE	143,88	Sag/Rentrante	95	
CTV	6+096,77	-		-	-	
-	-	Tangent/Tangente	329,22	-	-	
TCV	6+425,99	-		-	-	
PIV	6+493,00	PARABOLE	134,00	Crest/Saillante	112	
CTV	6+560,00	-		-	-	
-	-	Tangent/Tangente	109,95	-	-	
TCV	6+669,95	-		-	-	
PIV	6+734,98	PARABOLE	130,07	Crest/Saillante	169	
CTV	6+800,02	-		-	-	
-	-	Tangent/Tangente	54,99	-	-	
TCV	6+855,01	-		-	-	
PIV	6+915,01	PARABOLE	120,00	Sag/Rentrante	262	
CTV	6+975,00	-		-	-	
-	-	Tangent/Tangente	101,03	-	-	
TCV	7+076,03	-		-	-	
PIV	7+133,02	PARABOLE	113,97	Sag/Rentrante	264	
CTV	7+190,00	-		-	-	
-	-	Tangent/Tangente	377,90	-	-	
TCV	7+567,91	-		-	-	
PIV	7+668,16	PARABOLE	200,51	Crest/Saillante	115	
CTV	7+768,42	-		-	-	
-	-	Tangent/Tangente	119,97	-	-	
TCV	7+888,39	-		-	-	
PIV	7+938,38	PARABOLE	100,00	Sag/Rentrante	260	
CTV	7+988,38	-		-	-	
-	-	Tangent/Tangente	10,00	-	-	
PIV	7+998,38	-		-	-	
-	-	Tangent/Tangente	30,00	-	-	
TCV	8+028,38	-		-	-	
PIV	8+080,41	PARABOLE	104,05	Sag/Rentrante	264	
CTV	8+132,44	-		-	-	
-	-	Tangent/Tangente	143,80	-	-	
TCV	8+276,23	-		-	-	
PIV	8+331,28	PARABOLE	110,09	Crest/Saillante	88	
CTV	8+386,32	-		-	-	
-	-	Tangent/Tangente	89,03	-	-	
TCV	8+475,35	-		-	-	
PIV	8+505,35	PARABOLE	60,00	Sag/Rentrante	176	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	8+535,35	-		-	-
-	-	Tangent/Tangente	131,02	-	-
TCV	8+666,37	-		-	-
PIV	8+705,49	PARABOLE	78,24	Crest/Saillante	115
CTV	8+744,61	-		-	-
-	-	Tangent/Tangente	57,49	-	-
TCV	8+802,10	-		-	-
PIV	8+871,65	PARABOLE	139,09	Sag/Rentrante	255
CTV	8+941,19	-		-	-
-	-	Tangent/Tangente	260,18	-	-
TCV	9+201,37	-		-	-
PIV	9+283,46	PARABOLE	164,19	Sag/Rentrante	109
CTV	9+365,56	-		-	-
-	-	Tangent/Tangente	130,94	-	-
TCV	9+496,50	-		-	-
PIV	9+591,69	PARABOLE	190,38	Crest/Saillante	132
CTV	9+686,87	-		-	-
-	-	Tangent/Tangente	43,44	-	-
TCV	9+730,31	-		-	-
PIV	9+777,20	PARABOLE	93,78	Crest/Saillante	109
CTV	9+824,09	-		-	-
-	-	Tangent/Tangente	115,72	-	-
TCV	9+939,81	-		-	-
PIV	10+011,21	PARABOLE	142,79	Sag/Rentrante	99
CTV	10+082,60	-		-	-
-	-	Tangent/Tangente	36,21	-	-
TCV	10+118,81	-		-	-
PIV	10+192,48	PARABOLE	147,31	Sag/Rentrante	266
CTV	10+266,12	-		-	-
-	-	Tangent/Tangente	43,76	-	-
TCV	10+309,87	-		-	-
PIV	10+403,54	PARABOLE	187,33	Crest/Saillante	194
CTV	10+497,20	-		-	-
-	-	Tangent/Tangente	95,40	-	-
TCV	10+592,60	-		-	-
PIV	10+642,78	PARABOLE	100,37	Sag/Rentrante	266
CTV	10+692,97	-		-	-
-	-	Tangent/Tangente	39,10	-	-
TCV	10+732,07	-		-	-
PIV	10+794,33	PARABOLE	124,53	Sag/Rentrante	265
CTV	10+856,60	-		-	-
-	-	Tangent/Tangente	142,82	-	-
TCV	10+999,42	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	11+057,66	PARABOLE	116,49	Sag/Rentrante	109
CTV	11+115,91	-		-	-
-	-	Tangent/Tangente	105,17	-	-
TCV	11+221,08	-		-	-
PIV	11+286,11	PARABOLE	130,07	Crest/Saillante	97
CTV	11+351,15	-		-	-
-	-	Tangent/Tangente	137,60	-	-
TCV	11+488,75	-		-	-
PIV	11+536,25	PARABOLE	95,00	Sag/Rentrante	264
CTV	11+583,75	-		-	-
-	-	Tangent/Tangente	184,00	-	-
TCV	11+767,74	-		-	-
PIV	11+856,62	PARABOLE	177,74	Crest/Saillante	132
CTV	11+945,49	-		-	-
-	-	Tangent/Tangente	93,16	-	-
TCV	12+038,65	-		-	-
PIV	12+090,36	PARABOLE	103,43	Sag/Rentrante	264
CTV	12+142,08	-		-	-
-	-	Tangent/Tangente	98,08	-	-
TCV	12+240,16	-		-	-
PIV	12+305,89	PARABOLE	131,46	Crest/Saillante	187
CTV	12+371,61	-		-	-
-	-	Tangent/Tangente	42,64	-	-
TCV	12+414,25	-		-	-
PIV	12+471,76	PARABOLE	115,01	Sag/Rentrante	110
CTV	12+529,26	-		-	-
-	-	Tangent/Tangente	293,37	-	-
TCV	12+822,63	-		-	-
PIV	12+921,00	PARABOLE	196,73	Crest/Saillante	116
CTV	13+019,36	-		-	-
-	-	Tangent/Tangente	313,41	-	-
TCV	13+332,77	-		-	-
PIV	13+428,74	PARABOLE	191,93	Sag/Rentrante	204
CTV	13+524,70	-		-	-
-	-	Tangent/Tangente	318,51	-	-
TCV	13+843,22	-		-	-
PIV	13+897,55	PARABOLE	108,67	Crest/Saillante	109
CTV	13+951,88	-		-	-
-	-	Tangent/Tangente	46,37	-	-
TCV	13+998,25	-		-	-
PIV	14+072,47	PARABOLE	148,44	Sag/Rentrante	142
CTV	14+146,69	-		-	-
-	-	Tangent/Tangente	864,71	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	15+011,41	-		-	-
PIV	15+047,43	PARABOLE	72,04	Sag/Rentrante	264
CTV	15+083,45	-		-	-
-	-	Tangent/Tangente	39,89	-	-
TCV	15+123,33	-		-	-
PIV	15+190,95	PARABOLE	135,24	Crest/Saillante	276
CTV	15+258,57	-		-	-
-	-	Tangent/Tangente	160,33	-	-
TCV	15+418,90	-		-	-
PIV	15+492,20	PARABOLE	146,60	Sag/Rentrante	266
CTV	15+565,50	-		-	-
-	-	Tangent/Tangente	324,73	-	-
TCV	15+890,24	-		-	-
PIV	15+961,83	PARABOLE	143,20	Crest/Saillante	133
CTV	16+033,43	-		-	-
-	-	Tangent/Tangente	239,06	-	-
TCV	16+272,50	-		-	-
PIV	16+344,05	PARABOLE	143,10	Sag/Rentrante	267
CTV	16+415,60	-		-	-
-	-	Tangent/Tangente	53,74	-	-
TCV	16+469,33	-		-	-
PIV	16+525,53	PARABOLE	112,39	Crest/Saillante	230
CTV	16+581,72	-		-	-
-	-	Tangent/Tangente	184,36	-	-
TCV	16+766,08	-		-	-
PIV	16+824,47	PARABOLE	116,77	Sag/Rentrante	265
CTV	16+882,85	-		-	-
-	-	Tangent/Tangente	31,61	-	-
TCV	16+914,46	-		-	-
PIV	16+978,64	PARABOLE	128,36	Sag/Rentrante	263
CTV	17+042,82	-		-	-
-	-	Tangent/Tangente	7,18	-	-
PIV	17+050,00				-
		Tangent/Tangente	45,89		-
TCV	17+095,89	-		-	-
PIV	17+125,89	PARABOLE	60,00	Crest/Saillante	210
CTV	17+155,89	-		-	-
-	-	Tangent/Tangente	54,12	-	-
TCV	17+210,01	-		-	-
PIV	17+250,01	PARABOLE	80,00	Sag/Rentrante	261
CTV	17+290,01	-		-	-
-	-	Tangent/Tangente	38,36	-	-
TCV	17+328,37	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	17+380,01	PARABOLE	103,28	Sag/Rentrante	144
CTV	17+431,65	-		-	-
-	-	Tangent/Tangente	70,64	-	-
TCV	17+502,29	-		-	-
PIV	17+559,90	PARABOLE	115,21	Sag/Rentrante	248
CTV	17+617,50	-		-	-
-	-	Tangent/Tangente	57,92	-	-
TCV	17+675,42	-		-	-
PIV	17+776,59	PARABOLE	202,33	Crest/Saillante	86
CTV	17+877,75	-		-	-
-	-	Tangent/Tangente	352,32	-	-
TCV	18+230,07	-		-	-
PIV	18+295,00	PARABOLE	129,86	Sag/Rentrante	104
CTV	18+359,93	-		-	-
-	-	Tangent/Tangente	107,05	-	-
TCV	18+466,98	-		-	-
PIV	18+557,24	PARABOLE	180,52	Crest/Saillante	89
CTV	18+647,50	-		-	-
-	-	Tangent/Tangente	132,01	-	-
TCV	18+779,52	-		-	-
PIV	18+844,76	PARABOLE	130,48	Crest/Saillante	133
CTV	18+910,00	-		-	-
-	-	Tangent/Tangente	82,72	-	-
TCV	18+992,72	-		-	-
PIV	19+067,33	PARABOLE	149,24	Sag/Rentrante	65
CTV	19+141,95	-		-	-
-	-	Tangent/Tangente	18,02	-	-
PIV	19+159,97	-		-	-
-	-	Tangent/Tangente	56,67	-	-
PIV	19+216,64	-		-	-
		Tangent/Tangente	22,43	-	-
TCV	19+239,07	-		-	-
PIV	19+269,07	PARABOLE	60,00	Sag/Rentrante	265
CTV	19+299,07	-		-	-
-	-	Tangent/Tangente	114,67	-	-
TCV	19+413,75	-		-	-
PIV	19+459,37	PARABOLE	91,26	Crest/Saillante	263
CTV	19+505,00	-		-	-
-	-	Tangent/Tangente	70,17	-	-
TCV	19+575,17	-		-	-
PIV	19+605,17	PARABOLE	60,00	Crest/Saillante	256
CTV	19+635,17	-		-	-
-	-	Tangent/Tangente	1504,70	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	21+139,87	-		-	-
PIV	21+270,00	PARABOLE	260,26	Sag/Rentrante	262
CTV	21+400,13	-		-	-
-	-	Tangent/Tangente	14,76	-	-
TCV	21+414,89	-		-	-
PIV	21+499,89	PARABOLE	169,99	Crest/Saillante	155
CTV	21+584,88	-		-	-
-	-	Tangent/Tangente	295,12	-	-
TCV	21+880,00	-		-	-
PIV	21+975,00	PARABOLE	190,00	Crest/Saillante	229
CTV	22+070,00	-		-	-
-	-	Tangent/Tangente	65,00	-	-
TCV	22+135,00	-		-	-
PIV	22+205,00	PARABOLE	140,00	Sag/Rentrante	266
CTV	22+275,00	-		-	-
-	-	Tangent/Tangente	465,75	-	-
TCV	22+740,75	-		-	-
PIV	22+820,00	PARABOLE	158,50	Crest/Saillante	172
CTV	22+899,25	-		-	-
-	-	Tangent/Tangente	243,49	-	-
TCV	23+142,74	-		-	-
PIV	23+190,06	PARABOLE	94,65	Sag/Rentrante	134
CTV	23+237,38	-		-	-
-	-	Tangent/Tangente	102,62	-	-
TCV	23+340,00	-		-	-
PIV	23+385,00	PARABOLE	90,00	Crest/Saillante	176
CTV	23+430,00	-		-	-
-	-	Tangent/Tangente	9,12	-	-
TCV	23+439,12	-		-	-
PIV	23+485,00	PARABOLE	91,76	Crest/Saillante	216
CTV	23+530,88	-		-	-
-	-	Tangent/Tangente	47,84	-	-
TCV	23+578,72	-		-	-
PIV	23+608,72	PARABOLE	60,00	Sag/Rentrante	266
CTV	23+638,72	-		-	-
-	-	Tangent/Tangente	206,28	-	-
TCV	23+845,00	-		-	-
PIV	23+875,00	PARABOLE	60,00	Sag/Rentrante	265
CTV	23+905,00	-		-	-
-	-	Tangent/Tangente	32,96	-	-
TCV	23+937,96	-		-	-
PIV	23+975,00	PARABOLE	74,08	Crest/Saillante	168
CTV	24+012,04	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	7,96	-	-
TCV	24+020,00	-		-	-
PIV	24+050,00	PARABOLE	60,00	Sag/Rentrante	266
CTV	24+080,00	-		-	-
-	-	Tangent/Tangente	150,00	-	-
PIV	24+230,00	-		-	-
-	-	Tangent/Tangente	172,50	-	-
PIV	24+402,50	-		-	-
		Tangent/Tangente	182,50	-	-
PIV	24+585,00	-		-	-
		Tangent/Tangente	599,62	-	-
PIV	25+184,62	-		-	-
		Tangent/Tangente	495,38	-	-
PIV	25+680,00	-		-	-
		Tangent/Tangente	284,51	-	-
PIV	25+964,51	-		-	-
		Tangent/Tangente	213,96	-	-
PIV	26+178,46	-		-	-
		Tangent/Tangente	353,49	-	-
PIV	26+531,95	-		-	-
		Tangent/Tangente	353,05	-	-
PIV	26+885,00	-		-	-
		Tangent/Tangente	313,08	-	-
PIV	27+198,08	-		-	-
		Tangent/Tangente	381,92	-	-
PIV	27+580,00	-		-	-
		Tangent/Tangente	150,17	-	-
PIV	27+730,17	-		-	-
		Tangent/Tangente	304,00	-	-
TCV	28+034,17	-		-	-
PIV	28+064,17	PARABOLE	60,00	Sag/Rentrante	1558
CTV	28+094,17	-		-	-
-	-	Tangent/Tangente	343,00	-	-
TCV	28+437,16	-		-	-
PIV	28+498,58	PARABOLE	122,83	Crest/Saillante	141
CTV	28+560,00	-		-	-
-	-	Tangent/Tangente	535,05	-	-
TCV	29+095,05	-		-	-
PIV	29+125,05	PARABOLE	60,00	Crest/Saillante	168
CTV	29+155,05	-		-	-
-	-	Tangent/Tangente	150,77	-	-
TCV	29+305,82	-		-	-
PIV	29+364,80	PARABOLE	117,97	Sag/Rentrante	228

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	29+423,79	-		-	-
-	-	Tangent/Tangente	243,16	-	-
TCV	29+666,95	-		-	-
PIV	29+775,00	PARABOLE	216,11	Crest/Saillante	122
CTV	29+883,05	-		-	-
-	-	Tangent/Tangente	78,04	-	-
TCV	29+961,10	-		-	-
PIV	30+026,95	PARABOLE	131,71	Sag/Rentrante	89
CTV	30+092,81	-		-	-
-	-	Tangent/Tangente	145,22	-	-
TCV	30+238,02	-		-	-
PIV	30+311,51	PARABOLE	146,97	Crest/Saillante	107
CTV	30+385,00	-		-	-
-	-	Tangent/Tangente	130,00	-	-
TCV	30+515,00	-		-	-
PIV	30+545,00	PARABOLE	60,00	Sag/Rentrante	399
CTV	30+575,00	-		-	-
-	-	Tangent/Tangente	290,00	-	-
TCV	30+865,00	-		-	-
PIV	30+895,00	PARABOLE	60,00	Crest/Saillante	319
CTV	30+925,00	-		-	-
-	-	Tangent/Tangente	115,00	-	-
TCV	31+040,00	-		-	-
PIV	31+070,00	PARABOLE	60,00	Sag/Rentrante	265
CTV	31+100,00	-		-	-
-	-	Tangent/Tangente	883,44	-	-
TCV	31+983,44	-		-	-
PIV	32+048,18	PARABOLE	129,47	Sag/Rentrante	261
CTV	32+112,91	-		-	-
-	-	Tangent/Tangente	608,23	-	-
TCV	32+721,15	-		-	-
PIV	32+809,85	PARABOLE	177,41	Crest/Saillante	157
CTV	32+898,56	-		-	-
-	-	Tangent/Tangente	101,44	-	-
-	-	Tangent/Tangente	70,10	-	-
TCV	33+070,10	-		-	-
PIV	33+160,05	PARABOLE	179,90	Sag/Rentrante	260
CTV	33+250,00	-		-	-
-	-	Tangent/Tangente	153,81	-	-
TCV	33+403,81	-		-	-
PIV	33+431,65	PARABOLE	55,68	Sag/Rentrante	258
CTV	33+459,50	-		-	-
-	-	Tangent/Tangente	13,86	-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
TCV	33+473,36	-		-	-	-
PIV	33+512,57	PARABOLE	78,43	Crest/Saillante	138	
CTV	33+551,79	-		-	-	-
-	-	Tangent/Tangente	50,69	-	-	-
TCV	33+602,48	-		-	-	-
PIV	33+627,45	PARABOLE	49,94	Sag/Rentrante	261	
CTV	33+652,41	-		-	-	-
-	-	Tangent/Tangente	139,52	-	-	-
TCV	33+791,94	-		-	-	-
PIV	33+866,07	PARABOLE	148,26	Crest/Saillante	336	
CTV	33+940,20	-		-	-	-
-	-	Tangent/Tangente	151,23	-	-	-
TCV	34+091,43	-		-	-	-
PIV	34+152,55	PARABOLE	122,25	Crest/Saillante	109	
CTV	34+213,68	-		-	-	-
-	-	Tangent/Tangente	72,80	-	-	-
TCV	34+286,48	-		-	-	-
PIV	34+336,44	PARABOLE	99,92	Sag/Rentrante	74	
CTV	34+386,40	-		-	-	-
-	-	Tangent/Tangente	313,64	-	-	-
TCV	34+700,04	-		-	-	-
PIV	34+787,09	PARABOLE	174,09	Crest/Saillante	177	
CTV	34+874,13	-		-	-	-
-	-	Tangent/Tangente	137,25	-	-	-
TCV	35+011,38	-		-	-	-
PIV	35+042,68	PARABOLE	62,59	Sag/Rentrante	260	
CTV	35+073,97	-		-	-	-
-	-	Tangent/Tangente	43,94	-	-	-
TCV	35+117,91	-		-	-	-
PIV	35+187,06	PARABOLE	138,30	Crest/Saillante	87	
CTV	35+256,21	-		-	-	-
-	-	Tangent/Tangente	113,13	-	-	-
TCV	35+369,34	-		-	-	-
PIV	35+442,51	PARABOLE	146,34	Sag/Rentrante	71	
CTV	35+515,68	-		-	-	-
-	-	Tangent/Tangente	376,33	-	-	-
TCV	35+892,00	-		-	-	-
PIV	35+981,86	PARABOLE	179,71	Crest/Saillante	88	
CTV	36+071,72	-		-	-	-
-	-	Tangent/Tangente	106,65	-	-	-
TCV	36+178,37	-		-	-	-
PIV	36+215,05	PARABOLE	73,36	Sag/Rentrante	256	
CTV	36+251,73	-		-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	79,86	-	-
TCV	36+331,59	-		-	-
PIV	36+417,18	PARABOLE	171,18	Crest/Saillante	110
CTV	36+502,76	-		-	-
-	-	Tangent/Tangente	155,51	-	-
TCV	36+658,27	-		-	-
PIV	36+688,27	PARABOLE	60,00	Sag/Rentrante	81
CTV	36+718,27	-		-	-
-	-	Tangent/Tangente	45,50	-	-
TCV	36+763,77	-		-	-
PIV	36+789,73	PARABOLE	51,93	Crest/Saillante	127
CTV	36+815,69	-		-	-
-	-	Tangent/Tangente	25,95	-	-
TCV	36+841,64	-		-	-
PIV	36+868,54	PARABOLE	53,79	Crest/Saillante	216
CTV	36+895,44	-		-	-
-	-	Tangent/Tangente	40,20	-	-
TCV	36+935,64	-		-	-
PIV	36+954,84	PARABOLE	38,40	Sag/Rentrante	252
CTV	36+974,04	-		-	-
-	-	Tangent/Tangente	96,02	-	-
TCV	37+070,05	-		-	-
PIV	37+146,83	PARABOLE	153,55	Sag/Rentrante	91
CTV	37+223,60	-		-	-
-	-	Tangent/Tangente	128,74	-	-
TCV	37+352,34	-		-	-
PIV	37+409,77	PARABOLE	114,86	Crest/Saillante	119
CTV	37+467,21	-		-	-
-	-	Tangent/Tangente	123,42	-	-
TCV	37+590,62	-		-	-
PIV	37+638,30	PARABOLE	95,36	Sag/Rentrante	263
CTV	37+685,98	-		-	-
-	-	Tangent/Tangente	43,65	-	-
TCV	37+729,63	-		-	-
PIV	37+812,98	PARABOLE	166,70	Crest/Saillante	107
CTV	37+896,33	-		-	-
-	-	Tangent/Tangente	242,19	-	-
TCV	38+138,51	-		-	-
PIV	38+198,00	PARABOLE	118,98	Sag/Rentrante	67
CTV	38+257,49	-		-	-
-	-	Tangent/Tangente	128,19	-	-
TCV	38+385,69	-		-	-
PIV	38+451,30	PARABOLE	131,23	Crest/Saillante	111



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	38+516,91	-		-	-
-	-	Tangent/Tangente	40,90	-	-
TCV	38+557,81	-		-	-
PIV	38+688,38	PARABOLE	261,13	Sag/Rentrante	455
CTV	38+818,94	-		-	-
-	-	Tangent/Tangente	127,05	-	-
TCV	38+945,99	-		-	-
PIV	39+046,25	PARABOLE	200,53	Crest/Saillante	96
CTV	39+146,52	-		-	-
-	-	Tangent/Tangente	82,88	-	-
TCV	39+229,40	-		-	-
PIV	39+279,65	PARABOLE	100,50	Sag/Rentrante	253
CTV	39+329,90	-		-	-
-	-	Tangent/Tangente	93,27	-	-
TCV	39+423,17	-		-	-
PIV	39+453,17	PARABOLE	60,00	Crest/Saillante	192
CTV	39+483,17	-		-	-
-	-	Tangent/Tangente	61,27	-	-
TCV	39+544,44	-		-	-
PIV	39+584,28	PARABOLE	79,68	Sag/Rentrante	253
CTV	39+624,12	-		-	-
-	-	Tangent/Tangente	40,65	-	-
TCV	39+664,77	-		-	-
PIV	39+694,77	PARABOLE	60,00	Sag/Rentrante	256
CTV	39+724,77	-		-	-
-	-	Tangent/Tangente	128,29	-	-
TCV	39+853,06	-		-	-
PIV	39+923,84	PARABOLE	141,56	Sag/Rentrante	92
CTV	39+994,63	-		-	-
-	-	Tangent/Tangente	86,49	-	-
TCV	40+081,11	-		-	-
PIV	40+137,14	PARABOLE	112,06	Crest/Saillante	97
CTV	40+193,17	-		-	-
-	-	Tangent/Tangente	40,66	-	-
TCV	40+233,83	-		-	-
PIV	40+325,68	PARABOLE	183,69	Sag/Rentrante	88
CTV	40+417,52	-		-	-
-	-	Tangent/Tangente	97,58	-	-
TCV	40+515,10	-		-	-
PIV	40+574,08	PARABOLE	117,95	Crest/Saillante	84
CTV	40+633,06	-		-	-
-	-	Tangent/Tangente	109,95	-	-
TCV	40+743,00	-		-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
PIV	40+788,59	PARABOLE	91,18	Sag/Rentrante	214	
CTV	40+834,18	-		-	-	
-	-	Tangent/Tangente	86,83	-	-	
TCV	40+921,02	-		-	-	
PIV	40+990,40	PARABOLE	138,77	Sag/Rentrante	264	
CTV	41+059,79	-		-	-	
-	-	Tangent/Tangente	28,25	-	-	
TCV	41+088,04	-		-	-	
PIV	41+113,71	PARABOLE	51,33	Crest/Saillante	179	
CTV	41+139,38	-		-	-	
-	-	Tangent/Tangente	20,31	-	-	
TCV	41+159,68	-		-	-	
PIV	41+176,31	PARABOLE	33,26	Sag/Rentrante	261	
CTV	41+192,95	-		-	-	
-	-	Tangent/Tangente	26,51	-	-	
TCV	41+219,45	-		-	-	
PIV	41+249,45	PARABOLE	60,00	Crest/Saillante	139	
CTV	41+279,45	-		-	-	
-	-	Tangent/Tangente	18,41	-	-	
TCV	41+297,86	-		-	-	
PIV	41+321,68	PARABOLE	47,64	Sag/Rentrante	261	
CTV	41+345,50	-		-	-	
-	-	Tangent/Tangente	54,57	-	-	
TCV	41+400,07	-		-	-	
PIV	41+493,62	PARABOLE	187,09	Crest/Saillante	233	
CTV	41+587,16	-		-	-	
-	-	Tangent/Tangente	70,88	-	-	
TCV	41+658,04	-		-	-	
PIV	41+673,20	PARABOLE	30,32	Crest/Saillante	205	
CTV	41+688,37	-		-	-	
-	-	Tangent/Tangente	311,51	-	-	
TCV	41+999,88	-		-	-	
PIV	42+065,60	PARABOLE	131,44	Sag/Rentrante	238	
CTV	42+131,32	-		-	-	
-	-	Tangent/Tangente	400,92	-	-	
TCV	42+532,24	-		-	-	
PIV	42+601,96	PARABOLE	139,43	Crest/Saillante	101	
CTV	42+671,67	-		-	-	
-	-	Tangent/Tangente	261,15	-	-	
TCV	42+932,82	-		-	-	
PIV	42+991,09	PARABOLE	116,53	Sag/Rentrante	264	
CTV	43+049,36	-		-	-	
-	-	Tangent/Tangente	131,05	-	-	

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
TCV	43+180,40	-		-	-	-
PIV	43+235,89	PARABOLE	110,98	Sag/Rentrante	265	
CTV	43+291,39	-		-	-	-
-	-	Tangent/Tangente	182,02	-	-	-
TCV	43+473,41	-		-	-	-
PIV	43+543,16	PARABOLE	139,51	Sag/Rentrante	261	
CTV	43+612,92	-		-	-	-
-	-	Tangent/Tangente	385,45	-	-	-
TCV	43+998,36	-		-	-	-
PIV	44+050,62	PARABOLE	104,53	Crest/Saillante	117	
CTV	44+102,89	-		-	-	-
-	-	Tangent/Tangente	45,84	-	-	-
TCV	44+148,73	-		-	-	-
PIV	44+218,98	PARABOLE	140,50	Sag/Rentrante	265	
CTV	44+289,22	-		-	-	-
-	-	Tangent/Tangente	175,12	-	-	-
TCV	44+464,35	-		-	-	-
PIV	44+620,07	PARABOLE	311,45	Crest/Saillante	98	
CTV	44+775,79	-		-	-	-
-	-	Tangent/Tangente	134,33	-	-	-
TCV	44+910,12	-		-	-	-
PIV	44+939,01	PARABOLE	57,79	Crest/Saillante	266	
CTV	44+967,91	-		-	-	-
-	-	Tangent/Tangente	156,31	-	-	-
TCV	45+124,21	-		-	-	-
PIV	45+188,36	PARABOLE	128,29	Sag/Rentrante	59	
CTV	45+252,50	-		-	-	-
-	-	Tangent/Tangente	30,38	-	-	-
TCV	45+282,88	-		-	-	-
PIV	45+298,41	PARABOLE	31,05	Crest/Saillante	130	
CTV	45+313,93	-		-	-	-
-	-	Tangent/Tangente	16,90	-	-	-
TCV	45+330,83	-		-	-	-
PIV	45+350,43	PARABOLE	39,21	Sag/Rentrante	264	
CTV	45+370,04	-		-	-	-
-	-	Tangent/Tangente	118,56	-	-	-
TCV	45+488,59	-		-	-	-
PIV	45+564,48	PARABOLE	151,78	Sag/Rentrante	66	
CTV	45+640,38	-		-	-	-
-	-	Tangent/Tangente	47,33	-	-	-
TCV	45+687,71	-		-	-	-
PIV	45+735,36	PARABOLE	95,31	Crest/Saillante	73	
CTV	45+783,02	-		-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	166,51	-	-
TCV	45+949,53	-		-	-
PIV	45+995,43	PARABOLE	91,81	Sag/Rentrante	123
CTV	46+041,34	-		-	-
-	-	Tangent/Tangente	39,72	-	-
TCV	46+081,06	-		-	-
PIV	46+108,88	PARABOLE	55,63	Crest/Saillante	116
CTV	46+136,69	-		-	-
-	-	Tangent/Tangente	131,19	-	-
TCV	46+267,88	-		-	-
PIV	46+291,45	PARABOLE	47,14	Sag/Rentrante	259
CTV	46+315,02	-		-	-
-	-	Tangent/Tangente	72,92	-	-
TCV	46+387,94	-		-	-
PIV	46+424,52	PARABOLE	73,16	Crest/Saillante	151
CTV	46+461,10	-		-	-
-	-	Tangent/Tangente	70,31	-	-
TCV	46+531,40	-		-	-
PIV	46+697,91	PARABOLE	333,02	Crest/Saillante	276
CTV	46+864,43	-		-	-
-	-	Tangent/Tangente	65,08	-	-
TCV	46+929,50	-		-	-
PIV	46+949,33	PARABOLE	39,64	Sag/Rentrante	262
CTV	46+969,15	-		-	-
-	-	Tangent/Tangente	70,09	-	-
TCV	47+039,24	-		-	-
PIV	47+062,62	PARABOLE	46,76	Crest/Saillante	287
CTV	47+086,00	-		-	-
-	-	Tangent/Tangente	173,36	-	-
TCV	47+259,36	-		-	-
PIV	47+355,04	PARABOLE	191,35	Sag/Rentrante	105
CTV	47+450,71	-		-	-
-	-	Tangent/Tangente	118,94	-	-
TCV	47+569,65	-		-	-
PIV	47+629,47	PARABOLE	119,69	Crest/Saillante	90
CTV	47+689,34	-		-	-
-	-	Tangent/Tangente	62,57	-	-
TCV	47+751,91	-		-	-
PIV	47+794,78	PARABOLE	85,74	Crest/Saillante	81
CTV	47+837,66	-		-	-
-	-	Tangent/Tangente	26,98	-	-
TCV	47+864,64	-		-	-
PIV	47+899,39	PARABOLE	69,51	Sag/Rentrante	121

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	47+934,15	-		-	-
-	-	Tangent/Tangente		-	-
-	-	Tangent/Tangente	21,66	-	-
TCV	47+977,47	-	-	-	-
PIV	48+035,51	PARABOLE	116,07	Sag/Rentrante	73
CTV	48+093,54	-		-	-
-	-	Tangent/Tangente	117,33	-	-
TCV	48+210,87	-		-	-
PIV	48+259,21	PARABOLE	96,68	Crest/Saillante	103
CTV	48+307,55	-		-	-
-	-	Tangent/Tangente	33,34	-	-
TCV	48+340,89	-		-	-
PIV	48+364,00	PARABOLE	46,23	Crest/Saillante	164
CTV	48+387,12	-		-	-
-	-	Tangent/Tangente	82,12	-	-
TCV	48+469,23	-		-	-
PIV	48+489,17	PARABOLE	39,87	Crest/Saillante	246
CTV	48+509,10	-		-	-
-	-	Tangent/Tangente	170,52	-	-
TCV	48+679,62	-		-	-
PIV	48+709,62	PARABOLE	60,00	Crest/Saillante	221
CTV	48+739,62	-		-	-
-	-	Tangent/Tangente	171,31	-	-
TCV	48+910,93	-		-	-
PIV	48+926,60	PARABOLE	31,35	Sag/Rentrante	260
CTV	48+942,28	-		-	-
-	-	Tangent/Tangente	38,79	-	-
TCV	48+981,07	-		-	-
PIV	49+024,61	PARABOLE	87,06	Crest/Saillante	103
CTV	49+068,14	-		-	-
-	-	Tangent/Tangente	53,20	-	-
TCV	49+121,34	-		-	-
PIV	49+183,87	PARABOLE	125,07	Sag/Rentrante	76
CTV	49+246,41	-		-	-
-	-	Tangent/Tangente	294,85	-	-
TCV	49+541,25	-		-	-
PIV	49+585,27	PARABOLE	88,04	Sag/Rentrante	139
CTV	49+629,29	-		-	-
-	-	Tangent/Tangente	126,90	-	-
TCV	49+756,19	-		-	-
PIV	49+813,62	PARABOLE	114,85	Crest/Saillante	75
CTV	49+871,04	-		-	-
-	-	Tangent/Tangente	35,18	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	49+906,22	-		-	-
PIV	49+976,22	PARABOLE	140,00	Sag/Rentrante	69
CTV	50+046,22	-		-	-
-	-	Tangent/Tangente	32,23	-	-
TCV	50+078,45	-		-	-
PIV	50+128,47	PARABOLE	100,04	Crest/Saillante	93
CTV	50+178,49	-		-	-
-	-	Tangent/Tangente	7,64	-	-
TCV	50+186,13	-		-	-
PIV	50+231,56	PARABOLE	90,85	Sag/Rentrante	261
CTV	50+276,98	-		-	-
-	-	Tangent/Tangente	26,52	-	-
TCV	50+303,50	-		-	-
PIV	50+346,98	PARABOLE	86,97	Sag/Rentrante	75
CTV	50+390,47	-		-	-
-	-	Tangent/Tangente	53,70	-	-
TCV	50+444,17	-		-	-
PIV	50+474,17	PARABOLE	60,00	Crest/Saillante	126
CTV	50+504,17	-		-	-
-	-	Tangent/Tangente	181,90	-	-
TCV	50+686,06	-		-	-
PIV	50+700,47	PARABOLE	28,81	Crest/Saillante	147
CTV	50+714,87	-		-	-
-	-	Tangent/Tangente	43,67	-	-
PIV	50+758,54	-		-	-
-	-	Tangent/Tangente	85,21	-	-
TCV	50+843,75	-		-	-
PIV	50+873,75	PARABOLE	60,00	Sag/Rentrante	263
CTV	50+903,75	-		-	-
-	-	Tangent/Tangente	53,62	-	-
TCV	50+957,37	-		-	-
PIV	51+007,26	PARABOLE	99,79	Crest/Saillante	121
CTV	51+057,16	-		-	-
-	-	Tangent/Tangente	183,24	-	-
TCV	51+240,40	-		-	-
PIV	51+270,40	PARABOLE	60,00	Crest/Saillante	122
CTV	51+300,40	-		-	-
-	-	Tangent/Tangente	83,10	-	-
TCV	51+383,50	-		-	-
PIV	51+432,85	PARABOLE	98,70	Sag/Rentrante	99
CTV	51+482,20	-		-	-
-	-	Tangent/Tangente	27,45	-	-
TCV	51+509,65	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	51+570,85	PARABOLE	122,39	Sag/Rentrante	263
CTV	51+632,05	-		-	-
-	-	Tangent/Tangente	89,80	-	-
TCV	51+721,84	-		-	-
PIV	51+771,09	PARABOLE	98,49	Crest/Saillante	111
CTV	51+820,33	-		-	-
-	-	Tangent/Tangente	2,70	-	-
TCV	51+823,03	-		-	-
PIV	51+871,62	PARABOLE	97,18	Sag/Rentrante	58
CTV	51+920,21	-		-	-
-	-	Tangent/Tangente	48,44	-	-
TCV	51+968,66	-		-	-
PIV	52+061,06	PARABOLE	184,81	Crest/Saillante	73
CTV	52+153,47	-		-	-
-	-	Tangent/Tangente	51,83	-	-
TCV	52+205,30	-		-	-
PIV	52+282,66	PARABOLE	154,73	Sag/Rentrante	65
CTV	52+360,03	-		-	-
-	-	Tangent/Tangente	50,22	-	-
TCV	52+410,25	-		-	-
PIV	52+440,25	PARABOLE	60,00	Crest/Saillante	261
CTV	52+470,25	-		-	-
-	-	Tangent/Tangente	61,55	-	-
TCV	52+531,80	-		-	-
PIV	52+583,40	PARABOLE	103,21	Sag/Rentrante	262
CTV	52+635,01	-		-	-
-	-	Tangent/Tangente	51,81	-	-
TCV	52+686,82	-		-	-
PIV	52+716,82	PARABOLE	60,00	Crest/Saillante	85
CTV	52+746,82	-		-	-
-	-	Tangent/Tangente	119,90	-	-
TCV	52+866,71	-		-	-
PIV	52+995,04	PARABOLE	256,65	Sag/Rentrante	79
CTV	53+123,37	-		-	-
-	-	Tangent/Tangente	11,39	-	-
PVI	53+134,75			-	-
-	-	Tangent/Tangente	283,11	-	-
TCV	53+417,86	-		-	-
PIV	53+467,58	PARABOLE	99,43	Crest/Saillante	100
CTV	53+517,30	-		-	-
-	-	Tangent/Tangente	48,07	-	-
TCV	53+565,36	-		-	-
PIV	53+620,49	PARABOLE	110,24	Sag/Rentrante	192

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	53+675,61	-		-	-
-	-	Tangent/Tangente	55,05	-	-
TCV	53+730,66	-		-	-
PIV	53+760,66	PARABOLE	60,00	Crest/Saillante	153
CTV	53+790,66	-		-	-
-	-	Tangent/Tangente	240,17	-	-
TCV	54+030,83	-		-	-
PIV	54+074,03	PARABOLE	86,39	Crest/Saillante	157
CTV	54+117,22	-		-	-
-	-	Tangent/Tangente	81,42	-	-
TCV	54+198,65	-		-	-
PIV	54+228,65	PARABOLE	60,00	Sag/Rentrante	264
CTV	54+258,65	-		-	-
-	-	Tangent/Tangente	201,98	-	-
TCV	54+460,63	-		-	-
PIV	54+531,54	PARABOLE	141,82	Sag/Rentrante	105
CTV	54+602,45	-		-	-
-	-	Tangent/Tangente	64,94	-	-
TCV	54+667,39	-		-	-
PIV	54+744,38	PARABOLE	153,99	Crest/Saillante	91
CTV	54+821,38	-		-	-
-	-	Tangent/Tangente	244,13	-	-
TCV	55+065,51	-		-	-
PIV	55+181,29	PARABOLE	231,56	Sag/Rentrante	111
CTV	55+297,07	-		-	-
-	-	Tangent/Tangente	168,12	-	-
PIV	55+465,19	-		-	-
-	-	Tangent/Tangente	111,92	-	-
TCV	55+577,11	-		-	-
PIV	55+641,41	PARABOLE	128,59	Sag/Rentrante	114
CTV	55+705,70	-		-	-
-	-	Tangent/Tangente	123,10	-	-
TCV	55+828,80	-		-	-
PIV	55+924,23	PARABOLE	190,87	Crest/Saillante	95
CTV	56+019,67	-		-	-
-	-	Tangent/Tangente	128,64	-	-
TCV	56+148,31	-		-	-
PIV	56+249,96	PARABOLE	203,31	Crest/Saillante	90
CTV	56+351,61	-		-	-
-	-	Tangent/Tangente	5,48	-	-
TCV	56+357,09	-		-	-
PIV	56+531,19	PARABOLE	348,20	Sag/Rentrante	74
CTV	56+705,29	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	26,63	-	-
TCV	56+731,91	-		-	-
PIV	56+853,19	PARABOLE	242,56	Crest/Saillante	74
CTV	56+974,47	-		-	-
-	-	Tangent/Tangente	258,33	-	-
TCV	57+232,81	-		-	-
PIV	57+382,17	PARABOLE	298,72	Sag/Rentrante	60
CTV	57+531,52	-		-	-
-	-	Tangent/Tangente	59,77	-	-
TCV	57+591,29	-		-	-
PIV	57+726,38	PARABOLE	270,18	Crest/Saillante	78
CTV	57+861,47	-		-	-
-	-	Tangent/Tangente	94,42	-	-
TCV	57+955,90	-		-	-
PIV	58+001,87	PARABOLE	91,95	Sag/Rentrante	74
CTV	58+047,85	-		-	-
-	-	Tangent/Tangente	92,14	-	-
TCV	58+139,99	-		-	-
PIV	58+169,99	PARABOLE	60,00	Crest/Saillante	112
CTV	58+199,99	-		-	-
-	-	Tangent/Tangente	110,35	-	-
TCV	58+310,33	-		-	-
PIV	58+390,93	PARABOLE	161,20	Sag/Rentrante	261
CTV	58+471,54	-		-	-
-	-	Tangent/Tangente	740,93	-	-
PIV	59+212,47			-	-
-	-	Tangent/Tangente	269,68	-	-
PIV	59+482,15			-	-
-	-	Tangent/Tangente	102,43	-	-
TCV	59+584,58	-		-	-
PIV	59+643,50	PARABOLE	117,85	Sag/Rentrante	264
CTV	59+702,43	-		-	-
-	-	Tangent/Tangente	67,48	-	-
TCV	59+769,91	-		-	-
PIV	59+852,07	PARABOLE	164,31	Crest/Saillante	79
CTV	59+934,22	-		-	-
-	-	Tangent/Tangente	79,70	-	-
TCV	60+013,93	-		-	-
PIV	60+077,70	PARABOLE	127,54	Sag/Rentrante	68
CTV	60+141,47	-		-	-
-	-	Tangent/Tangente	98,76	-	-
TCV	60+240,23	-		-	-
PIV	60+270,23	PARABOLE	60,00	Crest/Saillante	85

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	60+300,23	-		-	-
-	-	Tangent/Tangente	54,75	-	-
TCV	60+354,98	-		-	-
PIV	60+412,99	PARABOLE	116,02	Sag/Rentrante	64
CTV	60+470,99	-		-	-
-	-	Tangent/Tangente	150,05	-	-
TCV	60+621,05	-		-	-
PIV	60+651,05	PARABOLE	60,00	Sag/Rentrante	205
CTV	60+681,05	-		-	-
-	-	Tangent/Tangente	51,21	-	-
TCV	60+732,26	-		-	-
PIV	60+781,20	PARABOLE	97,88	Crest/Saillante	72
CTV	60+830,14	-		-	-
-	-	Tangent/Tangente	129,02	-	-
TCV	60+959,16	-		-	-
PIV	60+993,60	PARABOLE	68,89	Sag/Rentrante	99
CTV	61+028,05	-		-	-
-	-	Tangent/Tangente	81,06	-	-
TCV	61+109,11	-		-	-
PIV	61+252,77	PARABOLE	287,30	Sag/Rentrante	263
CTV	61+396,42	-		-	-
-	-	Tangent/Tangente	625,04	-	-
-	-	Tangent/Tangente	625,04	-	-
TCV	62+021,46	-		-	-
PIV	62+126,46	PARABOLE	210,01	Crest/Saillante	185
CTV	62+231,46	-		-	-
-	-	Tangent/Tangente	146,04	-	-
TCV	62+377,51	-		-	-
PIV	62+549,46	PARABOLE	343,90	Sag/Rentrante	212
CTV	62+721,41	-		-	-
-	-	Tangent/Tangente	383,39	-	-
TCV	63+104,80	-		-	-
PIV	63+156,53	PARABOLE	103,47	Crest/Saillante	84
CTV	63+208,26	-		-	-
-	-	Tangent/Tangente	55,31	-	-
TCV	63+263,57	-		-	-
PIV	63+293,57	PARABOLE	60,00	Sag/Rentrante	72
CTV	63+323,57	-		-	-
-	-	Tangent/Tangente	50,45	-	-
TCV	63+374,03	-		-	-
PIV	63+404,03	PARABOLE	60,00	Crest/Saillante	177
CTV	63+434,03	-		-	-
-	-	Tangent/Tangente	297,41	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	63+731,44	-		-	-
PIV	63+813,17	PARABOLE	163,47	Sag/Rentrante	164
CTV	63+894,90	-		-	-
-	-	Tangent/Tangente	208,72	-	-
PIV	64+103,62	-		-	-
-	-	Tangent/Tangente	50,15	-	-
TCV	64+153,77	-		-	-
PIV	64+293,95	PARABOLE	280,35	Crest/Saillante	217
CTV	64+434,13	-		-	-
-	-	Tangent/Tangente	335,05	-	-
TCV	64+769,18	-		-	-
PIV	64+844,49	PARABOLE	150,62	Sag/Rentrante	263
CTV	64+919,79	-		-	-
-	-	Tangent/Tangente	124,69	-	-
PIV	65+044,49	-		-	-
-	-	Tangent/Tangente	3,45	-	-
TCV	65+047,94	-		-	-
PIV	65+082,04	PARABOLE	68,19	Sag/Rentrante	71
CTV	65+116,13	-		-	-
-	-	Tangent/Tangente	27,77	-	-
PIV	65+143,90	-		-	-
-	-	Tangent/Tangente	53,31	-	-
PIV	65+197,21	-		-	-
-	-	Tangent/Tangente	4,52	-	-
TCV	65+201,74	-		-	-
PIV	65+280,00	PARABOLE	156,53	Crest/Saillante	96
CTV	65+358,26	-		-	-
-	-	Tangent/Tangente	1,59	-	-
TCV	65+359,85	-		-	-
PIV	65+384,58	PARABOLE	49,45	Crest/Saillante	86
CTV	65+409,30	-		-	-
-	-	Tangent/Tangente	30,78	-	-
TCV	65+440,09	-		-	-
PIV	65+495,10	PARABOLE	110,02	Crest/Saillante	90
CTV	65+550,11	-		-	-
-	-	Tangent/Tangente	62,18	-	-
PIV	65+612,29	-		-	-
-	-	Tangent/Tangente	45,73	-	-
TCV	65+658,01	-		-	-
PIV	65+745,64	PARABOLE	175,24	Sag/Rentrante	69
CTV	65+833,26	-		-	-
-	-	Tangent/Tangente	156,74	-	-
TCV	65+990,00	-		-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
PIV	66+020,00	PARABOLE	60,00	Sag/Rentrante	265	
CTV	66+050,00	-		-	-	
-	-	Tangent/Tangente	288,49	-	-	
PIV	66+338,50	-		-	-	
-	-	Tangent/Tangente	129,21	-	-	
TCV	66+467,70	-		-	-	
PIV	66+540,39	PARABOLE	145,37	Sag/Rentrante	74	
CTV	66+613,07	-		-	-	
-	-	Tangent/Tangente	70,25	-	-	
TCV	66+683,33	-		-	-	
PIV	66+741,66	PARABOLE	116,67	Crest/Saillante	76	
CTV	66+799,99	-		-	-	
-	-	Tangent/Tangente	32,49	-	-	
TCV	66+832,48	-		-	-	
PIV	66+885,86	PARABOLE	106,76	Crest/Saillante	100	
CTV	66+939,24	-		-	-	
-	-	Tangent/Tangente	69,18	-	-	
TCV	67+008,42	-		-	-	
PIV	67+086,65	PARABOLE	156,46	Sag/Rentrante	56	
CTV	67+164,88	-		-	-	
-	-	Tangent/Tangente	71,81	-	-	
TCV	67+236,69	-		-	-	
PIV	67+305,60	PARABOLE	137,82	Crest/Saillante	74	
CTV	67+374,51	-		-	-	
-	-	Tangent/Tangente	46,57	-	-	
TCV	67+421,08	-		-	-	
PIV	67+451,08	PARABOLE	60,00	Sag/Rentrante	78	
CTV	67+481,08	-		-	-	
-	-	Tangent/Tangente	50,81	-	-	
TCV	67+531,89	-		-	-	
PIV	67+586,00	PARABOLE	108,22	Sag/Rentrante	93	
CTV	67+640,11	-		-	-	
-	-	Tangent/Tangente	61,02	-	-	
TCV	67+701,13	-		-	-	
PIV	67+808,36	PARABOLE	214,46	Crest/Saillante	90	
CTV	67+915,58	-		-	-	
-	-	Tangent/Tangente	47,14	-	-	
TCV	67+962,72	-		-	-	
PIV	68+019,93	PARABOLE	114,41	Sag/Rentrante	67	
CTV	68+077,14	-		-	-	
-	-	Tangent/Tangente	109,69	-	-	
TCV	68+186,82	-		-	-	
PIV	68+262,97	PARABOLE	152,30	Crest/Saillante	83	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	68+339,12	-		-	-
-	-	Tangent/Tangente	61,34	-	-
TCV	68+400,46	-		-	-
PIV	68+506,72	PARABOLE	212,53	Sag/Rentrante	70
CTV	68+612,99	-		-	-
-	-	Tangent/Tangente	73,68	-	-
TCV	68+686,67	-		-	-
PIV	68+795,61	PARABOLE	217,86	Crest/Saillante	76
CTV	68+904,54	-		-	-
-	-	Tangent/Tangente	94,72	-	-
-	-	Tangent/Tangente	18,25	-	-
TCV	69+017,51	-		-	-
PIV	69+083,15	PARABOLE	131,28	Sag/Rentrante	68
CTV	69+148,79	-		-	-
-	-	Tangent/Tangente	2,20	-	-
TCV	69+150,98	-		-	-
PIV	69+194,24	PARABOLE	86,52	Crest/Saillante	135
CTV	69+237,50	-		-	-
-	-	Tangent/Tangente	71,72	-	-
TCV	69+309,22	-		-	-
PIV	69+356,46	PARABOLE	94,47	Sag/Rentrante	57
CTV	69+403,69	-		-	-
-	-	Tangent/Tangente	83,29	-	-
TCV	69+486,98	-		-	-
PIV	69+516,98	PARABOLE	60,00	Crest/Saillante	80
CTV	69+546,98	-		-	-
-	-	Tangent/Tangente	53,92	-	-
TCV	69+600,90	-		-	-
PIV	69+630,90	PARABOLE	60,00	Crest/Saillante	196
CTV	69+660,90	-		-	-
-	-	Tangent/Tangente	24,88	-	-
TCV	69+685,78	-		-	-
PIV	69+759,75	PARABOLE	147,93	Sag/Rentrante	137
CTV	69+833,71	-		-	-
-	-	Tangent/Tangente	21,71	-	-
TCV	69+855,43	-		-	-
PIV	69+885,43	PARABOLE	60,00	Sag/Rentrante	259
CTV	69+915,43	-		-	-
-	-	Tangent/Tangente	22,16	-	-
TCV	69+937,59	-		-	-
PIV	69+967,59	PARABOLE	60,00	Crest/Saillante	218
CTV	69+997,59	-		-	-
-	-	Tangent/Tangente	138,05	-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
TCV	70+135,64	-		-	-	-
PIV	70+163,87	PARABOLE	56,45	Crest/Saillante	152	
CTV	70+192,09	-		-	-	-
-	-	Tangent/Tangente	53,54	-	-	-
TCV	70+245,63	-		-	-	-
PIV	70+313,68	PARABOLE	136,10	Sag/Rentrante	67	
CTV	70+381,73	-		-	-	-
-	-	Tangent/Tangente	69,59	-	-	-
TCV	70+451,32	-		-	-	-
PIV	70+481,32	PARABOLE	60,00	Crest/Saillante	77	
CTV	70+511,32	-		-	-	-
-	-	Tangent/Tangente	56,79	-	-	-
TCV	70+568,11	-		-	-	-
PIV	70+616,82	PARABOLE	97,42	Sag/Rentrante	66	
CTV	70+665,53	-		-	-	-
-	-	Tangent/Tangente	156,00	-	-	-
TCV	70+821,54	-		-	-	-
PIV	70+851,54	PARABOLE	60,00	Crest/Saillante	81	
CTV	70+881,54	-		-	-	-
-	-	Tangent/Tangente	57,88	-	-	-
TCV	70+939,42	-		-	-	-
PIV	70+969,42	PARABOLE	60,00	Sag/Rentrante	72	
CTV	70+999,42	-		-	-	-
-	-	Tangent/Tangente	39,66	-	-	-
TCV	71+039,08	-		-	-	-
PIV	71+069,08	PARABOLE	60,00	Crest/Saillante	99	
CTV	71+099,08	-		-	-	-
-	-	Tangent/Tangente	80,77	-	-	-
TCV	71+179,85	-		-	-	-
PIV	71,209,84	PARABOLE	60,00	Sag/Rentrante	66	
CTV	71+239,85	-		-	-	-
-	-	Tangent/Tangente	90,13	-	-	-
TCV	71+329,97	-		-	-	-
PIV	71+471,36	PARABOLE	282,77	Crest/Saillante	86	
CTV	71+612,75	-		-	-	-
-	-	Tangent/Tangente	31,10	-	-	-
PIV	71+643,85	-		-	-	-
-	-	Tangent/Tangente	227,98	-	-	-
TCV	71+871,83	-		-	-	-
PIV	71+901,83	PARABOLE	60,00	Sag/Rentrante	257	
CTV	71+931,83	-		-	-	-
-	-	Tangent/Tangente	74,16	-	-	-
TCV	72+005,99	-		-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	72+077,16	PARABOLE	142,35	Crest/Saillante	70
CTV	72+148,34	-		-	-
-	-	Tangent/Tangente	59,35	-	-
TCV	72+207,68	-		-	-
PIV	72+351,87	PARABOLE	288,37	Sag/Rentrante	56
CTV	72+496,06	-		-	-
-	-	Tangent/Tangente	194,49	-	-
TCV	72+690,54	-		-	-
PIV	72+742,82	PARABOLE	104,55	Crest/Saillante	76
CTV	72+795,09	-		-	-
-	-	Tangent/Tangente	59,67	-	-
TCV	72+854,76	-		-	-
PIV	72+884,76	PARABOLE	60,00	Sag/Rentrante	210
CTV	72+914,76	-		-	-
-	-	Tangent/Tangente	100,94	-	-
TCV	73+015,70	-		-	-
PIV	73+092,07	PARABOLE	152,74	Crest/Saillante	73
CTV	73+168,44	-		-	-
-	-	Tangent/Tangente	89,58	-	-
TCV	73+258,02	-		-	-
PIV	73+313,02	PARABOLE	109,99	Sag/Rentrante	60
CTV	73+368,01	-		-	-
-	-	Tangent/Tangente	60,12	-	-
TCV	73+428,14	-		-	-
PIV	73+458,14	PARABOLE	60,00	Crest/Saillante	113
CTV	73+488,14	-		-	-
-	-	Tangent/Tangente	72,10	-	-
TCV	73+560,24	-		-	-
PIV	73+613,13	PARABOLE	105,77	Sag/Rentrante	70
CTV	73+666,01	-		-	-
-	-	Tangent/Tangente	82,74	-	-
TCV	73+748,75	-		-	-
PIV	73+778,75	PARABOLE	60,00	Crest/Saillante	118
CTV	73+808,75	-		-	-
-	-	Tangent/Tangente	129,90	-	-
TCV	73+938,65	-		-	-
PIV	73+968,65	PARABOLE	60,00	Sag/Rentrante	263
CTV	73+998,65	-		-	-
-	-	Tangent/Tangente	28,13	-	-
TCV	74+026,78	-		-	-
PIV	74+112,08	PARABOLE	170,60	Crest/Saillante	72
CTV	74+197,38	-		-	-
-	-	Tangent/Tangente	163,02	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	74+360,40	-		-	-
PIV	74+439,08	PARABOLE	157,37	Sag/Rentrante	72
CTV	74+517,77	-		-	-
-	-	Tangent/Tangente	191,33	-	-
TCV	74+709,10	-		-	-
PIV	74+745,97	PARABOLE	73,75	Sag/Rentrante	61
CTV	74+782,85	-		-	-
-	-	Tangent/Tangente	78,39	-	-
TCV	74+861,24	-		-	-
PIV	74+891,24	PARABOLE	60,00	Sag/Rentrante	99
CTV	74+921,24	-		-	-
-	-	Tangent/Tangente	45,31	-	-
TCV	74+966,55	-		-	-
PIV	75+003,55	PARABOLE	74,00	Crest/Saillante	73
CTV	75+040,55	-		-	-
-	-	Tangent/Tangente	97,81	-	-
TCV	75+138,36	-		-	-
PIV	75+254,12	PARABOLE	231,52	Sag/Rentrante	81
CTV	75+369,88	-		-	-
-	-	Tangent/Tangente	35,13	-	-
TCV	75+405,01	-		-	-
PIV	75+480,50	PARABOLE	151,00	Crest/Saillante	77
CTV	75+556,00	-		-	-
-	-	Tangent/Tangente	62,49	-	-
TCV	75+618,50	-		-	-
PIV	75+648,50	PARABOLE	60,00	Sag/Rentrante	261
CTV	75+678,50	-		-	-
-	-	Tangent/Tangente	132,66	-	-
TCV	75+811,16	-		-	-
PIV	75+870,96	PARABOLE	119,60	Crest/Saillante	71
CTV	75+930,76	-		-	-
-	-	Tangent/Tangente	52,89	-	-
TCV	75+983,65	-		-	-
PIV	76+112,52	PARABOLE	257,73	Sag/Rentrante	59
CTV	76+241,38	-		-	-
-	-	Tangent/Tangente	117,00	-	-
TCV	76+358,39	-		-	-
PIV	76+388,39	PARABOLE	60,00	Crest/Saillante	73
CTV	76+418,39	-		-	-
-	-	Tangent/Tangente	114,96	-	-
TCV	76+533,34	-		-	-
PIV	76+614,91	PARABOLE	163,14	Crest/Saillante	74
CTV	76+696,48	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	34,29	-	-
TCV	76+730,77	-		-	-
PIV	76+847,75	PARABOLE	233,96	Sag/Rentrante	65
CTV	76+964,73	-		-	-
-	-	Tangent/Tangente	48,03	-	-
TCV	77+012,77	-		-	-
PIV	77+042,77	PARABOLE	60,00	Crest/Saillante	101
CTV	77+072,77	-		-	-
-	-	Tangent/Tangente	45,23	-	-
TCV	77+117,99	-		-	-
PIV	77+174,99	PARABOLE	60,00	Sag/Rentrante	210
CTV	77+177,99	-		-	-
-	-	Tangent/Tangente	73,55	-	-
TCV	77+251,54	-		-	-
PIV	77+313,77	PARABOLE	124,47	Crest/Saillante	74
CTV	77+376,01	-		-	-
-	-	Tangent/Tangente	45,73	-	-
TCV	77+421,74	-		-	-
PIV	77+513,90	PARABOLE	184,33	Sag/Rentrante	66
CTV	77+606,07	-		-	-
-	-	Tangent/Tangente	45,34	-	-
TCV	77+651,40	-		-	-
PIV	77+715,32	PARABOLE	127,83	Crest/Saillante	73
CTV	77+779,24	-		-	-
-	-	Tangent/Tangente	181,44	-	-
TCV	77+960,68	-		-	-
PIV	78+054,85	PARABOLE	188,34	Sag/Rentrante	81
CTV	78+149,02	-		-	-
-	-	Tangent/Tangente	174,35	-	-
TCV	78+323,38	-		-	-
PIV	78+353,38	PARABOLE	60,00	Crest/Saillante	128
CTV	78+383,38	-		-	-
-	-	Tangent/Tangente	26,43	-	-
TCV	78+409,80	-		-	-
PIV	78+439,80	PARABOLE	60,00	Crest/Saillante	190
CTV	78+469,80	-		-	-
-	-	Tangent/Tangente	8,52	-	-
PIV	78+478,33	-		-	-
-	-	Tangent/Tangente	48,79	-	-
TCV	78+527,12	-		-	-
PIV	78+557,12	PARABOLE	60,00	Sag/Rentrante	266
CTV	78+587,12	-		-	-
-	-	Tangent/Tangente	19,68	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	78+606,80			-	-
-	-	Tangent/Tangente	231,34	-	-
TCV	78+838,15	-		-	-
PIV	78+884,10	PARABOLE	91,92	Crest/Saillante	123
CTV	78+930,06	-		-	-
-	-	Tangent/Tangente	5,20	-	-
TCV	78+935,26	-		-	-
PIV	79+021,99	PARABOLE	173,45	Sag/Rentrante	76
CTV	79+108,71	-		-	-
-	-	Tangent/Tangente	38,93	-	-
TCV	79+147,64	-		-	-
PIV	79+203,08	PARABOLE	110,89	Crest/Saillante	72
CTV	79+258,53	-		-	-
-	-	Tangent/Tangente	55,42	-	-
TCV	79+313,95	-		-	-
PIV	79+463,68	PARABOLE	299,46	Sag/Rentrante	72
CTV	79+613,41	-		-	-
-	-	Tangent/Tangente	51,52	-	-
TCV	79+664,94	-		-	-
PIV	79+784,63	PARABOLE	239,38	Crest/Saillante	73
CTV	79+904,32	-		-	-
-	-	Tangent/Tangente	120,69	-	-
PIV	80+025,01			-	-
-	-	Tangent/Tangente	100,67	-	-
TCV	80+125,68	-		-	-
PIV	80+205,79	PARABOLE	160,23	Sag/Rentrante	73
CTV	80+285,91	-		-	-
-	-	Tangent/Tangente	192,18	-	-
TCV	80+478,09	-		-	-
PIV	80+584,80	PARABOLE	213,42	Crest/Saillante	195
CTV	80+691,50	-		-	-
-	-	Tangent/Tangente	203,00	-	-
TCV	80+894,51	-		-	-
PIV	80+924,51	PARABOLE	60,00	Crest/Saillante	109
CTV	80+954,51	-		-	-
-	-	Tangent/Tangente	0,00	-	-
-	-	Tangent/Tangente	5078,65	-	-
TCV	86+033,15	-		-	-
PIV	86+091,86	PARABOLE	117,42	Sag/Rentrante	257
CTV	86+150,57	-		-	-
-	-	Tangent/Tangente	45,77	-	-
TCV	86+196,34	-		-	-
PIV	86+216,19	PARABOLE	39,69	Crest/Saillante	150

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	86+236,04	-		-	-
-	-	Tangent/Tangente	165,62	-	-
TCV	86+401,66	-		-	-
PIV	86+418,62	PARABOLE	33,93	Sag/Rentrante	181
CTV	86+435,59	-		-	-
-	-	Tangent/Tangente	80,37	-	-
TCV	86+515,96	-		-	-
PIV	86+562,01	PARABOLE	92,09	Crest/Saillante	73
CTV	86+608,05	-		-	-
-	-	Tangent/Tangente	14,95	-	-
TCV	86+623,00	-		-	-
PIV	86+653,00	PARABOLE	60,00	Crest/Saillante	101
CTV	86+683,00	-		-	-
-	-	Tangent/Tangente	19,62	-	-
TCV	86+702,62	-		-	-
PIV	86+753,72	PARABOLE	102,21	Sag/Rentrante	65
CTV	86+804,83	-		-	-
-	-	Tangent/Tangente	123,15	-	-
TCV	86+927,98	-		-	-
PIV	86+949,82	PARABOLE	43,68	Sag/Rentrante	266
CTV	86+971,66	-		-	-
-	-	Tangent/Tangente	30,40	-	-
TCV	87+002,07	-		-	-
PIV	87+032,07	PARABOLE	60,00	Sag/Rentrante	264
CTV	87+062,07	-		-	-
-	-	Tangent/Tangente	265,81	-	-
TCV	87+327,87	-		-	-
PIV	87+367,59	PARABOLE	79,44	Sag/Rentrante	137
CTV	87+407,31	-		-	-
-	-	Tangent/Tangente	60,30	-	-
TCV	87+467,61	-		-	-
PIV	87+575,50	PARABOLE	215,78	Crest/Saillante	81
CTV	87+683,40	-		-	-
-	-	Tangent/Tangente	88,06	-	-
TCV	87+771,46	-		-	-
PIV	87+869,48	PARABOLE	196,05	Sag/Rentrante	55
CTV	87+967,51	-		-	-
-	-	Tangent/Tangente	39,58	-	-
TCV	88+007,09	-		-	-
PIV	88+084,28	PARABOLE	154,37	Crest/Saillante	73
CTV	88+161,47	-		-	-
-	-	Tangent/Tangente	49,66	-	-
TCV	88+211,13	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	88+269,62	PARABOLE	116,98	Crest/Saillante	139
CTV	88+328,11	-		-	-
-	-	Tangent/Tangente	150,66	-	-
TCV	88+478,77	-		-	-
PIV	88+579,73	PARABOLE	201,92	Sag/Rentrante	80
CTV	88+680,69	-		-	-
-	-	Tangent/Tangente	117,78	-	-
TCV	88+798,47	-		-	-
PIV	88+828,47	PARABOLE	60,00	Crest/Saillante	114
CTV	88+858,47	-		-	-
-	-	Tangent/Tangente	101,48	-	-
TCV	88+959,95	-		-	-
PIV	88+979,95	PARABOLE	60,00	Crest/Saillante	228
CTV	89+019,95	-		-	-
-	-	Tangent/Tangente	125,88	-	-
TCV	89+145,82	-		-	-
PIV	89+243,47	PARABOLE	195,29	Sag/Rentrante	70
CTV	89+341,12	-		-	-
-	-	Tangent/Tangente	60,03	-	-
TCV	89+401,15	-		-	-
PIV	89+504,24	PARABOLE	206,18	Crest/Saillante	71
CTV	89+607,33	-		-	-
-	-	Tangent/Tangente	90,83	-	-
TCV	89+698,15	-		-	-
PIV	89+741,33	PARABOLE	86,36	Crest/Saillante	84
CTV	89+784,51	-		-	-
-	-	Tangent/Tangente	58,14	-	-
TCV	89+842,65	-		-	-
PIV	89+872,65	PARABOLE	60,00	Sag/Rentrante	97
CTV	89+902,65	-		-	-
-	-	Tangent/Tangente	3,94	-	-
TCV	89+906,59	-		-	-
PIV	89+936,59	PARABOLE	60,00	Sag/Rentrante	84
CTV	89+966,59	-		-	-
-	-	Tangent/Tangente	93,07	-	-
TCV	90+059,67	-		-	-
PIV	90+119,72	PARABOLE	120,11	Sag/Rentrante	55
CTV	90+179,77	-		-	-
-	-	Tangent/Tangente	52,95	-	-
TCV	90+232,72	-		-	-
PIV	90+249,46	PARABOLE	33,48	Crest/Saillante	85
CTV	90+266,21	-		-	-
-	-	Tangent/Tangente	18,08	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	90+284,29	-		-	-
PIV	90+296,78	PARABOLE	25,00	Crest/Saillante	120
CTV	90+309,29	-		-	-
-	-	Tangent/Tangente	45,61	-	-
TCV	90+354,90	-		-	-
PIV	90+384,90	PARABOLE	60,00	Sag/Rentrante	101
CTV	90+414,90	-		-	-
-	-	Tangent/Tangente	24,72	-	-
TCV	90+439,62	-		-	-
PIV	90+454,45	PARABOLE	29,67	Crest/Saillante	214
CTV	90+469,29	-		-	-
-	-	Tangent/Tangente	201,52	-	-
TCV	90+670,81	-		-	-
PIV	90+743,27	PARABOLE	144,90	Crest/Saillante	79
CTV	90+815,72	-		-	-
-	-	Tangent/Tangente	46,21	-	-
TCV	90+861,92	-		-	-
PIV	90+891,92	PARABOLE	60,00	Sag/Rentrante	244
CTV	90+921,92	-		-	-
-	-	Tangent/Tangente	141,91	-	-
TCV	91+063,83	-		-	-
PIV	91+158,29	PARABOLE	188,92	Sag/Rentrante	63
CTV	91+252,75	-		-	-
-	-	Tangent/Tangente	45,69	-	-
TCV	91+298,44	-		-	-
PIV	91+335,69	PARABOLE	74,49	Crest/Saillante	72
CTV	91+372,93	-		-	-
-	-	Tangent/Tangente	48,30	-	-
TCV	91+421,23	-		-	-
PIV	91+489,41	PARABOLE	136,35	Sag/Rentrante	58
CTV	91+557,59	-		-	-
-	-	Tangent/Tangente	51,77	-	-
TCV	91+609,36	-		-	-
PIV	91+752,29	PARABOLE	285,86	Crest/Saillante	70
CTV	91+895,22	-		-	-
-	-	Tangent/Tangente	105,44	-	-
TCV	92+000,66	-		-	-
PIV	92+063,75	PARABOLE	126,19	Sag/Rentrante	102
CTV	92+126,85	-		-	-
-	-	Tangent/Tangente	20,05	-	-
TCV	92+146,90	-		-	-
PIV	92+208,92	PARABOLE	124,04	Sag/Rentrante	61
CTV	92+270,95	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	60,88	-	-
TCV	92+331,83	-		-	-
PIV	92+342,57	PARABOLE	21,49	Crest/Saillante	130
CTV	92+353,31	-		-	-
-	-	Tangent/Tangente	88,33	-	-
TCV	92+441,64	-		-	-
PIV	92+485,34	PARABOLE	87,41	Sag/Rentrante	109
CTV	92+529,05	-		-	-
-	-	Tangent/Tangente	65,08	-	-
TCV	92+594,13	-		-	-
PIV	92+641,43	PARABOLE	94,60	Sag/Rentrante	72
CTV	92+688,73	-		-	-
		Tangent/Tangente	49,52	-	-
TCV	92+738,25	-		-	-
PIV	92+784,41	PARABOLE	92,32	Crest/Saillante	81
CTV	92+830,57	-		-	-
-	-	Tangent/Tangente	6,21	-	-
TCV	92+836,78	-		-	-
PIV	92+866,78	PARABOLE	60,00	Crest/Saillante	86
CTV	92+896,78	-		-	-
-	-	Tangent/Tangente	58,30	-	-
TCV	92+955,08	-		-	-
PIV	92+997,26	PARABOLE	84,37	Sag/Rentrante	55
CTV	93+039,44	-		-	-
-	-	Tangent/Tangente	32,00	-	-
TCV	93+071,45	-		-	-
PIV	93+123,87	PARABOLE	104,84	Crest/Saillante	78
CTV	93+176,29	-		-	-
-	-	Tangent/Tangente	46,90	-	-
TCV	93+223,19	-		-	-
PIV	93+295,24	PARABOLE	144,11	Sag/Rentrante	74
CTV	93+367,30	-		-	-
-	-	Tangent/Tangente	49,00	-	-
TCV	93+416,30	-		-	-
PIV	93+487,78	PARABOLE	142,96	Sag/Rentrante	73
CTV	93+559,27	-		-	-
-	-	Tangent/Tangente	31,75	-	-
TCV	93+591,01	-		-	-
PIV	93+700,65	PARABOLE	219,26	Crest/Saillante	72
CTV	93+810,28	-		-	-
-	-	Tangent/Tangente	72,19	-	-
TCV	93+882,47	-		-	-
PIV	93+917,04	PARABOLE	69,14	Sag/Rentrante	54

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	93+951,61	-		-	-
-	-	Tangent/Tangente	0,95	-	-
TCV	93+952,56	-		-	-
PIV	93+982,56	PARABOLE	60,00	Sag/Rentrante	260
CTV	94+012,56	-		-	-
-	-	Tangent/Tangente	53,61	-	-
TCV	94+066,17	-		-	-
PIV	94+096,17	PARABOLE	60,00	Crest/Saillante	174
CTV	94+126,17	-		-	-
-	-	Tangent/Tangente	223,87	-	-
TCV	94+350,04	-		-	-
PIV	94+380,04	PARABOLE	60,00	Sag/Rentrante	262
CTV	94+410,04	-		-	-
-	-	Tangent/Tangente	20,99	-	-
TCV	94+431,03	-		-	-
PIV	94+438,53	PARABOLE	15,00	Crest/Saillante	237
CTV	94+446,03	-		-	-
-	-	Tangent/Tangente	97,90	-	-
TCV	94+543,93	-		-	-
PIV	94+609,34	PARABOLE	130,83	Sag/Rentrante	63
CTV	94+674,76	-		-	-
-	-	Tangent/Tangente	46,41	-	-
TCV	94+721,17	-		-	-
PIV	94+772,12	PARABOLE	101,91	Crest/Saillante	97
CTV	94+823,07	-		-	-
-	-	Tangent/Tangente	23,25	-	-
TCV	94+846,33	-		-	-
PIV	94+888,75	PARABOLE	84,85	Sag/Rentrante	72
CTV	94+931,18	-		-	-
-	-	Tangent/Tangente	38,68	-	-
TCV	94+969,86	-		-	-
PIV	95+052,99	PARABOLE	166,26	Crest/Saillante	77
CTV	95+136,12	-		-	-
-	-	Tangent/Tangente	90,07	-	-
TCV	95+226,20	-		-	-
PIV	95+273,31	PARABOLE	94,24	Sag/Rentrante	64
CTV	95+320,44	-		-	-
-	-	Tangent/Tangente	16,19	-	-
TCV	95+336,63	-		-	-
PIV	95+407,38	PARABOLE	141,50	Crest/Saillante	95
CTV	95+478,13	-		-	-
-	-	Tangent/Tangente	50,89	-	-
TCV	95+529,02	-		-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
PIV	95+623,61	PARABOLE	189,17	Sag/Rentrante	673	
CTV	95+718,20	-		-	-	
-	-	Tangent/Tangente	44,54	-	-	
TCV	95+762,74	-		-	-	
PIV	95+792,74	PARABOLE	60,00	Crest/Saillante	123	
CTV	95+822,74	-		-	-	
-	-	Tangent/Tangente	182,61	-	-	
TCV	96+005,35	-		-	-	
PIV	96+100,16	PARABOLE	189,62	Sag/Rentrante	191	
CTV	96+194,97	-		-	-	
-	-	Tangent/Tangente	136,17	-	-	
TCV	96+331,14	-		-	-	
PIV	96+361,14	PARABOLE	60,00	Crest/Saillante	102	
CTV	96+391,14	-		-	-	
-	-	Tangent/Tangente	52,54	-	-	
TCV	96+443,68	-		-	-	
PIV	96+481,30	PARABOLE	75,25	Sag/Rentrante	55	
CTV	96+518,93	-		-	-	
-	-	Tangent/Tangente	37,59	-	-	
TCV	96+556,53	-		-	-	
PIV	96+601,03	PARABOLE	89,01	Crest/Saillante	92	
CTV	96+645,53	-		-	-	
-	-	Tangent/Tangente	25,06	-	-	
TCV	96+670,59	-		-	-	
PIV	96+729,36	PARABOLE	117,53	Sag/Rentrante	92	
CTV	96+788,12	-		-	-	
-	-	Tangent/Tangente	96,00	-	-	
TCV	96+822,51	-		-	-	
PIV	96+884,92	PARABOLE	124,83	Crest/Saillante	158	
CTV	96+947,33	-		-	-	
-	-	Tangent/Tangente	0,00	-	-	
-	-	Tangent/Tangente	137,73	-	-	
TCV	97+085,07	-		-	-	
PIV	97+114,54	PARABOLE	58,95	Crest/Saillante	233	
CTV	97+144,02	-		-	-	
-	-	Tangent/Tangente	24,08	-	-	
TCV	97+168,10	-		-	-	
PIV	97+246,94	PARABOLE	157,68	Sag/Rentrante	56	
CTV	97+325,78	-		-	-	
-	-	Tangent/Tangente	81,02	-	-	
TCV	97+406,80	-		-	-	
PIV	97+539,19	PARABOLE	264,77	Crest/Saillante	70	
CTV	97+671,57	-		-	-	



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	13,87	-	-
TCV	97+685,44	-		-	-
PIV	97+756,57	PARABOLE	142,27	Sag/Rentrante	95
CTV	97+827,71	-		-	-
-	-	Tangent/Tangente	1,94	-	-
TCV	97+829,65	-		-	-
PIV	97+902,58	PARABOLE	145,85	Crest/Saillante	112
CTV	97+975,50	-		-	-
-	-	Tangent/Tangente	27,39	-	-
TCV	98+002,89	-		-	-
PIV	98+087,79	PARABOLE	169,80	Sag/Rentrante	79
CTV	98+172,69	-		-	-
-	-	Tangent/Tangente	184,71	-	-
TCV	98+357,40	-		-	-
PIV	98+453,73	PARABOLE	192,66	Sag/Rentrante	265
CTV	98+550,06	-		-	-
-	-	Tangent/Tangente	174,39	-	-
TCV	98+724,45	-		-	-
PIV	98+796,95	PARABOLE	145,00	Crest/Saillante	363
CTV	98+869,45	-		-	-
-	-	Tangent/Tangente	132,57	-	-
TCV	99+002,02	-		-	-
PIV	99+069,41	PARABOLE	134,77	Sag/Rentrante	54
CTV	99+136,79	-		-	-
-	-	Tangent/Tangente	0,47	-	-
TCV	99+137,27	-		-	-
PIV	99+221,32	PARABOLE	168,11	Crest/Saillante	85
CTV	99+305,38	-		-	-
-	-	Tangent/Tangente	23,39	-	-
TCV	99+328,76	-		-	-
PIV	99+396,45	PARABOLE	135,37	Crest/Saillante	80
CTV	99+464,13	-		-	-
-	-	Tangent/Tangente	139,45	-	-
TCV	99+603,58	-		-	-
PIV	99+673,10	PARABOLE	139,04	Crest/Saillante	129
CTV	99+742,63	-		-	-
-	-	Tangent/Tangente	10,57	-	-
TCV	99+753,19	-		-	-
PIV	99+839,77	PARABOLE	173,15	Sag/Rentrante	61
CTV	99+926,34	-		-	-
-	-	Tangent/Tangente	7,03	-	-
TCV	99+933,38	-		-	-
PIV	100+040,77	PARABOLE	214,80	Crest/Saillante	87

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	100+148,17	-		-	-
-	-	Tangent/Tangente	78,94	-	-
TCV	100+227,11	-		-	-
PIV	100+298,89	PARABOLE	143,56	Sag/Rentrante	86
CTV	100+370,67	-		-	-
-	-	Tangent/Tangente	39,80	-	-
TCV	100+410,48	-		-	-
PIV	100+478,90	PARABOLE	136,85	Sag/Rentrante	88
CTV	100+547,33	-		-	-
-	-	Tangent/Tangente	8,50	-	-
TCV	100+555,82	-		-	-
PIV	100+634,66	PARABOLE	157,68	Crest/Saillante	90
CTV	100+713,50	-		-	-
-	-	Tangent/Tangente	125,04	-	-
TCV	100+838,54	-		-	-
PIV	100+931,86	PARABOLE	186,63	Sag/Rentrante	60
CTV	101+025,17	-		-	-
-	-	Tangent/Tangente	80,31	-	-
TCV	101+105,48	-		-	-
PIV	101+180,61	PARABOLE	150,25	Crest/Saillante	71
CTV	101+255,74	-		-	-
-	-	Tangent/Tangente	257,28	-	-
TCV	101+513,02	-		-	-
PIV	101+590,51	PARABOLE	154,99	Sag/Rentrante	67
CTV	101+668,01	-		-	-
-	-	Tangent/Tangente	23,26	-	-
TCV	101+691,27	-		-	-
PIV	101+821,62	PARABOLE	260,70	Crest/Saillante	68
CTV	101+951,97	-		-	-
-	-	Tangent/Tangente	46,38	-	-
TCV	101+998,35	-		-	-
PIV	102+117,29	PARABOLE	237,87	Sag/Rentrante	54
CTV	102+236,22	-		-	-
-	-	Tangent/Tangente	74,67	-	-
TCV	102+310,89	-		-	-
PIV	102+416,26	PARABOLE	210,74	Crest/Saillante	84
CTV	102+521,63	-		-	-
-	-	Tangent/Tangente	1,49	-	-
TCV	102+523,13	-		-	-
PIV	102+592,78	PARABOLE	139,31	Sag/Rentrante	88
CTV	102+662,43	-		-	-
-	-	Tangent/Tangente	111,68	-	-
TCV	102+774,11	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	102+855,94	PARABOLE	163,66	Sag/Rentrante	448
CTV	102+937,77	-		-	-
-	-	Tangent/Tangente	7,99	-	-
TCV	102+945,76	-		-	-
PIV	103+081,78	PARABOLE	272,03	Crest/Saillante	93
CTV	103+217,79	-		-	-
-	-	Tangent/Tangente	19,81	-	-
TCV	103+237,60	-		-	-
PIV	103+352,68	PARABOLE	230,16	Sag/Rentrante	60
CTV	103+467,76	-		-	-
-	-	Tangent/Tangente	153,04	-	-
TCV	103+620,80	-		-	-
PIV	103+718,24	PARABOLE	194,88	Crest/Saillante	81
CTV	103+815,68	-		-	-
-	-	Tangent/Tangente	89,39	-	-
TCV	103+905,07	-		-	-
PIV	103+977,27	PARABOLE	144,40	Sag/Rentrante	75
CTV	104+049,47	-		-	-
-	-	Tangent/Tangente	42,58	-	-
TCV	104+092,05	-		-	-
PIV	104+159,34	PARABOLE	134,57	Crest/Saillante	89
CTV	104+226,62	-		-	-
-	-	Tangent/Tangente	130,45	-	-
TCV	104+357,07	-		-	-
PIV	104+428,06	PARABOLE	141,99	Sag/Rentrante	68
CTV	104+499,06	-		-	-
-	-	Tangent/Tangente	68,77	-	-
TCV	104+567,83	-		-	-
PIV	104+637,64	PARABOLE	139,64	Crest/Saillante	80
CTV	104+707,46	-		-	-
-	-	Tangent/Tangente	1,00	-	-
TCV	104+708,46	-		-	-
PIV	104+777,04	PARABOLE	137,17	Sag/Rentrante	262
CTV	104+845,63	-		-	-
-	-	Tangent/Tangente	2,08	-	-
TCV	104+847,71	-		-	-
PIV	104+924,28	PARABOLE	153,14	Crest/Saillante	156
CTV	105+000,85	-		-	-
-	-	Tangent/Tangente	200,30	-	-
TCV	105+201,15	-		-	-
PIV	105+442,75	PARABOLE	483,19	Crest/Saillante	242
CTV	105+684,34	-		-	-
-	-	Tangent/Tangente	123,52	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	105+807,86	-		-	-
PIV	105+935,81	PARABOLE	255,90	Sag/Rentrante	137
CTV	106+063,77	-		-	-
-	-	Tangent/Tangente	111,40	-	-
TCV	106+175,17	-		-	-
PIV	106+282,11	PARABOLE	213,89	Sag/Rentrante	115
CTV	106+389,06	-		-	-
-	-	Tangent/Tangente	168,93	-	-
TCV	106+557,99	-		-	-
PIV	106+630,65	PARABOLE	145,31	Sag/Rentrante	67
CTV	106+703,30	-		-	-
		Tangent/Tangente	59,41	-	-
TCV	106+762,71	-		-	-
PIV	106+839,67	PARABOLE	153,90	Crest/Saillante	72
CTV	106+916,62	-		-	-
-	-	Tangent/Tangente	54,93	-	-
TCV	106+971,55	-		-	-
PIV	107+052,52	PARABOLE	161,96	Sag/Rentrante	132
CTV	107+133,50	-		-	-
-	-	Tangent/Tangente	11,46	-	-
TCV	107+144,96	-		-	-
PIV	107+248,10	PARABOLE	206,28	Crest/Saillante	73
CTV	107+351,24	-		-	-
-	-	Tangent/Tangente	152,03	-	-
TCV	107+503,27	-		-	-
PIV	107+696,28	PARABOLE	386,02	Sag/Rentrante	83
CTV	107+889,29	-		-	-
-	-	Tangent/Tangente	39,26	-	-
TCV	107+928,55	-		-	-
PIV	108+000,67	PARABOLE	144,23	Crest/Saillante	107
CTV	108+072,78	-		-	-
-	-	Tangent/Tangente	131,21	-	-
TCV	108+203,99	-		-	-
PIV	108+281,67	PARABOLE	155,37	Crest/Saillante	75
CTV	108+359,36	-		-	-
-	-	Tangent/Tangente	151,08	-	-
TCV	108+510,44	-		-	-
PIV	108+585,83	PARABOLE	150,78	Sag/Rentrante	68
CTV	108+661,22	-		-	-
-	-	Tangent/Tangente	179,72	-	-
TCV	108+840,94	-		-	-
PIV	108+920,46	PARABOLE	159,03	Sag/Rentrante	265
CTV	108+999,97	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	58,58	-	-
TCV	109+058,55	-		-	-
PIV	109+144,39	PARABOLE	171,68	Crest/Saillante	129
CTV	109+230,23	-		-	-
-	-	Tangent/Tangente	1,04	-	-
TCV	109+231,27	-		-	-
PIV	109+300,57	PARABOLE	138,60	Sag/Rentrante	261
CTV	109+369,87	-		-	-
-	-	Tangent/Tangente	0,37	-	-
TCV	109+370,24	-		-	-
PIV	109+441,60	PARABOLE	142,71	Crest/Saillante	181
CTV	109+512,95	-		-	-
-	-	Tangent/Tangente	19,93	-	-
TCV	109+532,88	-		-	-
PIV	109+605,75	PARABOLE	145,75	Sag/Rentrante	264
CTV	109+678,63	-		-	-
-	-	Tangent/Tangente	28,59	-	-
TCV	109+707,22	-		-	-
PIV	109+779,88	PARABOLE	145,31	Crest/Saillante	205
CTV	109+852,53	-		-	-
-	-	Tangent/Tangente	22,91	-	-
TCV	109+875,44	-		-	-
PIV	109+945,22	PARABOLE	139,56	Sag/Rentrante	264
CTV	110+015,00	-		-	-
-	-	Tangent/Tangente	203,52	-	-
-	-	Tangent/Tangente	203,52	-	-
TCV	110+218,52	-		-	-
PIV	110+253,77	PARABOLE	70,50	Sag/Rentrante	264
CTV	110+289,02	-		-	-
-	-	Tangent/Tangente	32,37	-	-
TCV	110+321,39	-		-	-
PIV	110+426,65	PARABOLE	210,52	Crest/Saillante	165
CTV	110+531,91	-		-	-
-	-	Tangent/Tangente	33,13	-	-
TCV	110+565,03	-		-	-
PIV	110+591,26	PARABOLE	52,46	Sag/Rentrante	265
CTV	110+617,49	-		-	-
-	-	Tangent/Tangente	1,36	-	-
TCV	110+618,85	-		-	-
PIV	110+645,55	PARABOLE	53,40	Crest/Saillante	262
CTV	110+672,25	-		-	-
-	-	Tangent/Tangente	107,83	-	-
TCV	110+780,08	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	110+810,98	PARABOLE	61,81	Crest/Saillante	141
CTV	110+841,89	-		-	-
-	-	Tangent/Tangente	13,48	-	-
TCV	110+855,37	-		-	-
PIV	110+879,10	PARABOLE	47,46	Sag/Rentrante	263
CTV	110+902,83	-		-	-
-	-	Tangent/Tangente	42,78	-	-
TCV	110+945,62	-		-	-
PIV	110+981,44	PARABOLE	71,65	Sag/Rentrante	77
CTV	111+017,27	-		-	-
-	-	Tangent/Tangente	232,99	-	-
TCV	111+250,26	-		-	-
PIV	111+321,40	PARABOLE	142,29	Crest/Saillante	101
CTV	111+392,55	-		-	-
-	-	Tangent/Tangente	303,19	-	-
TCV	111+695,74	-		-	-
PIV	111+854,01	PARABOLE	316,55	Sag/Rentrante	163
CTV	112+012,28	-		-	-
-	-	Tangent/Tangente	55,96	-	-
TCV	112+068,24	-		-	-
PIV	112+138,24	PARABOLE	140,00	Crest/Saillante	73
CTV	112+208,24	-		-	-
-	-	Tangent/Tangente	26,10	-	-
TCV	112+234,34	-		-	-
PIV	112+337,71	PARABOLE	206,73	Sag/Rentrante	56
CTV	112+441,07	-		-	-
-	-	Tangent/Tangente	37,81	-	-
TCV	112+478,89	-		-	-
PIV	112+568,78	PARABOLE	179,79	Crest/Saillante	77
CTV	112+658,67	-		-	-
-	-	Tangent/Tangente	2,22	-	-
TCV	112+660,90	-		-	-
PIV	112+700,42	PARABOLE	79,04	Sag/Rentrante	84
CTV	112+739,94	-		-	-
-	-	Tangent/Tangente	34,16	-	-
TCV	112+774,10	-		-	-
PIV	112+823,46	PARABOLE	98,72	Crest/Saillante	72
CTV	112+872,82	-		-	-
-	-	Tangent/Tangente	78,94	-	-
TCV	112+951,76	-		-	-
PIV	113+057,35	PARABOLE	211,16	Sag/Rentrante	57
CTV	113+162,93	-		-	-
-	-	Tangent/Tangente	0,05	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	113+162,98	-		-	-
PIV	113+260,55	PARABOLE	195,16	Crest/Saillante	72
CTV	113+358,13	-		-	-
-	-	Tangent/Tangente	13,03	-	-
TCV	113+371,16	-		-	-
PIV	113+426,92	PARABOLE	111,50	Sag/Rentrante	76
CTV	113+482,67	-		-	-
-	-	Tangent/Tangente	32,70	-	-
TCV	113+515,36	-		-	-
PIV	113+606,25	PARABOLE	181,78	Crest/Saillante	97
CTV	113+697,14	-		-	-
-	-	Tangent/Tangente	47,86	-	-
TCV	113+744,99	-		-	-
PIV	113+880,68	PARABOLE	271,38	Sag/Rentrante	54
CTV	114+016,37	-		-	-
-	-	Tangent/Tangente	51,32	-	-
TCV	114+067,70	-		-	-
PIV	114+177,77	PARABOLE	220,15	Crest/Saillante	68
CTV	114+287,85	-		-	-
-	-	Tangent/Tangente	27,38	-	-
TCV	114+315,23	-		-	-
PIV	114+385,23	PARABOLE	140,00	Sag/Rentrante	191
CTV	114+455,23	-		-	-
-	-	Tangent/Tangente	23,58	-	-
TCV	114+478,81	-		-	-
PIV	114+549,25	PARABOLE	140,88	Crest/Saillante	119
CTV	114+619,69	-		-	-
-	-	Tangent/Tangente	27,85	-	-
TCV	114+647,55	-		-	-
PIV	114+745,09	PARABOLE	195,10	Sag/Rentrante	136
CTV	114+842,64	-		-	-
-	-	Tangent/Tangente	31,01	-	-
TCV	114+873,65	-		-	-
PIV	114+899,35	PARABOLE	51,41	Sag/Rentrante	264
CTV	114+925,05	-		-	-
-	-	Tangent/Tangente	3,83	-	-
TCV	114+928,88	-		-	-
PIV	114+954,82	PARABOLE	51,88	Crest/Saillante	222
CTV	114+980,76	-		-	-
-	-	Tangent/Tangente	0,74	-	-
TCV	114+981,50	-		-	-
PIV	115+003,03	PARABOLE	43,05	Sag/Rentrante	261
CTV	115+024,55	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	109,46	-	-
TCV	115+134,01	-		-	-
PIV	115+252,08	PARABOLE	236,14	Crest/Saillante	75
CTV	115+370,15	-		-	-
-	-	Tangent/Tangente	163,45	-	-
TCV	115+533,60	-		-	-
PIV	115+576,05	PARABOLE	84,89	Sag/Rentrante	78
CTV	115+618,49	-		-	-
-	-	Tangent/Tangente	52,90	-	-
TCV	115+671,40	-		-	-
PIV	115+782,76	PARABOLE	222,73	Sag/Rentrante	63
CTV	115+894,12	-		-	-
-	-	Tangent/Tangente	32,65	-	-
TCV	115+926,77	-		-	-
PIV	115+998,30	PARABOLE	143,04	Crest/Saillante	78
CTV	116+069,82	-		-	-
-	-	Tangent/Tangente	10,71	-	-
TCV	116+080,53	-		-	-
PIV	116+136,35	PARABOLE	111,62	Sag/Rentrante	98
CTV	116+192,16	-		-	-
-	-	Tangent/Tangente	81,36	-	-
TCV	116+273,51	-		-	-
PIV	116+317,49	PARABOLE	87,96	Crest/Saillante	97
CTV	116+361,48	-		-	-
-	-	Tangent/Tangente	39,74	-	-
TCV	116+401,22	-		-	-
PIV	116+482,92	PARABOLE	163,40	Sag/Rentrante	69
CTV	116+564,62	-		-	-
-	-	Tangent/Tangente	24,95	-	-
TCV	116+589,57	-		-	-
PIV	116+685,77	PARABOLE	192,40	Crest/Saillante	74
CTV	116+781,97	-		-	-
-	-	Tangent/Tangente	36,86	-	-
TCV	116+818,83	-		-	-
PIV	116+921,95	PARABOLE	206,24	Sag/Rentrante	63
CTV	117+025,07	-		-	-
-	-	Tangent/Tangente	31,83	-	-
TCV	117+056,90	-		-	-
PIV	117+130,73	PARABOLE	147,66	Crest/Saillante	98
CTV	117+204,57	-		-	-
-	-	Tangent/Tangente	51,53	-	-
TCV	117+256,09	-		-	-
PIV	117+310,80	PARABOLE	109,42	Sag/Rentrante	267



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	117+365,51	-		-	-
	-	Tangent/Tangente	3,46	-	-
TCV	117+368,97	-		-	-
PIV	117+398,97	PARABOLE	60,00	Sag/Rentrante	265
CTV	117+428,97	-		-	-
-	-	Tangent/Tangente	26,06	-	-
TCV	117+455,02	-		-	-
PIV	117+506,05	PARABOLE	102,06	Sag/Rentrante	91
CTV	117+557,08	-		-	-
-	-	Tangent/Tangente	2,69	-	-
TCV	117+559,78	-		-	-
PIV	117+686,12	PARABOLE	252,69	Crest/Saillante	110
CTV	117+812,47	-		-	-
-	-	Tangent/Tangente	53,53	-	-
TCV	117+866,00	-		-	-
PIV	117+925,04	PARABOLE	118,08	Sag/Rentrante	207
CTV	117+984,08	-		-	-
-	-	Tangent/Tangente	172,27	-	-
TCV	118+156,36	-		-	-
PIV	118+212,51	PARABOLE	112,31	Crest/Saillante	81
CTV	118+268,67	-		-	-
-	-	Tangent/Tangente	18,57	-	-
TCV	118+287,24	-		-	-
PIV	118+400,83	PARABOLE	227,18	Sag/Rentrante	73
CTV	118+514,42	-		-	-
-	-	Tangent/Tangente	5,16	-	-
TCV	118+519,58	-		-	-
PIV	118+585,85	PARABOLE	132,53	Crest/Saillante	75
CTV	118+652,11	-		-	-
-	-	Tangent/Tangente	60,42	-	-
TCV	118+712,53	-		-	-
PIV	118+753,92	PARABOLE	82,79	Sag/Rentrante	70
CTV	118+795,32	-		-	-
-	-	Tangent/Tangente	19,22	-	-
TCV	118+814,54	-		-	-
PIV	118+844,54	PARABOLE	60,00	Sag/Rentrante	258
CTV	118+874,54	-		-	-
-	-	Tangent/Tangente	12,43	-	-
TCV	118+886,97	-		-	-
PIV	118+908,91	PARABOLE	43,89	Crest/Saillante	134
CTV	118+930,86	-		-	-
-	-	Tangent/Tangente	18,58	-	-
TCV	118+949,44	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	118+988,84	PARABOLE	78,81	Crest/Saillante	78
CTV	119+028,24	-		-	-
-	-	Tangent/Tangente	29,25	-	-
TCV	119+057,50	-		-	-
PIV	119+109,97	PARABOLE	104,95	Sag/Rentrante	62
CTV	119+162,45	-		-	-
-	-	Tangent/Tangente	0,48	-	-
TCV	119+162,93	-		-	-
PIV	119+226,34	PARABOLE	126,83	Crest/Saillante	94
CTV	119+289,76	-		-	-
-	-	Tangent/Tangente	0,55	-	-
TCV	119+290,31	-		-	-
PIV	119+315,59	PARABOLE	50,57	Sag/Rentrante	260
CTV	119+340,88	-		-	-
-	-	Tangent/Tangente	1,89	-	-
TCV	119+342,77	-		-	-
PIV	119+366,30	PARABOLE	47,06	Sag/Rentrante	144
CTV	119+389,83	-		-	-
-	-	Tangent/Tangente	26,87	-	-
TCV	119+416,69	-		-	-
PIV	119+459,46	PARABOLE	85,53	Sag/Rentrante	260
CTV	119+502,22	-		-	-
-	-	Tangent/Tangente	220,71	-	-
TCV	119+722,93	-		-	-
PIV	119+779,52	PARABOLE	113,18	Sag/Rentrante	255
CTV	119+836,11	-		-	-
-	-	Tangent/Tangente	6,26	-	-
TCV	119+842,37	-		-	-
PIV	119+888,62	PARABOLE	92,50	Crest/Saillante	131
CTV	119+934,87	-		-	-
-	-	Tangent/Tangente	40,07	-	-
TCV	119+974,93	-		-	-
PIV	120+030,83	PARABOLE	111,80	Sag/Rentrante	74
CTV	120+086,73	-		-	-
-	-	Tangent/Tangente	6,17	-	-
TCV	120+092,90	-		-	-
PIV	120+177,60	PARABOLE	169,39	Crest/Saillante	84
CTV	120+262,30	-		-	-
-	-	Tangent/Tangente	17,44	-	-
TCV	120+279,73	-		-	-
PIV	120+327,37	PARABOLE	95,28	Sag/Rentrante	271
CTV	120+375,01	-		-	-
-	-	Tangent/Tangente	71,54	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	120+446,55	-		-	-
PIV	120+476,55	PARABOLE	60,00	Sag/Rentrante	258
CTV	120+506,55	-		-	-
-	-	Tangent/Tangente	0,85	-	-
TCV	120+507,40	-		-	-
PIV	120+543,62	PARABOLE	72,45	Crest/Saillante	95
CTV	120+579,84	-		-	-
-	-	Tangent/Tangente	10,58	-	-
TCV	120+590,42	-		-	-
PIV	120+662,08	PARABOLE	143,31	Crest/Saillante	104
CTV	120+733,73	-		-	-
-	-	Tangent/Tangente	258,54	-	-
TCV	120+992,27	-		-	-
PIV	121+083,01	PARABOLE	181,48	Sag/Rentrante	220
CTV	121+173,75	-		-	-
-	-	Tangent/Tangente	1,15	-	-
TCV	121+174,90	-		-	-
PIV	121+234,75	PARABOLE	119,71	Crest/Saillante	181
CTV	121+294,61	-		-	-
-	-	Tangent/Tangente	16,46	-	-
TCV	121+311,07	-		-	-
PIV	121+341,07	PARABOLE	60,00	Sag/Rentrante	259
CTV	121+371,07	-		-	-
-	-	Tangent/Tangente	11,08	-	-
TCV	121+382,15	-		-	-
PIV	121+405,81	PARABOLE	47,32	Sag/Rentrante	263
CTV	121+429,47	-		-	-
-	-	Tangent/Tangente	1,45	-	-
TCV	121+430,92	-		-	-
PIV	121+453,06	PARABOLE	44,28	Crest/Saillante	153
CTV	121+475,20	-		-	-
-	-	Tangent/Tangente	36,56	-	-
TCV	121+511,75	-		-	-
PIV	121+546,31	PARABOLE	69,11	Sag/Rentrante	769
CTV	121+580,87	-		-	-
-	-	Tangent/Tangente	96,42	-	-
TCV	121+677,29	-		-	-
PIV	121+707,29	PARABOLE	60,00	Crest/Saillante	208
CTV	121+737,29	-		-	-
-	-	Tangent/Tangente	47,66	-	-
TCV	121+784,95	-		-	-
PIV	121+814,95	PARABOLE	60,00	Crest/Saillante	156
CTV	121+844,95	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
	-	Tangent/Tangente	0,51	-	-
TCV	121+845,46			-	-
PIV	121+873,27	PARABOLE	55,62	Sag/Rentrante	261
CTV	121+901,08			-	-
	-	Tangent/Tangente	6,88	-	-
TCV	121+907,96			-	-
PIV	121+949,98	PARABOLE	84,04	Crest/Saillante	231
CTV	121+992,00			-	-
	-	Tangent/Tangente	30,28	-	-
-	-	Tangent/Tangente	30,28	-	-
TCV	122+022,28	-	-	-	-
PIV	122+073,08	PARABOLE	101,60	Crest/Saillante	207
CTV	122+123,87	-		-	-
-	-	Tangent/Tangente	248,43	-	-
TCV	122+372,31	-		-	-
PIV	122+428,86	PARABOLE	113,11	Sag/Rentrante	263
CTV	122+485,42	-		-	-
-	-	Tangent/Tangente	190,46	-	-
TCV	122+675,87	-		-	-
PIV	122+750,34	PARABOLE	148,94	Crest/Saillante	175
CTV	122+824,81	-		-	-
-	-	Tangent/Tangente	92,00	-	-
TCV	122+916,82	-		-	-
PIV	122+980,04	PARABOLE	126,45	Sag/Rentrante	199
CTV	123+043,27	-		-	-
-	-	Tangent/Tangente	70,84	-	-
TCV	123+114,11	-		-	-
PIV	123+175,90	PARABOLE	123,57	Crest/Saillante	178
CTV	123+237,68	-		-	-
-	-	Tangent/Tangente	50,86	-	-
TCV	123+288,55	-		-	-
PIV	123+370,12	PARABOLE	163,15	Crest/Saillante	129
CTV	123+451,70	-		-	-
-	-	Tangent/Tangente	89,07	-	-
TCV	123+540,76	-		-	-
PIV	123+617,49	PARABOLE	153,44	Sag/Rentrante	256
CTV	123+694,21	-		-	-
-	-	Tangent/Tangente	79,91	-	-
PIV	123+774,12	-		-	-
-	-	Tangent/Tangente	79,61	-	-
TCV	123+853,73	-		-	-
PIV	123+942,00	PARABOLE	176,55	Sag/Rentrante	59
CTV	124+030,28	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	42,71	-	-
TCV	124+072,99	-		-	-
PIV	124+191,52	PARABOLE	237,08	Crest/Saillante	73
CTV	124+310,06	-		-	-
-	-	Tangent/Tangente	61,95	-	-
TCV	124+372,01	-		-	-
PIV	124+415,58	PARABOLE	87,14	Sag/Rentrante	62
CTV	124+459,15	-		-	-
-	-	Tangent/Tangente	37,34	-	-
TCV	124+496,49	-		-	-
PIV	124+532,15	PARABOLE	71,33	Crest/Saillante	89
CTV	124+567,82	-		-	-
-	-	Tangent/Tangente	37,27	-	-
TCV	124+605,09	-		-	-
PIV	124+651,21	PARABOLE	92,25	Sag/Rentrante	63
CTV	124+697,34	-		-	-
-	-	Tangent/Tangente	159,29	-	-
TCV	124+856,63	-		-	-
PIV	124+919,10	PARABOLE	124,94	Sag/Rentrante	152
CTV	124+981,56	-		-	-
-	-	Tangent/Tangente	92,93	-	-
TCV	125+074,50	-		-	-
PIV	125+116,93	PARABOLE	84,87	Crest/Saillante	86
CTV	125+159,37	-		-	-
-	-	Tangent/Tangente	62,57	-	-
TCV	125+221,93	-		-	-
PIV	125+270,40	PARABOLE	96,94	Sag/Rentrante	68
CTV	125+318,87	-		-	-
-	-	Tangent/Tangente	29,03	-	-
TCV	125+347,90	-		-	-
PIV	125+444,05	PARABOLE	192,29	Crest/Saillante	144
CTV	125+540,19	-		-	-
-	-	Tangent/Tangente	144,54	-	-
TCV	125+684,73	-		-	-
PIV	125+742,74	PARABOLE	116,01	Sag/Rentrante	181
CTV	125+800,75	-		-	-
-	-	Tangent/Tangente	83,90	-	-
TCV	125+884,64	-		-	-
PIV	125+938,42	PARABOLE	107,56	Crest/Saillante	84
CTV	125+992,20	-		-	-
-	-	Tangent/Tangente	34,18	-	-
TCV	126+026,38	-		-	-
PIV	126+082,87	PARABOLE	112,99	Sag/Rentrante	104

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	126+139,37	-		-	-
-	-	Tangent/Tangente	27,46	-	-
TCV	126+166,83	-		-	-
PIV	126+217,38	PARABOLE	101,10	Sag/Rentrante	263
CTV	126+267,92	-		-	-
-	-	Tangent/Tangente	44,36	-	-
TCV	126+312,28	-		-	-
PIV	126+376,52	PARABOLE	128,46	Crest/Saillante	188
CTV	126+440,75	-		-	-
-	-	Tangent/Tangente	112,35	-	-
TCV	126+553,10	-		-	-
PIV	126+601,18	PARABOLE	96,16	Sag/Rentrante	76
CTV	126+649,26	-		-	-
-	-	Tangent/Tangente	106,71	-	-
TCV	126+755,97	-		-	-
PIV	126+811,45	PARABOLE	110,94	Crest/Saillante	121
CTV	126+866,92	-		-	-
-	-	Tangent/Tangente	3,91	-	-
TCV	126+870,83	-		-	-
PIV	126+929,97	PARABOLE	118,27	Sag/Rentrante	257
CTV	126+989,10	-		-	-
-	-	Tangent/Tangente	63,13	-	-
TCV	127+052,22	-		-	-
PIV	127+214,19	PARABOLE	323,94	Crest/Saillante	130
CTV	127+376,16	-		-	-
-	-	Tangent/Tangente	133,40	-	-
TCV	127+509,56	-		-	-
PIV	127+572,95	PARABOLE	126,79	Sag/Rentrante	126
CTV	127+636,35	-		-	-
-	-	Tangent/Tangente	97,95	-	-
TCV	127+734,30	-		-	-
PIV	127+774,35	PARABOLE	80,10	Crest/Saillante	111
CTV	127+814,40	-		-	-
-	-	Tangent/Tangente	2,09	-	-
TCV	127+816,49	-		-	-
PIV	127+858,07	PARABOLE	83,15	Sag/Rentrante	123
CTV	127+899,65	-		-	-
-	-	Tangent/Tangente	2,43	-	-
TCV	127+902,08	-		-	-
PIV	128+027,17	PARABOLE	250,19	Crest/Saillante	78
CTV	128+152,27	-		-	-
-	-	Tangent/Tangente	30,19	-	-
TCV	128+182,46	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	128+260,23	PARABOLE	155,55	Sag/Rentrante	80
CTV	128+338,01	-		-	-
-	-	Tangent/Tangente	35,89	-	-
TCV	128+373,89	-		-	-
PIV	128+416,81	PARABOLE	85,82	Crest/Saillante	124
CTV	128+459,72	-		-	-
-	-	Tangent/Tangente	19,21	-	-
TCV	128+478,93	-		-	-
PIV	128+568,59	PARABOLE	179,32	Sag/Rentrante	63
CTV	128+658,25	-		-	-
-	-	Tangent/Tangente	49,19	-	-
TCV	128+707,44	-		-	-
PIV	128+809,60	PARABOLE	204,31	Crest/Saillante	93
CTV	128+911,76	-		-	-
-	-	Tangent/Tangente	51,11	-	-
TCV	128+962,87	-		-	-
PIV	129+006,66	PARABOLE	87,59	Sag/Rentrante	110
CTV	129+050,46	-		-	-
-	-	Tangent/Tangente	3,42	-	-
TCV	129+053,88	-		-	-
PIV	129+118,45	PARABOLE	129,14	Crest/Saillante	88
CTV	129+183,02	-		-	-
-	-	Tangent/Tangente	21,22	-	-
TCV	129+204,24	-		-	-
PIV	129+260,71	PARABOLE	112,93	Sag/Rentrante	64
CTV	129+317,17	-		-	-
-	-	Tangent/Tangente	129,22	-	-
TCV	129+446,39	-		-	-
PIV	129+528,22	PARABOLE	163,65	Crest/Saillante	82
CTV	129+610,04	-		-	-
-	-	Tangent/Tangente	16,18	-	-
TCV	129+626,22	-		-	-
PIV	129+692,99	PARABOLE	133,54	Sag/Rentrante	68
CTV	129+759,76	-		-	-
-	-	Tangent/Tangente	29,44	-	-
TCV	129+789,21	-		-	-
PIV	129+853,45	PARABOLE	128,50	Crest/Saillante	175
CTV	129+917,70	-		-	-
-	-	Tangent/Tangente	44,72	-	-
-	-	Tangent/Tangente	44,72	-	-
TCV	129+962,42	-		-	-
PIV	130+029,96	PARABOLE	135,09	Sag/Rentrante	80
CTV	130+097,51	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	42,91	-	-
TCV	130+140,42	-		-	-
PIV	130+204,12	PARABOLE	127,41	Crest/Saillante	75
CTV	130+267,83	-		-	-
-	-	Tangent/Tangente	35,42	-	-
TCV	130+303,24	-		-	-
PIV	130+351,52	PARABOLE	96,55	Sag/Rentrante	63
CTV	130+399,79	-		-	-
-	-	Tangent/Tangente	447,11	-	-
TCV	130+846,90	-		-	-
PIV	130+894,83	PARABOLE	95,86	Sag/Rentrante	261
CTV	130+942,76	-		-	-
-	-	Tangent/Tangente	1,79	-	-
TCV	130+944,56	-		-	-
PIV	131+015,36	PARABOLE	141,61	Crest/Saillante	93
CTV	131+086,17	-		-	-
-	-	Tangent/Tangente	88,30	-	-
TCV	131+174,46	-		-	-
PIV	131+237,09	PARABOLE	125,25	Sag/Rentrante	77
CTV	131+299,71	-		-	-
-	-	Tangent/Tangente	7,87	-	-
TCV	131+307,58	-		-	-
PIV	131+378,87	PARABOLE	142,58	Crest/Saillante	135
CTV	131+450,16	-		-	-
-	-	Tangent/Tangente	73,79	-	-
TCV	131+523,95	-		-	-
PIV	131+572,95	PARABOLE	98,01	Crest/Saillante	120
CTV	131+621,96	-		-	-
-	-	Tangent/Tangente	74,48	-	-
TCV	131+696,44	-		-	-
PIV	131+769,06	PARABOLE	145,24	Sag/Rentrante	85
CTV	131+841,68	-		-	-
-	-	Tangent/Tangente	155,30	-	-
TCV	131+996,98	-		-	-
PIV	132+046,23	PARABOLE	98,50	Crest/Saillante	124
CTV	132+095,48	-		-	-
-	-	Tangent/Tangente	101,03	-	-
TCV	132+196,50	-		-	-
PIV	132+243,48	PARABOLE	93,96	Sag/Rentrante	56
CTV	132+290,46	-		-	-
-	-	Tangent/Tangente	66,29	-	-
TCV	132+356,76	-		-	-
PIV	132+409,66	PARABOLE	105,80	Crest/Saillante	85



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	132+462,56	-		-	-
-	-	Tangent/Tangente	102,97	-	-
TCV	132+565,52	-		-	-
PIV	132+618,08	PARABOLE	105,10	Sag/Rentrante	54
CTV	132+670,63	-		-	-
-	-	Tangent/Tangente	43,46	-	-
PIV	132+714,08	-		-	-
-	-	Tangent/Tangente	39,02	-	-
TCV	132+753,10	-		-	-
PIV	132+801,36	PARABOLE	96,52	Crest/Saillante	71
CTV	132+849,62	-		-	-
-	-	Tangent/Tangente	46,98	-	-
PIV	132+896,60	-		-	-
-	-	Tangent/Tangente	24,42	-	-
TCV	132+921,03	-		-	-
PIV	132+988,90	PARABOLE	135,75	Crest/Saillante	82
CTV	133+056,78	-		-	-
-	-	Tangent/Tangente	11,30	-	-
PIV	133+068,07	-		-	-
-	-	Tangent/Tangente	52,19	-	-
TCV	133+120,26	-		-	-
PIV	133+167,80	PARABOLE	95,07	Sag/Rentrante	85
CTV	133+215,33	-		-	-
-	-	Tangent/Tangente	61,01	-	-
TCV	133+276,34	-		-	-
PIV	133+327,09	PARABOLE	101,49	Crest/Saillante	103
CTV	133+377,83	-		-	-
-	-	Tangent/Tangente	128,64	-	-
TCV	133+506,47	-		-	-
PIV	133+559,70	PARABOLE	106,45	Sag/Rentrante	107
CTV	133+612,92	-		-	-
-	-	Tangent/Tangente	77,23	-	-
TCV	133+690,15	-		-	-
PIV	133+757,24	PARABOLE	134,17	Crest/Saillante	132
CTV	133+824,32	-		-	-
-	-	Tangent/Tangente	121,95	-	-
TCV	133+946,27	-		-	-
PIV	134+021,90	PARABOLE	151,25	Crest/Saillante	122
CTV	134+097,53	-		-	-
-	-	Tangent/Tangente	82,86	-	-
TCV	134+180,39	-		-	-
PIV	134+231,33	PARABOLE	101,87	Sag/Rentrante	87
CTV	134+282,26	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	73,89	-	-
TCV	134+356,16	-		-	-
PIV	134+408,33	PARABOLE	104,35	Crest/Saillante	131
CTV	134+460,51	-		-	-
-	-	Tangent/Tangente	49,87	-	-
TCV	134+510,38	-		-	-
PIV	134+574,60	PARABOLE	128,44	Sag/Rentrante	76
CTV	134+638,82	-		-	-
-	-	Tangent/Tangente	62,83	-	-
TCV	134+701,65	-		-	-
PIV	134+754,23	PARABOLE	105,16	Sag/Rentrante	82
CTV	134+806,81	-		-	-
-	-	Tangent/Tangente	286,77	-	-
TCV	135+093,57	-		-	-
PIV	135+153,77	PARABOLE	120,39	Crest/Saillante	68
CTV	135+213,96	-		-	-
-	-	Tangent/Tangente	73,95	-	-
TCV	135+287,91	-		-	-
PIV	135+329,78	PARABOLE	83,73	Sag/Rentrante	80
CTV	135+371,64	-		-	-
-	-	Tangent/Tangente	133,83	-	-
TCV	135+505,48	-		-	-
PIV	135+550,64	PARABOLE	90,32	Crest/Saillante	75
CTV	135+595,80	-		-	-
-	-	Tangent/Tangente	9,18	-	-
TCV	135+604,97	-		-	-
PIV	135+665,74	PARABOLE	121,54	Sag/Rentrante	57
CTV	135+726,52	-		-	-
-	-	Tangent/Tangente	91,02	-	-
TCV	135+817,54	-		-	-
PIV	135+870,53	PARABOLE	105,98	Crest/Saillante	170
CTV	135+923,51	-		-	-
-	-	Tangent/Tangente	2,70	-	-
TCV	135+926,22	-		-	-
PIV	135+981,77	PARABOLE	111,11	Sag/Rentrante	265
CTV	136+037,33	-		-	-
-	-	Tangent/Tangente	0,38	-	-
TCV	136+037,70	-		-	-
PIV	136+078,03	PARABOLE	80,65	Crest/Saillante	240
CTV	136+118,36	-		-	-
-	-	Tangent/Tangente	65,13	-	-
TCV	136+183,49	-		-	-
PIV	136+235,13	PARABOLE	103,28	Sag/Rentrante	263

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	136+286,77	-		-	-
-	-	Tangent/Tangente	0,03	-	-
TCV	136+286,81	-		-	-
PIV	136+393,02	PARABOLE	212,43	Crest/Saillante	110
CTV	136+499,23	-		-	-
-	-	Tangent/Tangente	7,71	-	-
TCV	136+506,94	-		-	-
PIV	136+567,41	PARABOLE	120,94	Sag/Rentrante	125
CTV	136+627,87	-		-	-
-	-	Tangent/Tangente	151,87	-	-
TCV	136+779,74	-		-	-
PIV	136+830,73	PARABOLE	101,99	Sag/Rentrante	70
CTV	136+881,73	-		-	-
-	-	Tangent/Tangente	50,09	-	-
TCV	136+931,82	-		-	-
PIV	137+030,99	PARABOLE	198,34	Crest/Saillante	88
CTV	137+130,15	-		-	-
-	-	Tangent/Tangente	27,88	-	-
TCV	137+158,03	-		-	-
PIV	137+213,54	PARABOLE	111,01	Sag/Rentrante	50
CTV	137+269,04	-		-	-
-	-	Tangent/Tangente	31,03	-	-
TCV	137+300,08	-		-	-
PIV	137+386,48	PARABOLE	172,81	Crest/Saillante	66
CTV	137+472,89	-		-	-
-	-	Tangent/Tangente	107,52	-	-
TCV	137+580,41	-		-	-
PIV	137+642,09	PARABOLE	123,35	Sag/Rentrante	48
CTV	137+703,76	-		-	-
-	-	Tangent/Tangente	335,73	-	-
TCV	138+039,49	-		-	-
PIV	138+103,38	PARABOLE	127,79	Sag/Rentrante	150
CTV	138+167,28	-		-	-
-	-	Tangent/Tangente	0,01	-	-
TCV	138+167,28	-		-	-
PIV	138+211,15	PARABOLE	87,73	Crest/Saillante	77
CTV	138+255,01	-		-	-
-	-	Tangent/Tangente	132,45	-	-
TCV	138+387,46	-		-	-
PIV	138+429,62	PARABOLE	84,32	Crest/Saillante	82
CTV	138+471,78	-		-	-
-	-	Tangent/Tangente	75,97	-	-
TCV	138+547,75	-		-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
PIV	138+610,07	PARABOLE	124,64	Sag/Rentrante	51	
CTV	138+672,39	-		-	-	
-	-	Tangent/Tangente	25,98	-	-	
TCV	138+698,37	-		-	-	
PIV	138+745,34	PARABOLE	93,94	Crest/Saillante	78	
CTV	138+792,30	-		-	-	
-	-	Tangent/Tangente	215,72	-	-	
TCV	139+008,03	-		-	-	
PIV	139+060,27	PARABOLE	104,49	Crest/Saillante	87	
CTV	139+112,51	-		-	-	
-	-	Tangent/Tangente	305,08	-	-	
TCV	139+417,59	-		-	-	
PIV	139+461,94	PARABOLE	88,70	Sag/Rentrante	55	
CTV	139+506,30	-		-	-	
-	-	Tangent/Tangente	97,30	-	-	
TCV	139+603,59	-		-	-	
PIV	139+656,12	PARABOLE	105,06	Crest/Saillante	122	
CTV	139+708,65	-		-	-	
-	-	Tangent/Tangente	69,12	-	-	
TCV	139+777,78	-		-	-	
PIV	139+838,33	PARABOLE	121,11	Sag/Rentrante	88	
CTV	139+898,89	-		-	-	
-	-	Tangent/Tangente	49,66	-	-	
TCV	139+948,55	-		-	-	
PIV	139+992,48	PARABOLE	87,86	Crest/Saillante	94	
CTV	140+036,41	-		-	-	
-	-	Tangent/Tangente	219,41	-	-	
-	-	Tangent/Tangente	219,41	-	-	
TCV	140+255,82	-		-	-	
PIV	140+308,05	PARABOLE	104,45	Sag/Rentrante	163	
CTV	140+360,28	-		-	-	
-	-	Tangent/Tangente	59,93	-	-	
TCV	140+420,20	-		-	-	
PIV	140+467,96	PARABOLE	95,52	Crest/Saillante	112	
CTV	140+515,72	-		-	-	
-	-	Tangent/Tangente	24,85	-	-	
TCV	140+540,57	-		-	-	
PIV	140+607,04	PARABOLE	132,94	Sag/Rentrante	83	
CTV	140+673,51	-		-	-	
-	-	Tangent/Tangente	28,54	-	-	
TCV	140+702,04	-		-	-	
PIV	140+761,45	PARABOLE	118,81	Crest/Saillante	83	
CTV	140+820,86	-		-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	61,90	-	-
TCV	140+882,76	-		-	-
PIV	140+919,88	PARABOLE	74,26	Sag/Rentrante	117
CTV	140+957,01	-		-	-
-	-	Tangent/Tangente	112,65	-	-
TCV	141+069,66	-		-	-
PIV	141+107,72	PARABOLE	76,11	Sag/Rentrante	264
CTV	141+145,78	-		-	-
-	-	Tangent/Tangente	18,01	-	-
TCV	141+163,79	-		-	-
PIV	141+216,68	PARABOLE	105,79	Crest/Saillante	111
CTV	141+269,57	-		-	-
-	-	Tangent/Tangente	155,38	-	-
TCV	141+424,95	-		-	-
PIV	141+489,79	PARABOLE	129,68	Sag/Rentrante	263
CTV	141+554,63	-		-	-
-	-	Tangent/Tangente	57,47	-	-
TCV	141+612,10	-		-	-
PIV	141+672,56	PARABOLE	120,93	Sag/Rentrante	265
CTV	141+733,03	-		-	-
-	-	Tangent/Tangente	1,10	-	-
TCV	141+734,13	-		-	-
PIV	141+784,46	PARABOLE	100,65	Crest/Saillante	123
CTV	141+834,78	-		-	-
-	-	Tangent/Tangente	25,48	-	-
TCV	141+860,26	-		-	-
PIV	141+917,65	PARABOLE	114,78	Sag/Rentrante	262
CTV	141+975,04	-		-	-
-	-	Tangent/Tangente	18,05	-	-
TCV	141+993,09	-		-	-
PIV	142+047,65	PARABOLE	109,11	Sag/Rentrante	265
CTV	142+102,20	-		-	-
-	-	Tangent/Tangente	73,49	-	-
TCV	142+175,69	-		-	-
PIV	142+253,12	PARABOLE	154,86	Sag/Rentrante	259
CTV	142+330,55	-		-	-
-	-	Tangent/Tangente	32,43	-	-
TCV	142+362,98	-		-	-
PIV	142+405,81	PARABOLE	85,66	Crest/Saillante	101
CTV	142+448,64	-		-	-
-	-	Tangent/Tangente	98,69	-	-
PIV	142+547,33	-		-	-
-	-	Tangent/Tangente	31,11	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	142+578,45	-		-	-
PIV	142+630,86	PARABOLE	104,84	Sag/Rentrante	263
CTV	142+683,28	-		-	-
-	-	Tangent/Tangente	29,45	-	-
TCV	142+712,73	-		-	-
PIV	142+770,97	PARABOLE	116,49	Sag/Rentrante	261
CTV	142+829,22	-		-	-
-	-	Tangent/Tangente	7,60	-	-
TCV	142+836,82	-		-	-
PIV	142+892,99	PARABOLE	112,34	Crest/Saillante	85
CTV	142+949,16	-		-	-
-	-	Tangent/Tangente	126,77	-	-
TCV	143+075,93	-		-	-
PIV	143+128,10	PARABOLE	104,35	Sag/Rentrante	91
CTV	143+180,28	-		-	-
-	-	Tangent/Tangente	62,02	-	-
TCV	143+242,30	-		-	-
PIV	143+311,48	PARABOLE	138,36	Crest/Saillante	197
CTV	143+380,66	-		-	-
-	-	Tangent/Tangente	192,12	-	-
TCV	143+572,78	-		-	-
PIV	143+623,13	PARABOLE	100,70	Sag/Rentrante	131
CTV	143+673,48	-		-	-
-	-	Tangent/Tangente	121,82	-	-
TCV	143+795,30	-		-	-
PIV	143+869,65	PARABOLE	148,71	Crest/Saillante	110
CTV	143+944,01	-		-	-
-	-	Tangent/Tangente	167,70	-	-
TCV	144+111,71	-		-	-
PIV	144+155,36	PARABOLE	87,30	Sag/Rentrante	96
CTV	144+199,00	-		-	-
-	-	Tangent/Tangente	6,81	-	-
TCV	144+205,82	-		-	-
PIV	144+235,82	PARABOLE	60,00	Crest/Saillante	111
CTV	144+265,82	-		-	-
-	-	Tangent/Tangente	4,86	-	-
TCV	144+270,68	-		-	-
PIV	144+293,31	PARABOLE	45,26	Sag/Rentrante	79
CTV	144+315,94	-		-	-
-	-	Tangent/Tangente	0,62	-	-
TCV	144+316,56	-		-	-
PIV	144+385,04	PARABOLE	136,95	Crest/Saillante	141
CTV	144+453,51	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	49,82	-	-
TCV	144+503,33	-		-	-
PIV	144+564,15	PARABOLE	121,62	Crest/Saillante	171
CTV	144+624,96	-		-	-
-	-	Tangent/Tangente	38,20	-	-
TCV	144+663,16	-		-	-
PIV	144+728,07	PARABOLE	129,83	Sag/Rentrante	148
CTV	144+792,99	-		-	-
-	-	Tangent/Tangente	46,67	-	-
TCV	144+839,66	-		-	-
PIV	144+885,87	PARABOLE	92,42	Crest/Saillante	129
CTV	144+932,08	-		-	-
-	-	Tangent/Tangente	10,25	-	-
TCV	144+942,33	-		-	-
PIV	145+032,74	PARABOLE	180,82	Sag/Rentrante	155
CTV	145+123,15	-		-	-
-	-	Tangent/Tangente	212,50	-	-
TCV	145+335,65	-		-	-
PIV	145+394,30	PARABOLE	117,29	Crest/Saillante	109
CTV	145+452,94	-		-	-
-	-	Tangent/Tangente	15,50	-	-
TCV	145+468,44	-		-	-
PIV	145+516,54	PARABOLE	96,20	Sag/Rentrante	264
CTV	145+564,64	-		-	-
-	-	Tangent/Tangente	41,34	-	-
TCV	145+605,98	-		-	-
PIV	145+674,36	PARABOLE	136,77	Sag/Rentrante	111
CTV	145+742,75	-		-	-
-	-	Tangent/Tangente	170,92	-	-
TCV	145+913,67	-		-	-
PIV	145+955,76	PARABOLE	84,18	Crest/Saillante	94
CTV	145+997,85	-		-	-
-	-	Tangent/Tangente	6,83	-	-
TCV	146+004,68	-		-	-
PIV	146+054,97	PARABOLE	100,57	Crest/Saillante	82
CTV	146+105,25	-		-	-
-	-	Tangent/Tangente	83,13	-	-
TCV	146+188,39	-		-	-
PIV	146+323,99	PARABOLE	271,20	Sag/Rentrante	82
CTV	146+459,59	-		-	-
-	-	Tangent/Tangente	47,60	-	-
TCV	146+507,19	-		-	-
PIV	146+549,37	PARABOLE	84,37	Crest/Saillante	100

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	146+591,56	-		-	-
-	-	Tangent/Tangente	127,31	-	-
TCV	146+718,87	-		-	-
PIV	146+769,04	PARABOLE	100,34	Crest/Saillante	120
CTV	146+819,21	-		-	-
-	-	Tangent/Tangente	111,84	-	-
TCV	146+931,05	-		-	-
PIV	146+988,18	PARABOLE	114,26	Sag/Rentrante	63
CTV	147+045,31	-		-	-
-	-	Tangent/Tangente	117,43	-	-
TCV	147+162,74	-		-	-
PIV	147+213,84	PARABOLE	102,20	Crest/Saillante	93
CTV	147+264,93	-		-	-
-	-	Tangent/Tangente	118,99	-	-
TCV	147+383,93	-		-	-
PIV	147+432,70	PARABOLE	97,55	Crest/Saillante	100
CTV	147+481,48	-		-	-
-	-	Tangent/Tangente	492,71	-	-
TCV	147+974,19	-		-	-
PIV	148+073,26	PARABOLE	198,14	Sag/Rentrante	59
CTV	148+172,33	-		-	-
-	-	Tangent/Tangente	22,43	-	-
TCV	148+194,76	-		-	-
PIV	148+285,74	PARABOLE	181,95	Crest/Saillante	65
CTV	148+376,72	-		-	-
-	-	Tangent/Tangente	22,86	-	-
TCV	148+399,58	-		-	-
PIV	148+470,22	PARABOLE	141,28	Sag/Rentrante	50
CTV	148+540,85	-		-	-
-	-	Tangent/Tangente	269,99	-	-
TCV	148+810,85	-		-	-
PIV	148+954,27	PARABOLE	286,85	Crest/Saillante	85
CTV	149+097,69	-		-	-
-	-	Tangent/Tangente	63,91	-	-
TCV	149+161,60	-		-	-
PIV	149+215,57	PARABOLE	107,93	Sag/Rentrante	62
CTV	149+269,53	-		-	-
-	-	Tangent/Tangente	92,68	-	-
TCV	149+362,22	-		-	-
PIV	149+419,15	PARABOLE	113,86	Sag/Rentrante	62
CTV	149+476,08	-		-	-
-	-	Tangent/Tangente	64,26	-	-
TCV	149+540,34	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	149+587,81	PARABOLE	94,95	Crest/Saillante	66
CTV	149+635,28	-		-	-
-	-	Tangent/Tangente	23,05	-	-
TCV	149+658,33	-		-	-
PIV	149+724,93	PARABOLE	133,20	Sag/Rentrante	52
CTV	149+791,53	-		-	-
-	-	Tangent/Tangente	33,08	-	-
TCV	149+824,61	-		-	-
PIV	149+879,65	PARABOLE	110,07	Crest/Saillante	72
CTV	149+934,68	-		-	-
-	-	Tangent/Tangente	85,50	-	-
-	-	Tangent/Tangente	85,50	-	-
TCV	150+020,18	-		-	-
PIV	150+074,67	PARABOLE	108,99	Sag/Rentrante	158
CTV	150+129,16	-		-	-
-	-	Tangent/Tangente	0,17	-	-
TCV	150+129,33	-		-	-
PIV	150+169,26	PARABOLE	79,85	Sag/Rentrante	253
CTV	150+209,18	-		-	-
-	-	Tangent/Tangente	12,44	-	-
TCV	150+221,62	-		-	-
PIV	150+285,73	PARABOLE	128,21	Sag/Rentrante	57
CTV	150+349,83	-		-	-
-	-	Tangent/Tangente	186,41	-	-
TCV	150+536,24	-		-	-
PIV	150+671,79	PARABOLE	271,10	Crest/Saillante	63
CTV	150+807,33	-		-	-
-	-	Tangent/Tangente	29,25	-	-
TCV	150+836,58	-		-	-
PIV	150+939,95	PARABOLE	206,75	Sag/Rentrante	49
CTV	151+043,33	-		-	-
-	-	Tangent/Tangente	2,05	-	-
TCV	151+045,38	-		-	-
PIV	151+098,77	PARABOLE	106,78	Crest/Saillante	82
CTV	151+152,16	-		-	-
-	-	Tangent/Tangente	341,01	-	-
TCV	151+493,17	-		-	-
PIV	151+537,16	PARABOLE	87,98	Crest/Saillante	110
CTV	151+581,15	-		-	-
-	-	Tangent/Tangente	8,78	-	-
TCV	151+589,93	-		-	-
PIV	151+637,84	PARABOLE	95,82	Sag/Rentrante	48
CTV	151+685,75	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	65,26	-	-
TCV	151+751,02	-		-	-
PIV	151+793,53	PARABOLE	85,03	Crest/Saillante	72
CTV	151+836,05	-		-	-
-	-	Tangent/Tangente	19,85	-	-
TCV	151+855,90	-		-	-
PIV	151+890,57	PARABOLE	69,34	Sag/Rentrante	262
CTV	151+925,23	-		-	-
-	-	Tangent/Tangente	178,44	-	-
TCV	152+103,67	-		-	-
PIV	152+143,91	PARABOLE	80,49	Sag/Rentrante	62
CTV	152+184,16	-		-	-
-	-	Tangent/Tangente	41,00	-	-
TCV	152+225,16	-		-	-
PIV	152+293,12	PARABOLE	135,93	Crest/Saillante	70
CTV	152+361,09	-		-	-
-	-	Tangent/Tangente	103,77	-	-
TCV	152+464,85	-		-	-
PIV	152+493,26	PARABOLE	56,81	Sag/Rentrante	46
CTV	152+521,66	-		-	-
-	-	Tangent/Tangente	58,79	-	-
TCV	152+580,45	-		-	-
PIV	152+647,41	PARABOLE	133,92	Crest/Saillante	70
CTV	152+714,37	-		-	-
-	-	Tangent/Tangente	25,53	-	-
TCV	152+739,90	-		-	-
PIV	152+802,16	PARABOLE	124,52	Sag/Rentrante	70
CTV	152+864,42	-		-	-
-	-	Tangent/Tangente	175,88	-	-
TCV	153+040,30	-		-	-
PIV	153+093,13	PARABOLE	105,66	Sag/Rentrante	72
CTV	153+145,96	-		-	-
-	-	Tangent/Tangente	7,87	-	-
TCV	153+153,83	-		-	-
PIV	153+241,58	PARABOLE	175,50	Crest/Saillante	66
CTV	153+329,33	-		-	-
-	-	Tangent/Tangente	48,87	-	-
TCV	153+378,20	-		-	-
PIV	153+464,48	PARABOLE	172,56	Sag/Rentrante	60
CTV	153+550,76	-		-	-
-	-	Tangent/Tangente	209,43	-	-
TCV	153+760,19	-		-	-
PIV	153+834,64	PARABOLE	148,90	Sag/Rentrante	49

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	153+909,09	-		-	-
-	-	Tangent/Tangente	64,90	-	-
TCV	153+973,99	-		-	-
PIV	154+104,12	PARABOLE	260,25	Crest/Saillante	66
CTV	154+234,24	-		-	-
-	-	Tangent/Tangente	90,42	-	-
TCV	154+324,66	-		-	-
PIV	154+398,73	PARABOLE	148,12	Sag/Rentrante	49
CTV	154+472,79	-		-	-
-	-	Tangent/Tangente	8,08	-	-
TCV	154+480,87	-		-	-
PIV	154+583,26	PARABOLE	204,78	Crest/Saillante	87
CTV	154+685,65	-		-	-
-	-	Tangent/Tangente	31,29	-	-
TCV	154+716,94	-		-	-
PIV	154+773,70	PARABOLE	113,51	Sag/Rentrante	126
CTV	154+830,45	-		-	-
-	-	Tangent/Tangente	4,99	-	-
TCV	154+835,44	-		-	-
PIV	154+883,18	PARABOLE	95,49	Sag/Rentrante	46
CTV	154+930,92	-		-	-
-	-	Tangent/Tangente	32,27	-	-
TCV	154+963,20	-		-	-
PIV	155+026,09	PARABOLE	125,80	Crest/Saillante	66
CTV	155+088,99	-		-	-
-	-	Tangent/Tangente	49,67	-	-
TCV	155+138,67	-		-	-
PIV	155+171,79	PARABOLE	66,25	Sag/Rentrante	71
CTV	155+204,92	-		-	-
-	-	Tangent/Tangente	35,95	-	-
TCV	155+240,87	-		-	-
PIV	155+248,64	PARABOLE	15,52	Sag/Rentrante	96
CTV	155+256,40	-		-	-
-	-	Tangent/Tangente	2,56	-	-
TCV	155+258,96	-		-	-
PIV	155+288,96	PARABOLE	60,00	Crest/Saillante	153
CTV	155+318,96	-		-	-
-	-	Tangent/Tangente	27,48	-	-
PIV	155+346,44	-		-	-
-	-	Tangent/Tangente	34,84	-	-
PIV	155+381,28	-		-	-
-	-	Tangent/Tangente	9,77	-	-
TCV	155+391,05	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	155+413,18	PARABOLE	44,25	Sag/Rentrante	106
CTV	155+435,30	-		-	-
-	-	Tangent/Tangente	162,08	-	-
TCV	155+597,39	-		-	-
PIV	155+647,24	PARABOLE	99,71	Sag/Rentrante	71
CTV	155+697,10	-		-	-
-	-	Tangent/Tangente	12,13	-	-
TCV	155+709,23	-		-	-
PIV	155+794,99	PARABOLE	171,54	Crest/Saillante	72
CTV	155+880,76	-		-	-
-	-	Tangent/Tangente	34,70	-	-
TCV	155+915,46	-		-	-
PIV	155+966,24	PARABOLE	101,56	Sag/Rentrante	70
CTV	156+017,02	-		-	-
-	-	Tangent/Tangente	74,38	-	-
PIV	156+091,40	-		-	-
-	-	Tangent/Tangente	34,54	-	-
TCV	156+125,94	-		-	-
PIV	156+188,89	PARABOLE	125,90	Sag/Rentrante	66
CTV	156+251,84	-		-	-
-	-	Tangent/Tangente	30,79	-	-
TCV	156+282,63	-		-	-
PIV	156+327,65	PARABOLE	90,04	Crest/Saillante	91
CTV	156+372,67	-		-	-
-	-	Tangent/Tangente	145,07	-	-
TCV	156+517,74	-		-	-
PIV	156+557,07	PARABOLE	78,66	Crest/Saillante	78
CTV	156+596,40	-		-	-
-	-	Tangent/Tangente	44,60	-	-
TCV	156+641,00	-		-	-
PIV	156+740,80	PARABOLE	199,62	Sag/Rentrante	94
CTV	156+840,61	-		-	-
-	-	Tangent/Tangente	0,00	-	-
TCV	156+840,62	-		-	-
PIV	156+912,89	PARABOLE	144,55	Crest/Saillante	119
CTV	156+985,16	-		-	-
-	-	Tangent/Tangente	47,72	-	-
TCV	157+002,88	-		-	-
PIV	157+032,88	PARABOLE	60,00	Sag/Rentrante	261
CTV	157+062,88	-		-	-
-	-	Tangent/Tangente	116,84	-	-
TCV	157+149,72	-		-	-
PIV	157+195,30	PARABOLE	91,16	Sag/Rentrante	91

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	157+240,88	-		-	-
-	-	Tangent/Tangente	140,00	-	-
TCV	157+380,88	-		-	-
PIV	157+426,72	PARABOLE	91,68	Crest/Saillante	111
CTV	157+472,56	-		-	-
-	-	Tangent/Tangente	126,56	-	-
PIV	157+599,12	-		-	-
-	-	Tangent/Tangente	34,23	-	-
PIV	157+633,35	-		-	-
-	-	Tangent/Tangente	433,00	-	-
TCV	158+066,35	-		-	-
PIV	158+103,68	PARABOLE	74,66	Crest/Saillante	87
CTV	158+141,01	-		-	-
-	-	Tangent/Tangente	39,12	-	-
TCV	158+180,13	-		-	-
PIV	158+239,10	PARABOLE	117,94	Sag/Rentrante	66
CTV	158+298,07	-		-	-
-	-	Tangent/Tangente	41,16	-	-
TCV	158+339,23	-		-	-
PIV	158+390,61	PARABOLE	102,76	Crest/Saillante	76
CTV	158+441,99	-		-	-
-	-	Tangent/Tangente	129,20	-	-
PIV	158+571,19	-		-	-
-	-	Tangent/Tangente	14,48	-	-
TCV	158+585,67	-		-	-
PIV	158+639,95	PARABOLE	108,55	Sag/Rentrante	65
CTV	158+694,22	-		-	-
-	-	Tangent/Tangente	169,35	-	-
TCV	158+863,58	-		-	-
PIV	158+912,71	PARABOLE	98,27	Crest/Saillante	78
CTV	158+961,84	-		-	-
-	-	Tangent/Tangente	115,18	-	-
TCV	159+077,02	-		-	-
PIV	159+122,09	PARABOLE	90,14	Sag/Rentrante	114
CTV	159+167,16	-		-	-
-	-	Tangent/Tangente	68,43	-	-
TCV	159+235,59	-		-	-
PIV	159+271,68	PARABOLE	72,17	Crest/Saillante	122
CTV	159+307,77	-		-	-
-	-	Tangent/Tangente	31,67	-	-
TCV	159+339,43	-		-	-
PIV	159+384,68	PARABOLE	90,50	Sag/Rentrante	96
CTV	159+429,93	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	110,40	-	-
TCV	159+540,34	-		-	-
PIV	159+570,34	PARABOLE	60,00	Sag/Rentrante	266
CTV	159+600,34	-		-	-
-	-	Tangent/Tangente	74,67	-	-
TCV	159+675,00	-		-	-
PIV	159+729,04	PARABOLE	108,07	Sag/Rentrante	70
CTV	159+783,07	-		-	-
-	-	Tangent/Tangente	24,82	-	-
TCV	159+807,90	-		-	-
PIV	159+874,42	PARABOLE	133,04	Crest/Saillante	85
CTV	159+940,94	-		-	-
-	-	Tangent/Tangente	199,50	-	-
-	-	Tangent/Tangente	199,50	-	-
TCV	160+140,44	-		-	-
PIV	160+170,44	PARABOLE	60,00	Sag/Rentrante	265
CTV	160+200,44	-		-	-
-	-	Tangent/Tangente	27,65	-	-
TCV	160+228,09	-		-	-
PIV	160+254,00	PARABOLE	51,83	Sag/Rentrante	71
CTV	160+279,92	-		-	-
-	-	Tangent/Tangente	152,21	-	-
TCV	160+432,12	-		-	-
PIV	160+523,49	PARABOLE	182,73	Crest/Saillante	76
CTV	160+614,85	-		-	-
-	-	Tangent/Tangente	236,36	-	-
TCV	160+851,22	-		-	-
PIV	160+921,48	PARABOLE	140,53	Sag/Rentrante	66
CTV	160+991,75	-		-	-
-	-	Tangent/Tangente	160,42	-	-
TCV	161+152,17	-		-	-
PIV	161+196,35	PARABOLE	88,36	Sag/Rentrante	67
CTV	161+240,53	-		-	-
-	-	Tangent/Tangente	277,21	-	-
TCV	161+517,74	-		-	-
PIV	161+613,94	PARABOLE	192,41	Crest/Saillante	79
CTV	161+710,14	-		-	-
-	-	Tangent/Tangente	205,28	-	-
TCV	161+915,42	-		-	-
PIV	161+954,24	PARABOLE	77,63	Sag/Rentrante	52
CTV	161+993,05	-		-	-
-	-	Tangent/Tangente	148,55	-	-
TCV	162+141,61	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	162+200,07	PARABOLE	116,92	Crest/Saillante	75
CTV	162+258,53	-		-	-
-	-	Tangent/Tangente	103,47	-	-
TCV	162+361,99	-		-	-
PIV	162+397,24	PARABOLE	70,49	Sag/Rentrante	48
CTV	162+432,49	-		-	-
-	-	Tangent/Tangente	47,47	-	-
TCV	162+479,96	-		-	-
PIV	162+556,86	PARABOLE	153,80	Crest/Saillante	132
CTV	162+633,76	-		-	-
-	-	Tangent/Tangente	16,98	-	-
TCV	162+650,74	-		-	-
PIV	162+674,05	PARABOLE	46,61	Sag/Rentrante	79
CTV	162+697,36	-		-	-
-	-	Tangent/Tangente	132,32	-	-
TCV	162+829,68	-		-	-
PIV	162+866,39	PARABOLE	73,43	Crest/Saillante	70
CTV	162+903,11	-		-	-
-	-	Tangent/Tangente	71,90	-	-
TCV	162+975,00	-		-	-
PIV	163+023,39	PARABOLE	96,77	Sag/Rentrante	49
CTV	163+071,77	-		-	-
-	-	Tangent/Tangente	25,13	-	-
TCV	163+096,90	-		-	-
PIV	163+138,81	PARABOLE	83,83	Crest/Saillante	74
CTV	163+180,73	-		-	-
-	-	Tangent/Tangente	47,14	-	-
TCV	163+227,87	-		-	-
PIV	163+271,08	PARABOLE	86,42	Sag/Rentrante	45
CTV	163+314,29	-		-	-
-	-	Tangent/Tangente	67,18	-	-
TCV	163+381,46	-		-	-
PIV	163+463,21	PARABOLE	163,50	Crest/Saillante	65
CTV	163+544,96	-		-	-
-	-	Tangent/Tangente	42,52	-	-
TCV	163+587,48	-		-	-
PIV	163+625,77	PARABOLE	76,58	Sag/Rentrante	61
CTV	163+664,05	-		-	-
-	-	Tangent/Tangente	121,08	-	-
TCV	163+785,13	-		-	-
PIV	163+844,41	PARABOLE	118,55	Sag/Rentrante	65
CTV	163+903,68	-		-	-
-	-	Tangent/Tangente	217,48	-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
TCV	164+121,17	-		-	-	-
PIV	164+151,17	PARABOLE	60,00	Crest/Saillante	130	
CTV	164+181,17	-		-	-	-
-	-	Tangent/Tangente	68,88	-	-	-
TCV	164+250,05	-		-	-	-
PIV	164+300,21	PARABOLE	100,33	Crest/Saillante	179	
CTV	164+350,37	-		-	-	-
-	-	Tangent/Tangente	75,79	-	-	-
TCV	164+426,16	-		-	-	-
PIV	164+456,16	PARABOLE	60,00	Crest/Saillante	176	
CTV	164+486,16	-		-	-	-
-	-	Tangent/Tangente	96,87	-	-	-
TCV	164+583,03	-		-	-	-
PIV	164+623,15	PARABOLE	80,24	Crest/Saillante	75	
CTV	164+663,27	-		-	-	-
-	-	Tangent/Tangente	79,14	-	-	-
TCV	164+742,41	-		-	-	-
PIV	164+796,17	PARABOLE	107,52	Sag/Rentrante	49	
CTV	164+849,93	-		-	-	-
-	-	Tangent/Tangente	94,34	-	-	-
TCV	164+944,28	-		-	-	-
PIV	165+006,64	PARABOLE	124,73	Sag/Rentrante	255	
CTV	165+069,01	-		-	-	-
-	-	Tangent/Tangente	5,73	-	-	-
TCV	165+074,75	-		-	-	-
PIV	165+130,74	PARABOLE	111,99	Crest/Saillante	113	
CTV	165+186,73	-		-	-	-
-	-	Tangent/Tangente	173,79	-	-	-
TCV	165+360,53	-		-	-	-
PIV	165+407,52	PARABOLE	93,99	Sag/Rentrante	118	
CTV	165+454,52	-		-	-	-
-	-	Tangent/Tangente	43,25	-	-	-
TCV	165+497,77	-		-	-	-
PIV	165+597,77	PARABOLE	200,00	Crest/Saillante	208	
CTV	165+697,77	-		-	-	-
-	-	Tangent/Tangente	18,35	-	-	-
TCV	165+716,11	-		-	-	-
PIV	165+782,90	PARABOLE	133,57	Crest/Saillante	94	
CTV	165+849,68	-		-	-	-
-	-	Tangent/Tangente	105,24	-	-	-
TCV	165+954,92	-		-	-	-
PIV	165+984,92	PARABOLE	60,00	Sag/Rentrante	263	
CTV	166+014,92	-		-	-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	74,11	-	-
TCV	166+089,02	-		-	-
PIV	166+140,29	PARABOLE	102,53	Crest/Saillante	74
CTV	166+191,55	-		-	-
-	-	Tangent/Tangente	13,23	-	-
TCV	166+204,78	-		-	-
PIV	166+276,28	PARABOLE	142,99	Sag/Rentrante	59
CTV	166+347,77	-		-	-
-	-	Tangent/Tangente	28,71	-	-
TCV	166+376,48	-		-	-
PIV	166+423,26	PARABOLE	93,56	Sag/Rentrante	83
CTV	166+470,04	-		-	-
-	-	Tangent/Tangente	102,76	-	-
TCV	166+572,80	-		-	-
PIV	166+718,99	PARABOLE	292,39	Crest/Saillante	93
CTV	166+865,19	-		-	-
-	-	Tangent/Tangente	104,00	-	-
TCV	166+969,19	-		-	-
PIV	167+020,57	PARABOLE	102,74	Sag/Rentrante	68
CTV	167+071,94	-		-	-
-	-	Tangent/Tangente	221,28	-	-
TCV	167+293,22	-		-	-
PIV	167+337,62	PARABOLE	88,80	Sag/Rentrante	62
CTV	167+382,02	-		-	-
-	-	Tangent/Tangente	50,76	-	-
TCV	167+432,78	-		-	-
PIV	167+496,23	PARABOLE	126,91	Crest/Saillante	67
CTV	167+559,69	-		-	-
-	-	Tangent/Tangente	27,04	-	-
TCV	167+586,73	-		-	-
PIV	167+645,67	PARABOLE	117,88	Sag/Rentrante	108
CTV	167+704,61	-		-	-
-	-	Tangent/Tangente	51,41	-	-
TCV	167+756,01	-		-	-
PIV	167+795,24	PARABOLE	78,45	Sag/Rentrante	67
CTV	167+834,47	-		-	-
-	-	Tangent/Tangente	103,40	-	-
TCV	167+937,86	-		-	-
PIV	168+028,14	PARABOLE	180,55	Crest/Saillante	190
CTV	168+118,41	-		-	-
-	-	Tangent/Tangente	145,08	-	-
TCV	168+263,50	-		-	-
PIV	168+371,73	PARABOLE	216,47	Crest/Saillante	242

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	168+479,97	-		-	-
-	-	Tangent/Tangente	101,24	-	-
TCV	168+581,21	-		-	-
PIV	168+676,64	PARABOLE	190,86	Crest/Saillante	122
CTV	168+772,07	-		-	-
-	-	Tangent/Tangente	55,31	-	-
TCV	168+827,38	-		-	-
PIV	168+882,75	PARABOLE	110,73	Crest/Saillante	102
CTV	168+938,11	-		-	-
-	-	Tangent/Tangente	28,78	-	-
TCV	168+966,89	-		-	-
PIV	169+022,31	PARABOLE	110,85	Sag/Rentrante	58
CTV	169+077,74	-		-	-
-	-	Tangent/Tangente	250,57	-	-
TCV	169+328,31	-		-	-
PIV	169+423,68	PARABOLE	190,74	Crest/Saillante	95
CTV	169+519,05	-		-	-
-	-	Tangent/Tangente	8,68	-	-
PIV	169+527,73	-		-	-
-	-	Tangent/Tangente	24,64	-	-
TCV	169+552,37	-		-	-
PIV	169+594,79	PARABOLE	84,84	Sag/Rentrante	126
CTV	169+637,21	-		-	-
-	-	Tangent/Tangente	66,75	-	-
TCV	169+703,97	-		-	-
PIV	169+724,53	PARABOLE	41,13	Crest/Saillante	153
CTV	169+745,10	-		-	-
-	-	Tangent/Tangente	40,21	-	-
TCV	169+785,31	-		-	-
PIV	169+833,02	PARABOLE	95,41	Sag/Rentrante	115
CTV	169+880,72	-		-	-
-	-	Tangent/Tangente	12,05	-	-
TCV	169+892,77	-		-	-
PIV	169+930,28	PARABOLE	75,03	Crest/Saillante	152
CTV	169+967,80	-		-	-
-	-	Tangent/Tangente	27,19	-	-
-	-	Tangent/Tangente	27,19	-	-
TCV	169+994,99	-		-	-
PIV	170+041,36	PARABOLE	92,74	Sag/Rentrante	264
CTV	170+087,73	-		-	-
-	-	Tangent/Tangente	129,72	-	-
TCV	170+217,46	-		-	-
PIV	170+253,72	PARABOLE	72,54	Sag/Rentrante	57

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	170+289,99	-		-	-
-	-	Tangent/Tangente	29,89	-	-
TCV	170+319,88	-		-	-
PIV	170+363,66	PARABOLE	87,55	Crest/Saillante	65
CTV	170+407,43	-		-	-
-	-	Tangent/Tangente	25,99	-	-
TCV	170+433,42	-		-	-
PIV	170+484,43	PARABOLE	102,02	Sag/Rentrante	81
CTV	170+535,44	-		-	-
-	-	Tangent/Tangente	92,38	-	-
TCV	170+627,82	-		-	-
PIV	170+652,89	PARABOLE	50,14	Sag/Rentrante	92
CTV	170+677,96	-		-	-
-	-	Tangent/Tangente	74,99	-	-
TCV	170+752,95	-		-	-
PIV	170+796,14	PARABOLE	86,37	Crest/Saillante	74
CTV	170+839,32	-		-	-
-	-	Tangent/Tangente	10,88	-	-
TCV	170+850,20	-		-	-
PIV	170+895,29	PARABOLE	90,18	Sag/Rentrante	73
CTV	170+940,38	-		-	-
-	-	Tangent/Tangente	112,40	-	-
TCV	171+052,78	-		-	-
PIV	171+089,10	PARABOLE	72,64	Sag/Rentrante	132
CTV	171+125,42	-		-	-
-	-	Tangent/Tangente	53,43	-	-
TCV	171+178,85	-		-	-
PIV	171+202,02	PARABOLE	46,34	Crest/Saillante	104
CTV	171+225,19	-		-	-
-	-	Tangent/Tangente	121,27	-	-
TCV	171+346,46	-		-	-
PIV	171+385,60	PARABOLE	78,27	Crest/Saillante	75
CTV	171+424,73	-		-	-
-	-	Tangent/Tangente	90,11	-	-
TCV	171+514,85	-		-	-
PIV	171+555,91	PARABOLE	82,12	Sag/Rentrante	51
CTV	171+596,97	-		-	-
-	-	Tangent/Tangente	0,51	-	-
TCV	171+597,48	-		-	-
PIV	171+641,58	PARABOLE	88,21	Crest/Saillante	110
CTV	171+685,69	-		-	-
-	-	Tangent/Tangente	13,43	-	-
TCV	171+699,11	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	171+735,54	PARABOLE	72,86	Sag/Rentrante	56
CTV	171+771,97	-		-	-
-	-	Tangent/Tangente	31,75	-	-
TCV	171+803,72	-		-	-
PIV	171+837,93	PARABOLE	68,42	Crest/Saillante	81
CTV	171+872,14	-		-	-
-	-	Tangent/Tangente	19,41	-	-
TCV	171+891,55	-		-	-
PIV	171+929,20	PARABOLE	75,30	Crest/Saillante	84
CTV	171+966,85	-		-	-
-	-	Tangent/Tangente	23,51	-	-
TCV	171+990,37	-		-	-
PIV	172+058,07	PARABOLE	135,42	Sag/Rentrante	82
CTV	172+125,78	-		-	-
-	-	Tangent/Tangente	27,91	-	-
TCV	172+153,69	-		-	-
PIV	172+183,69	PARABOLE	60,00	Sag/Rentrante	57
CTV	172+213,69	-		-	-
-	-	Tangent/Tangente	24,33	-	-
TCV	172+238,02	-		-	-
PIV	172+292,63	PARABOLE	109,23	Crest/Saillante	70
CTV	172+347,25	-		-	-
-	-	Tangent/Tangente	1,18	-	-
TCV	172+348,43	-		-	-
PIV	172+391,93	PARABOLE	86,99	Sag/Rentrante	57
CTV	172+435,42	-		-	-
-	-	Tangent/Tangente	32,82	-	-
TCV	172+468,25	-		-	-
PIV	172+507,50	PARABOLE	78,51	Crest/Saillante	90
CTV	172+546,76	-		-	-
-	-	Tangent/Tangente	30,76	-	-
PIV	172+577,52	-		-	-
-	-	Tangent/Tangente	23,46	-	-
TCV	172+600,98	-		-	-
PIV	172+691,54	PARABOLE	181,11	Crest/Saillante	167
CTV	172+782,09	-		-	-
-	-	Tangent/Tangente	180,54	-	-
TCV	172+962,64	-		-	-
PIV	172+987,73	PARABOLE	50,18	Sag/Rentrante	56
CTV	173+012,82	-		-	-
-	-	Tangent/Tangente	68,40	-	-
TCV	173+081,22	-		-	-
PIV	173+136,92	PARABOLE	111,39	Crest/Saillante	68

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	173+192,61	-		-	-
-	-	Tangent/Tangente	20,88	-	-
TCV	173+213,50	-		-	-
PIV	173+276,09	PARABOLE	125,20	Sag/Rentrante	61
CTV	173+338,69	-		-	-
-	-	Tangent/Tangente	21,51	-	-
PIV	173+360,20	-		-	-
-	-	Tangent/Tangente	101,55	-	-
TCV	173+461,75	-		-	-
PIV	173+491,75	PARABOLE	60,00	Sag/Rentrante	265
CTV	173+521,75	-		-	-
-	-	Tangent/Tangente	32,22	-	-
PIV	173+553,98	-		-	-
-	-	Tangent/Tangente	21,54	-	-
TCV	173+575,51	-		-	-
PIV	173+609,94	PARABOLE	68,85	Crest/Saillante	110
CTV	173+644,36	-		-	-
-	-	Tangent/Tangente	76,09	-	-
TCV	173+720,45	-		-	-
PIV	173+740,69	PARABOLE	40,49	Sag/Rentrante	70
CTV	173+760,94	-		-	-
-	-	Tangent/Tangente	76,66	-	-
TCV	173+837,60	-		-	-
PIV	173+886,94	PARABOLE	98,67	Crest/Saillante	90
CTV	173+936,27	-		-	-
-	-	Tangent/Tangente	84,13	-	-
TCV	174+020,41	-		-	-
PIV	174+058,77	PARABOLE	76,73	Sag/Rentrante	321
CTV	174+097,13	-		-	-
-	-	Tangent/Tangente	83,67	-	-
PIV	174+180,80	-		-	-
-	-	Tangent/Tangente	36,14	-	-
TCV	174+216,94	-		-	-
PIV	174+266,44	PARABOLE	99,00	Sag/Rentrante	98
CTV	174+315,94	-		-	-
-	-	Tangent/Tangente	28,53	-	-
TCV	174+344,47	-		-	-
PIV	174+379,48	PARABOLE	70,02	Crest/Saillante	128
CTV	174+414,49	-		-	-
-	-	Tangent/Tangente	150,15	-	-
PIV	174+564,65	-		-	-
-	-	Tangent/Tangente	56,47	-	-
PIV	174+621,12	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	175,65	-	-
TCV	174+796,77	-		-	-
PIV	174+833,64	PARABOLE	73,73	Sag/Rentrante	79
CTV	174+870,50	-		-	-
-	-	Tangent/Tangente	19,69	-	-
TCV	174+890,19	-		-	-
PIV	174+924,14	PARABOLE	67,90	Crest/Saillante	83
CTV	174+958,09	-		-	-
-	-	Tangent/Tangente	96,14	-	-
PIV	175+054,23	-		-	-
-	-	Tangent/Tangente	36,11	-	-
TCV	175+090,35	-		-	-
PIV	175+137,92	PARABOLE	95,14	Crest/Saillante	133
CTV	175+185,48	-		-	-
-	-	Tangent/Tangente	125,88	-	-
TCV	175+311,36	-		-	-
PIV	175+349,84	PARABOLE	76,96	Sag/Rentrante	76
CTV	175+388,32	-		-	-
-	-	Tangent/Tangente	44,36	-	-
TCV	175+432,67	-		-	-
PIV	175+460,35	PARABOLE	55,35	Crest/Saillante	101
CTV	175+488,02	-		-	-
-	-	Tangent/Tangente	0,16	-	-
TCV	175+488,18	-		-	-
PIV	175+518,18	PARABOLE	60,00	Sag/Rentrante	142
CTV	175+548,18	-		-	-
-	-	Tangent/Tangente	72,78	-	-
TCV	175+620,95	-		-	-
PIV	175+692,07	PARABOLE	142,23	Sag/Rentrante	264
CTV	175+763,19	-		-	-
-	-	Tangent/Tangente	2,25	-	-
TCV	175+765,44	-		-	-
PIV	175+820,53	PARABOLE	110,19	Crest/Saillante	93
CTV	175+875,63	-		-	-
-	-	Tangent/Tangente	111,93	-	-
TCV	175+987,56	-		-	-
PIV	176+060,25	PARABOLE	145,38	Sag/Rentrante	57
CTV	176+132,94	-		-	-
-	-	Tangent/Tangente	17,35	-	-
TCV	176+150,29	-		-	-
PIV	176+208,92	PARABOLE	117,27	Crest/Saillante	73
CTV	176+267,55	-		-	-
-	-	Tangent/Tangente	115,80	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	176+383,36	-		-	-
PIV	176+427,97	PARABOLE	89,23	Crest/Saillante	73
CTV	176+472,58	-		-	-
-	-	Tangent/Tangente	36,74	-	-
TCV	176+509,32	-		-	-
PIV	176+583,76	PARABOLE	148,89	Sag/Rentrante	56
CTV	176+658,21	-		-	-
-	-	Tangent/Tangente	65,07	-	-
TCV	176+723,28	-		-	-
PIV	176+761,74	PARABOLE	76,92	Crest/Saillante	81
CTV	176+800,20	-		-	-
-	-	Tangent/Tangente	94,26	-	-
TCV	176+894,47	-		-	-
PIV	176+929,37	PARABOLE	69,80	Sag/Rentrante	224
CTV	176+964,27	-		-	-
-	-	Tangent/Tangente	56,04	-	-
TCV	177+020,31	-		-	-
PIV	177+063,85	PARABOLE	87,09	Crest/Saillante	91
CTV	177+107,40	-		-	-
-	-	Tangent/Tangente	9,91	-	-
TCV	177+117,31	-		-	-
PIV	177+222,26	PARABOLE	209,91	Sag/Rentrante	88
CTV	177+327,22	-		-	-
-	-	Tangent/Tangente	37,23	-	-
TCV	177+364,45	-		-	-
PIV	177+408,55	PARABOLE	88,19	Crest/Saillante	99
CTV	177+452,65	-		-	-
-	-	Tangent/Tangente	46,14	-	-
TCV	177+498,78	-		-	-
PIV	177+533,77	PARABOLE	69,97	Sag/Rentrante	72
CTV	177+568,75	-		-	-
-	-	Tangent/Tangente	43,69	-	-
TCV	177+612,44	-		-	-
PIV	177+642,44	PARABOLE	60,00	Crest/Saillante	102
CTV	177+672,44	-		-	-
-	-	Tangent/Tangente	20,99	-	-
TCV	177+693,44	-		-	-
PIV	177+732,34	PARABOLE	77,81	Sag/Rentrante	266
CTV	177+771,24	-		-	-
-	-	Tangent/Tangente	90,78	-	-
TCV	177+862,02	-		-	-
PIV	177+943,32	PARABOLE	162,59	Sag/Rentrante	261
CTV	178+024,61	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	94,07	-	-
TCV	178+118,68	-		-	-
PIV	178+169,57	PARABOLE	101,77	Crest/Saillante	89
CTV	178+220,45	-		-	-
-	-	Tangent/Tangente	9,60	-	-
TCV	178+230,05	-		-	-
PIV	178+271,55	PARABOLE	82,99	Sag/Rentrante	99
CTV	178+313,04	-		-	-
-	-	Tangent/Tangente	67,73	-	-
TCV	178+380,77	-		-	-
PIV	178+439,67	PARABOLE	117,80	Sag/Rentrante	101
CTV	178+498,58	-		-	-
-	-	Tangent/Tangente	25,90	-	-
TCV	178+524,48	-		-	-
PIV	178+565,05	PARABOLE	81,15	Crest/Saillante	68
CTV	178+605,63	-		-	-
-	-	Tangent/Tangente	48,07	-	-
TCV	178+653,70	-		-	-
PIV	178+683,70	PARABOLE	60,00	Sag/Rentrante	56
CTV	178+713,70	-		-	-
-	-	Tangent/Tangente	37,64	-	-
TCV	178+751,34	-		-	-
PIV	178+775,95	PARABOLE	49,22	Sag/Rentrante	41
CTV	178+800,56	-		-	-
-	-	Tangent/Tangente	92,54	-	-
TCV	178+893,10	-		-	-
PIV	178+964,43	PARABOLE	142,66	Crest/Saillante	69
CTV	179+035,75	-		-	-
-	-	Tangent/Tangente	28,50	-	-
TCV	179+064,25	-		-	-
PIV	179+120,53	PARABOLE	112,56	Sag/Rentrante	82
CTV	179+176,81	-		-	-
-	-	Tangent/Tangente	74,15	-	-
TCV	179+250,96	-		-	-
PIV	179+314,07	PARABOLE	126,21	Sag/Rentrante	53
CTV	179+377,18	-		-	-
-	-	Tangent/Tangente	28,21	-	-
TCV	179+405,39	-		-	-
PIV	179+534,39	PARABOLE	258,01	Crest/Saillante	72
CTV	179+663,40	-		-	-
-	-	Tangent/Tangente	22,20	-	-
TCV	179+685,60	-		-	-
PIV	179+717,45	PARABOLE	63,71	Sag/Rentrante	58



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	179+749,31	-		-	-
-	-	Tangent/Tangente	44,25	-	-
TCV	179+793,56	-		-	-
PIV	179+839,92	PARABOLE	92,72	Crest/Saillante	73
CTV	179+886,27	-		-	-
-	-	Tangent/Tangente	32,28	-	-
TCV	179+918,55	-		-	-
PIV	179+974,35	PARABOLE	111,59	Sag/Rentrante	51
CTV	180+030,14	-		-	-
-	-	Tangent/Tangente		-	-
-	-	Tangent/Tangente	641,67	-	-
TCV	180+671,82	-		-	-
PIV	180+738,32	PARABOLE	133,00	Sag/Rentrante	84
CTV	180+804,82	-		-	-
-	-	Tangent/Tangente	123,01	-	-
TCV	180+927,83	-		-	-
PIV	180+957,83	PARABOLE	60,00	Sag/Rentrante	250
CTV	180+987,83	-		-	-
-	-	Tangent/Tangente	46,00	-	-
TCV	181+033,83	-		-	-
PIV	181+102,51	PARABOLE	137,38	Crest/Saillante	140
CTV	181+171,20	-		-	-
-	-	Tangent/Tangente	206,46	-	-
TCV	181+377,66	-		-	-
PIV	181+426,65	PARABOLE	97,98	Sag/Rentrante	55
CTV	181+475,64	-		-	-
-	-	Tangent/Tangente	8,47	-	-
TCV	181+484,11	-		-	-
PIV	181+590,52	PARABOLE	212,83	Crest/Saillante	64
CTV	181+696,94	-		-	-
-	-	Tangent/Tangente	68,60	-	-
PIV	181+765,54	-		-	-
-	-	Tangent/Tangente	27,92	-	-
TCV	181+793,46	-		-	-
PIV	181+834,28	PARABOLE	81,64	Sag/Rentrante	105
CTV	181+875,10	-		-	-
-	-	Tangent/Tangente	67,65	-	-
TCV	181+942,75	-		-	-
PIV	181+979,32	PARABOLE	73,14	Sag/Rentrante	50
CTV	182+015,89	-		-	-
-	-	Tangent/Tangente	88,19	-	-
TCV	182+104,08	-		-	-
PIV	182+162,71	PARABOLE	117,26	Crest/Saillante	85

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	182+221,34	-		-	-
-	-	Tangent/Tangente	60,36	-	-
PIV	182+281,70	-		-	-
-	-	Tangent/Tangente	32,89	-	-
TCV	182+314,58	-		-	-
PIV	182+405,76	PARABOLE	182,34	Crest/Saillante	126
CTV	182+496,93	-		-	-
-	-	Tangent/Tangente	128,34	-	-
TCV	182+625,27	-		-	-
PIV	182+685,50	PARABOLE	120,46	Sag/Rentrante	73
CTV	182+745,72	-		-	-
-	-	Tangent/Tangente	137,89	-	-
TCV	182+883,61	-		-	-
PIV	182+928,41	PARABOLE	89,58	Sag/Rentrante	82
CTV	182+973,20	-		-	-
-	-	Tangent/Tangente	71,64	-	-
TCV	183+044,83	-		-	-
PIV	183+076,85	PARABOLE	64,04	Crest/Saillante	93
CTV	183+108,88	-		-	-
-	-	Tangent/Tangente	58,05	-	-
TCV	183+166,93	-		-	-
PIV	183+212,74	PARABOLE	91,62	Sag/Rentrante	142
CTV	183+258,55	-		-	-
-	-	Tangent/Tangente	30,31	-	-
PIV	183+288,86	-		-	-
-	-	Tangent/Tangente	63,77	-	-
PIV	183+352,63	-		-	-
-	-	Tangent/Tangente	275,15	-	-
TCV	183+627,78	-		-	-
PIV	183+707,04	PARABOLE	158,51	Sag/Rentrante	265
CTV	183+786,30	-		-	-
-	-	Tangent/Tangente	58,17	-	-
TCV	183+844,47	-		-	-
PIV	183+922,25	PARABOLE	155,56	Crest/Saillante	183
CTV	184+000,03	-		-	-
-	-	Tangent/Tangente	204,65	-	-
PIV	184+204,68	-		-	-
-	-	Tangent/Tangente	47,11	-	-
TCV	184+251,79	-		-	-
PIV	184+277,04	PARABOLE	50,50	Sag/Rentrante	263
CTV	184+302,29	-		-	-
-	-	Tangent/Tangente	84,15	-	-
PIV	184+386,44	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	0,47	-	-
TCV	184+386,90	-		-	-
PIV	184+455,80	PARABOLE	137,80	Sag/Rentrante	212
CTV	184+524,71	-		-	-
-	-	Tangent/Tangente	181,96	-	-
TCV	184+706,67	-		-	-
PIV	184+810,06	PARABOLE	206,79	Crest/Saillante	161
CTV	184+913,45	-		-	-
-	-	Tangent/Tangente	99,15	-	-
TCV	185+012,60	-		-	-
PIV	185+042,60	PARABOLE	60,00	Crest/Saillante	100
CTV	185+072,60	-		-	-
-	-	Tangent/Tangente	35,88	-	-
TCV	185+108,48	-		-	-
PIV	185+155,19	PARABOLE	93,42	Sag/Rentrante	62
CTV	185+201,90	-		-	-
-	-	Tangent/Tangente	53,24	-	-
TCV	185+255,14	-		-	-
PIV	185+277,42	PARABOLE	44,55	Crest/Saillante	148
CTV	185+299,69	-		-	-
-	-	Tangent/Tangente	58,21	-	-
PIV	185+357,90	-		-	-
-	-	Tangent/Tangente	38,20	-	-
TCV	185+396,10	-		-	-
PIV	185+426,10	PARABOLE	60,00	Sag/Rentrante	266
CTV	185+456,10	-		-	-
-	-	Tangent/Tangente	168,05	-	-
TCV	185+624,15	-		-	-
PIV	185+684,53	PARABOLE	120,76	Sag/Rentrante	263
CTV	185+744,91	-		-	-
-	-	Tangent/Tangente	0,29	-	-
TCV	185+745,20	-		-	-
PIV	185+779,39	PARABOLE	68,38	Crest/Saillante	130
CTV	185+813,58	-		-	-
-	-	Tangent/Tangente	55,69	-	-
PIV	185+869,27	-		-	-
-	-	Tangent/Tangente	185,18	-	-
TCV	186+054,45	-		-	-
PIV	186+154,45	PARABOLE	200,00	Sag/Rentrante	267
CTV	186+254,45	-		-	-
-	-	Tangent/Tangente	134,17	-	-
TCV	186+388,62	-		-	-
PIV	186+439,16	PARABOLE	101,09	Sag/Rentrante	65

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	186+489,70	-		-	-
-	-	Tangent/Tangente	48,32	-	-
TCV	186+538,03	-		-	-
PIV	186+603,75	PARABOLE	131,44	Crest/Saillante	71
CTV	186+669,47	-		-	-
-	-	Tangent/Tangente	18,93	-	-
TCV	186+688,40	-		-	-
PIV	186+745,72	PARABOLE	114,64	Sag/Rentrante	79
CTV	186+803,04	-		-	-
-	-	Tangent/Tangente	270,96	-	-
TCV	187+074,00	-		-	-
PIV	187+104,00	PARABOLE	60,00	Sag/Rentrante	266
CTV	187+134,00	-		-	-
-	-	Tangent/Tangente	118,00	-	-
TCV	187+252,00	-		-	-
PIV	187+285,72	PARABOLE	67,44	Sag/Rentrante	261
CTV	187+319,44	-		-	-
-	-	Tangent/Tangente	1,78	-	-
TCV	187+321,22	-		-	-
PIV	187+352,38	PARABOLE	62,32	Crest/Saillante	102
CTV	187+383,55	-		-	-
-	-	Tangent/Tangente	98,51	-	-
TCV	187+482,05	-		-	-
PIV	187+512,05	PARABOLE	60,00	Sag/Rentrante	265
CTV	187+542,05	-		-	-
-	-	Tangent/Tangente	344,87	-	-
TCV	187+886,92	-		-	-
PIV	187+916,92	PARABOLE	60,00	Sag/Rentrante	265
CTV	187+946,92	-		-	-
-	-	Tangent/Tangente	30,47	-	-
TCV	187+977,39	-		-	-
PIV	188+007,39	PARABOLE	60,00	Crest/Saillante	155
CTV	188+037,39	-		-	-
-	-	Tangent/Tangente	33,75	-	-
TCV	188+071,14	-		-	-
PIV	188+110,99	PARABOLE	79,70	Sag/Rentrante	87
CTV	188+150,84	-		-	-
-	-	Tangent/Tangente	26,11	-	-
TCV	188+176,95	-		-	-
PIV	188+198,70	PARABOLE	43,50	Crest/Saillante	104
CTV	188+220,45	-		-	-
-	-	Tangent/Tangente	44,48	-	-
TCV	188+264,93	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	188+288,45	PARABOLE	47,04	Sag/Rentrante	263
CTV	188+311,97	-		-	-
-	-	Tangent/Tangente	1,18	-	-
TCV	188+313,15	-		-	-
PIV	188+355,30	PARABOLE	84,30	Crest/Saillante	166
CTV	188+397,45	-		-	-
-	-	Tangent/Tangente	20,35	-	-
TCV	188+417,79	-		-	-
PIV	188+457,16	PARABOLE	78,73	Sag/Rentrante	65
CTV	188+496,52	-		-	-
-	-	Tangent/Tangente	26,12	-	-
TCV	188+522,64	-		-	-
PIV	188+584,09	PARABOLE	122,90	Crest/Saillante	80
CTV	188+645,54	-		-	-
-	-	Tangent/Tangente	20,55	-	-
TCV	188+666,09	-		-	-
PIV	188+720,99	PARABOLE	109,81	Sag/Rentrante	63
CTV	188+775,90	-		-	-
-	-	Tangent/Tangente	77,70	-	-
TCV	188+853,60	-		-	-
PIV	188+945,00	PARABOLE	182,80	Crest/Saillante	80
CTV	189+036,40	-		-	-
-	-	Tangent/Tangente	59,05	-	-
TCV	189+095,45	-		-	-
PIV	189+139,75	PARABOLE	88,60	Sag/Rentrante	59
CTV	189+184,05	-		-	-
-	-	Tangent/Tangente	60,58	-	-
PIV	189+244,64	-		-	-
-	-	Tangent/Tangente	217,30	-	-
TCV	189+461,94	-		-	-
PIV	189+529,88	PARABOLE	135,89	Sag/Rentrante	111
CTV	189+597,83	-		-	-
-	-	Tangent/Tangente	43,30	-	-
TCV	189+641,13	-		-	-
PIV	189+671,13	PARABOLE	60,00	Crest/Saillante	106
CTV	189+701,13	-		-	-
-	-	Tangent/Tangente	86,48	-	-
TCV	189+787,61	-		-	-
PIV	189+817,61	PARABOLE	60,00	Sag/Rentrante	260
CTV	189+847,61	-		-	-
-	-	Tangent/Tangente	62,97	-	-
TCV	189+910,58	-		-	-
PIV	189+940,58	PARABOLE	60,00	Crest/Saillante	115

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	189+970,58	-		-	-
-	-	Tangent/Tangente	78,36	-	-
-	-	Tangent/Tangente	78,36	-	-
PIV	190+048,93	-		-	-
-	-	Tangent/Tangente	31,59	-	-
TCV	190+080,52	-		-	-
PIV	190+129,66	PARABOLE	98,28	Sag/Rentrante	108
CTV	190+178,80	-		-	-
-	-	Tangent/Tangente	38,87	-	-
PIV	190+217,67	-		-	-
-	-	Tangent/Tangente	86,15	-	-
TCV	190+303,82	-		-	-
PIV	190+389,24	PARABOLE	170,85	Sag/Rentrante	106
CTV	190+474,67	-		-	-
-	-	Tangent/Tangente	101,43	-	-
TCV	190+576,10	-		-	-
PIV	190+606,10	PARABOLE	60,00	Crest/Saillante	106
CTV	190+636,10	-		-	-
-	-	Tangent/Tangente	28,20	-	-
TCV	190+664,29	-		-	-
PIV	190+694,29	PARABOLE	60,00	Sag/Rentrante	153
CTV	190+724,29	-		-	-
-	-	Tangent/Tangente	12,97	-	-
TCV	190+737,26	-		-	-
PIV	190+780,61	PARABOLE	86,69	Crest/Saillante	64
CTV	190+823,96	-		-	-
-	-	Tangent/Tangente	63,46	-	-
TCV	190+887,41	-		-	-
PIV	190+935,46	PARABOLE	96,09	Sag/Rentrante	62
CTV	190+983,50	-		-	-
-	-	Tangent/Tangente	46,98	-	-
TCV	191+030,47	-		-	-
PIV	191+060,47	PARABOLE	60,00	Crest/Saillante	117
CTV	191+090,47	-		-	-
-	-	Tangent/Tangente	25,64	-	-
TCV	191+116,11	-		-	-
PIV	191+155,04	PARABOLE	77,85	Sag/Rentrante	44
CTV	191+193,96	-		-	-
-	-	Tangent/Tangente	75,82	-	-
TCV	191+269,79	-		-	-
PIV	191+299,79	PARABOLE	60,00	Crest/Saillante	57
CTV	191+329,79	-		-	-
-	-	Tangent/Tangente	56,51	-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
TCV	191+386,30	-		-	-	-
PIV	191+423,13	PARABOLE	73,66	Sag/Rentrante	48	
CTV	191+459,96	-		-	-	-
-	-	Tangent/Tangente	10,23	-	-	-
TCV	191+470,19	-		-	-	-
PIV	191+492,05	PARABOLE	43,72	Crest/Saillante	68	
CTV	191+513,92	-		-	-	-
-	-	Tangent/Tangente	59,62	-	-	-
TCV	191+573,54	-		-	-	-
PIV	191+642,47	PARABOLE	137,87	Crest/Saillante	80	
CTV	191+711,41	-		-	-	-
-	-	Tangent/Tangente	278,11	-	-	-
TCV	191+989,52	-		-	-	-
PIV	192+306,91	PARABOLE	634,79	Crest/Saillante	129	
CTV	192+624,31	-		-	-	-
-	-	Tangent/Tangente	39,61	-	-	-
TCV	192+663,92	-		-	-	-
PIV	192+748,90	PARABOLE	169,95	Sag/Rentrante	50	
CTV	192+833,88	-		-	-	-
-	-	Tangent/Tangente	152,60	-	-	-
TCV	192+986,47	-		-	-	-
PIV	193+033,10	PARABOLE	93,26	Sag/Rentrante	56	
CTV	193+079,73	-		-	-	-
-	-	Tangent/Tangente	33,38	-	-	-
TCV	193+113,11	-		-	-	-
PIV	193+173,13	PARABOLE	120,05	Crest/Saillante	64	
CTV	193+233,16	-		-	-	-
-	-	Tangent/Tangente	55,71	-	-	-
PIV	193+288,87	-		-	-	-
-	-	Tangent/Tangente	24,77	-	-	-
TCV	193+313,64	-		-	-	-
PIV	193+350,61	PARABOLE	73,94	Crest/Saillante	84	
CTV	193+387,58	-		-	-	-
-	-	Tangent/Tangente	29,74	-	-	-
TCV	193+417,32	-		-	-	-
PIV	193+499,12	PARABOLE	163,60	Sag/Rentrante	50	
CTV	193+580,92	-		-	-	-
-	-	Tangent/Tangente	6,65	-	-	-
TCV	193+587,57	-		-	-	-
PIV	193+625,62	PARABOLE	76,10	Sag/Rentrante	48	
CTV	193+663,67	-		-	-	-
-	-	Tangent/Tangente	195,74	-	-	-
PIV	193+859,41	-		-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	21,99	-	-
TCV	193+881,40	-		-	-
PIV	193+965,77	PARABOLE	168,75	Crest/Saillante	65
CTV	194+050,15	-		-	-
-	-	Tangent/Tangente	198,84	-	-
TCV	194+248,99	-		-	-
PIV	194+288,80	PARABOLE	79,63	Sag/Rentrante	49
CTV	194+328,61	-		-	-
-	-	Tangent/Tangente	61,13	-	-
TCV	194+389,74	-		-	-
PIV	194+419,74	PARABOLE	60,00	Crest/Saillante	88
CTV	194+449,74	-		-	-
-	-	Tangent/Tangente	173,59	-	-
TCV	194+623,33	-		-	-
PIV	194+688,70	PARABOLE	130,74	Sag/Rentrante	91
CTV	194+754,07	-		-	-
-	-	Tangent/Tangente	36,04	-	-
PIV	194+790,12	-		-	-
-	-	Tangent/Tangente	31,39	-	-
TCV	194+821,51	-		-	-
PIV	194+897,90	PARABOLE	152,78	Crest/Saillante	102
CTV	194+974,29	-		-	-
-	-	Tangent/Tangente	107,00	-	-
TCV	195+081,29	-		-	-
PIV	195+209,81	PARABOLE	257,05	Crest/Saillante	222
CTV	195+338,34	-		-	-
-	-	Tangent/Tangente	43,49	-	-
TCV	195+381,83	-		-	-
PIV	195+419,54	PARABOLE	75,43	Sag/Rentrante	168
CTV	195+457,26	-		-	-
-	-	Tangent/Tangente	85,36	-	-
TCV	195+542,62	-		-	-
PIV	195+572,62	PARABOLE	60,00	Crest/Saillante	80
CTV	195+602,62	-		-	-
-	-	Tangent/Tangente	95,66	-	-
TCV	195+698,29	-		-	-
PIV	195+755,91	PARABOLE	115,25	Sag/Rentrante	77
CTV	195+813,53	-		-	-
-	-	Tangent/Tangente	193,73	-	-
TCV	196+007,26	-		-	-
PIV	196+037,26	PARABOLE	60,00	Crest/Saillante	73
CTV	196+067,26	-		-	-
-	-	Tangent/Tangente	36,25	-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	196+103,51	-		-	-
PIV	196+147,58	PARABOLE	88,14	Sag/Rentrante	63
CTV	196+191,65	-		-	-
-	-	Tangent/Tangente	277,44	-	-
TCV	196+469,09	-		-	-
PIV	196+524,21	PARABOLE	110,24	Sag/Rentrante	262
CTV	196+579,33	-		-	-
-	-	Tangent/Tangente	45,87	-	-
TCV	196+625,20	-		-	-
PIV	196+680,34	PARABOLE	110,27	Crest/Saillante	140
CTV	196+735,47	-		-	-
-	-	Tangent/Tangente	85,98	-	-
TCV	196+821,45	-		-	-
PIV	196+851,45	PARABOLE	60,00	Sag/Rentrante	285
CTV	196+881,45	-		-	-
-	-	Tangent/Tangente	164,82	-	-
TCV	197+046,27	-		-	-
PIV	197+088,99	PARABOLE	85,44	Sag/Rentrante	83
CTV	197+131,71	-		-	-
-	-	Tangent/Tangente	162,05	-	-
TCV	197+293,76	-		-	-
PIV	197+318,20	PARABOLE	48,88	Sag/Rentrante	251
CTV	197+342,64	-		-	-
-	-	Tangent/Tangente	63,61	-	-
TCV	197+406,26	-		-	-
PIV	197+457,62	PARABOLE	102,72	Crest/Saillante	69
CTV	197+508,98	-		-	-
-	-	Tangent/Tangente	71,80	-	-
TCV	197+580,78	-		-	-
PIV	197+610,78	PARABOLE	60,00	Crest/Saillante	172
CTV	197+640,78	-		-	-
-	-	Tangent/Tangente	33,55	-	-
TCV	197+674,33	-		-	-
PIV	197+704,33	PARABOLE	60,00	Sag/Rentrante	54
CTV	197+734,33	-		-	-
-	-	Tangent/Tangente	113,08	-	-
TCV	197+847,41	-		-	-
PIV	197+892,57	PARABOLE	90,31	Sag/Rentrante	56
CTV	197+937,72	-		-	-
-	-	Tangent/Tangente	13,73	-	-
TCV	197+951,45	-		-	-
PIV	198+012,83	PARABOLE	122,76	Crest/Saillante	130
CTV	198+074,20	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	50,94	-	-
TCV	198+125,14	-		-	-
PIV	198+164,87	PARABOLE	79,45	Crest/Saillante	66
CTV	198+204,59	-		-	-
-	-	Tangent/Tangente	41,99	-	-
TCV	198+246,58	-		-	-
PIV	198+312,70	PARABOLE	132,24	Sag/Rentrante	45
CTV	198+378,83	-		-	-
-	-	Tangent/Tangente	48,38	-	-
TCV	198+427,21	-		-	-
PIV	198+468,55	PARABOLE	82,69	Crest/Saillante	60
CTV	198+509,90	-		-	-
-	-	Tangent/Tangente	111,24	-	-
TCV	198+621,14	-		-	-
PIV	198+651,14	PARABOLE	60,00	Sag/Rentrante	106
CTV	198+681,14	-		-	-
-	-	Tangent/Tangente	13,67	-	-
TCV	198+694,80	-		-	-
PIV	198+715,42	PARABOLE	41,23	Crest/Saillante	74
CTV	198+736,03	-		-	-
-	-	Tangent/Tangente	1,61	-	-
TCV	198+737,64	-		-	-
PIV	198+778,72	PARABOLE	82,17	Sag/Rentrante	65
CTV	198+819,81	-		-	-
-	-	Tangent/Tangente	47,57	-	-
TCV	198+867,37	-		-	-
PIV	198+920,79	PARABOLE	106,83	Crest/Saillante	65
CTV	198+974,20	-		-	-
-	-	Tangent/Tangente	73,74	-	-
TCV	199+047,95	-		-	-
PIV	199+095,83	PARABOLE	95,76	Sag/Rentrante	55
CTV	199+143,71	-		-	-
-	-	Tangent/Tangente	127,06	-	-
TCV	199+270,77	-		-	-
PIV	199+328,94	PARABOLE	116,34	Sag/Rentrante	49
CTV	199+387,11	-		-	-
-	-	Tangent/Tangente	31,59	-	-
TCV	199+418,70	-		-	-
PIV	199+448,70	PARABOLE	60,00	Crest/Saillante	113
CTV	199+478,70	-		-	-
-	-	Tangent/Tangente	19,64	-	-
TCV	199+498,34	-		-	-
PIV	199+567,33	PARABOLE	137,98	Crest/Saillante	77

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	199+636,32	-		-	-
-	-	Tangent/Tangente	61,35	-	-
TCV	199+697,67	-		-	-
PIV	199+749,47	PARABOLE	103,60	Crest/Saillante	77
CTV	199+801,27	-		-	-
-	-	Tangent/Tangente	174,80	-	-
-	-	Tangent/Tangente	174,80	-	-
TCV	199+976,08	-		-	-
PIV	200+007,19	PARABOLE	62,23	Sag/Rentrante	45
CTV	200+038,31	-		-	-
-	-	Tangent/Tangente	48,54	-	-
TCV	200+086,85	-		-	-
PIV	200+154,96	PARABOLE	136,21	Crest/Saillante	72
CTV	200+223,06	-		-	-
-	-	Tangent/Tangente	37,47	-	-
TCV	200+260,53	-		-	-
PIV	200+285,53	PARABOLE	50,00	Sag/Rentrante	48
CTV	200+310,53	-		-	-
-	-	Tangent/Tangente	2,80	-	-
TCV	200+313,33	-		-	-
PIV	200+352,59	PARABOLE	78,52	Crest/Saillante	88
CTV	200+391,85	-		-	-
-	-	Tangent/Tangente	90,25	-	-
TCV	200+482,09	-		-	-
PIV	200+503,33	PARABOLE	42,48	Sag/Rentrante	68
CTV	200+524,57	-		-	-
-	-	Tangent/Tangente	12,28	-	-
TCV	200+536,85	-		-	-
PIV	200+558,44	PARABOLE	43,19	Crest/Saillante	56
CTV	200+580,04	-		-	-
-	-	Tangent/Tangente	80,59	-	-
TCV	200+660,63	-		-	-
PIV	200+707,15	PARABOLE	93,03	Sag/Rentrante	46
CTV	200+753,66	-		-	-
-	-	Tangent/Tangente	382,03	-	-
TCV	201+135,70	-		-	-
PIV	201+180,42	PARABOLE	89,44	Sag/Rentrante	45
CTV	201+225,14	-		-	-
-	-	Tangent/Tangente	14,79	-	-
TCV	201+239,93	-		-	-
PIV	201+283,45	PARABOLE	87,05	Crest/Saillante	69
CTV	201+326,98	-		-	-
-	-	Tangent/Tangente	48,38	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	201+375,36	-		-	-
PIV	201+425,36	PARABOLE	100,00	Crest/Saillante	92
CTV	201+475,36	-		-	-
-	-	Tangent/Tangente	5,97	-	-
TCV	201+481,33	-		-	-
PIV	201+506,33	PARABOLE	50,00	Sag/Rentrante	264
CTV	201+531,33	-		-	-
-	-	Tangent/Tangente	72,33	-	-
TCV	201+603,67	-		-	-
PIV	201+631,84	PARABOLE	56,35	Sag/Rentrante	260
CTV	201+660,01	-		-	-
-	-	Tangent/Tangente	24,07	-	-
TCV	201+684,08	-		-	-
PIV	201+809,08	PARABOLE	250,00	Crest/Saillante	91
CTV	201+934,08	-		-	-
-	-	Tangent/Tangente	56,54	-	-
TCV	201+990,62	-		-	-
PIV	202+015,23	PARABOLE	49,23	Sag/Rentrante	53
CTV	202+039,85	-		-	-
-	-	Tangent/Tangente	47,24	-	-
TCV	202+087,09	-		-	-
PIV	202+128,47	PARABOLE	82,77	Crest/Saillante	82
CTV	202+169,86	-		-	-
-	-	Tangent/Tangente	100,48	-	-
TCV	202+270,34	-		-	-
PIV	202+389,80	PARABOLE	238,92	Sag/Rentrante	69
CTV	202+509,26	-		-	-
-	-	Tangent/Tangente	227,08	-	-
TCV	202+736,34	-		-	-
PIV	202+796,34	PARABOLE	120,00	Crest/Saillante	71
CTV	202+856,34	-		-	-
-	-	Tangent/Tangente	16,09	-	-
TCV	202+872,43	-		-	-
PIV	202+992,06	PARABOLE	239,26	Sag/Rentrante	78
CTV	203+111,69	-		-	-
-	-	Tangent/Tangente	38,13	-	-
TCV	203+149,82	-		-	-
PIV	203+195,87	PARABOLE	92,10	Crest/Saillante	72
CTV	203+241,92	-		-	-
-	-	Tangent/Tangente	80,60	-	-
TCV	203+322,52	-		-	-
PIV	203+352,02	PARABOLE	59,01	Sag/Rentrante	57
CTV	203+381,53	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	12,84	-	-
TCV	203+394,37	-		-	-
PIV	203+435,65	PARABOLE	82,56	Crest/Saillante	65
CTV	203+476,93	-		-	-
-	-	Tangent/Tangente	14,98	-	-
TCV	203+491,91	-		-	-
PIV	203+531,91	PARABOLE	80,00	Sag/Rentrante	67
CTV	203+571,91	-		-	-
-	-	Tangent/Tangente	233,17	-	-
TCV	203+805,08	-		-	-
PIV	203+855,08	PARABOLE	100,00	Crest/Saillante	80
CTV	203+905,08	-		-	-
-	-	Tangent/Tangente	23,39	-	-
TCV	203+928,47	-		-	-
PIV	203+988,22	PARABOLE	119,50	Sag/Rentrante	59
CTV	204+047,97	-		-	-
-	-	Tangent/Tangente	406,43	-	-
TCV	204+454,40	-		-	-
PIV	204+626,29	PARABOLE	343,78	Crest/Saillante	214
CTV	204+798,18	-		-	-
-	-	Tangent/Tangente	111,92	-	-
TCV	204+910,09	-		-	-
PIV	204+960,09	PARABOLE	100,00	Sag/Rentrante	429
CTV	205+010,09	-		-	-
-	-	Tangent/Tangente	38,33	-	-
TCV	205+048,42	-		-	-
PIV	205+098,42	PARABOLE	100,00	Crest/Saillante	107
CTV	205+148,42	-		-	-
-	-	Tangent/Tangente	31,94	-	-
TCV	205+180,36	-		-	-
PIV	205+225,59	PARABOLE	90,47	Sag/Rentrante	49
CTV	205+270,83	-		-	-
-	-	Tangent/Tangente	73,70	-	-
TCV	205+344,53	-		-	-
PIV	205+389,61	PARABOLE	90,16	Crest/Saillante	81
CTV	205+434,69	-		-	-
-	-	Tangent/Tangente	82,05	-	-
TCV	205+516,74	-		-	-
PIV	205+562,06	PARABOLE	90,65	Crest/Saillante	115
CTV	205+607,39	-		-	-
-	-	Tangent/Tangente	77,95	-	-
TCV	205+685,34	-		-	-
PIV	205+810,34	PARABOLE	250,00	Sag/Rentrante	151

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	205+935,34	-		-	-
-	-	Tangent/Tangente	52,67	-	-
TCV	205+988,01	-		-	-
PIV	206+038,01	PARABOLE	100,00	Crest/Saillante	73
CTV	206+088,01	-		-	-
-	-	Tangent/Tangente	48,28	-	-
TCV	206+136,28	-		-	-
PIV	206+224,18	PARABOLE	175,80	Sag/Rentrante	52
CTV	206+312,08	-		-	-
-	-	Tangent/Tangente	12,29	-	-
TCV	206+324,37	-		-	-
PIV	206+389,37	PARABOLE	130,00	Crest/Saillante	69
CTV	206+454,37	-		-	-
-	-	Tangent/Tangente	240,67	-	-
TCV	206+695,04	-		-	-
PIV	206+743,59	PARABOLE	97,10	Sag/Rentrante	71
CTV	206+792,14	-		-	-
-	-	Tangent/Tangente	7,39	-	-
TCV	206+799,52	-		-	-
PIV	206+867,61	PARABOLE	136,17	Crest/Saillante	85
CTV	206+935,70	-		-	-
-	-	Tangent/Tangente	72,84	-	-
TCV	207+008,54	-		-	-
PIV	207+083,54	PARABOLE	150,00	Sag/Rentrante	76
CTV	207+158,54	-		-	-
-	-	Tangent/Tangente	174,32	-	-
TCV	207+332,86	-		-	-
PIV	207+434,60	PARABOLE	203,49	Crest/Saillante	118
CTV	207+536,35	-		-	-
-	-	Tangent/Tangente	35,05	-	-
TCV	207+571,40	-		-	-
PIV	207+703,82	PARABOLE	264,84	Sag/Rentrante	263
CTV	207+836,24	-		-	-
-	-	Tangent/Tangente	19,84	-	-
TCV	207+856,08	-		-	-
PIV	207+909,39	PARABOLE	106,63	Crest/Saillante	111
CTV	207+962,71	-		-	-
-	-	Tangent/Tangente	221,64	-	-
TCV	208+184,35	-		-	-
PIV	208+223,84	PARABOLE	78,98	Crest/Saillante	122
CTV	208+263,33	-		-	-
-	-	Tangent/Tangente	14,97	-	-
TCV	208+278,30	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	208+321,68	PARABOLE	86,76	Sag/Rentrante	67
CTV	208+365,06	-		-	-
-	-	Tangent/Tangente	2,54	-	-
TCV	208+367,60	-		-	-
PIV	208+442,60	PARABOLE	150,00	Crest/Saillante	134
CTV	208+517,60	-		-	-
-	-	Tangent/Tangente	99,55	-	-
TCV	208+617,15	-		-	-
PIV	208+679,65	PARABOLE	125,00	Sag/Rentrante	63
CTV	208+742,15	-		-	-
-	-	Tangent/Tangente	168,85	-	-
TCV	208+911,00	-		-	-
PIV	209+005,40	PARABOLE	188,80	Crest/Saillante	63
CTV	209+099,80	-		-	-
-	-	Tangent/Tangente	27,85	-	-
TCV	209+127,65	-		-	-
PIV	209+164,44	PARABOLE	73,57	Sag/Rentrante	40
CTV	209+201,22	-		-	-
-	-	Tangent/Tangente	60,61	-	-
TCV	209+261,84	-		-	-
PIV	209+311,84	PARABOLE	100,00	Sag/Rentrante	73
CTV	209+361,84	-		-	-
-	-	Tangent/Tangente	58,03	-	-
TCV	209+419,86	-		-	-
PIV	209+479,86	PARABOLE	120,00	Crest/Saillante	89
CTV	209+539,86	-		-	-
-	-	Tangent/Tangente	0,11	-	-
TCV	209+539,98	-		-	-
PIV	209+583,30	PARABOLE	86,65	Sag/Rentrante	49
CTV	209+626,62	-		-	-
-	-	Tangent/Tangente	183,04	-	-
TCV	209+809,67	-		-	-
PIV	209+886,73	PARABOLE	154,13	Crest/Saillante	85
CTV	209+963,80	-		-	-
-	-	Tangent/Tangente	153,37	-	-
-	-	Tangent/Tangente	153,37	-	-
TCV	210+117,17	-		-	-
PIV	210+167,17	PARABOLE	100,00	Sag/Rentrante	60
CTV	210+217,17	-		-	-
-	-	Tangent/Tangente	24,19	-	-
TCV	210+241,36	-		-	-
PIV	210+296,36	PARABOLE	110,00	Crest/Saillante	71
CTV	210+351,36	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	32,03	-	-
TCV	210+383,39	-		-	-
PIV	210+423,39	PARABOLE	80,00	Sag/Rentrante	194
CTV	210+463,39	-		-	-
-	-	Tangent/Tangente	155,75	-	-
TCV	210+619,13	-		-	-
PIV	210+644,13	PARABOLE	50,00	Sag/Rentrante	262
CTV	210+669,13	-		-	-
-	-	Tangent/Tangente	2,82	-	-
TCV	210+671,96	-		-	-
PIV	210+711,96	PARABOLE	80,00	Crest/Saillante	107
CTV	210+751,96	-		-	-
-	-	Tangent/Tangente	105,83	-	-
TCV	210+857,79	-		-	-
PIV	210+911,34	PARABOLE	107,09	Sag/Rentrante	49
CTV	210+964,88	-		-	-
-	-	Tangent/Tangente	58,70	-	-
TCV	211+023,58	-		-	-
PIV	211+056,68	PARABOLE	66,19	Crest/Saillante	61
CTV	211+089,77	-		-	-
-	-	Tangent/Tangente	45,52	-	-
TCV	211+135,29	-		-	-
PIV	211+175,29	PARABOLE	80,00	Sag/Rentrante	262
CTV	211+215,29	-		-	-
-	-	Tangent/Tangente	47,92	-	-
TCV	211+263,21	-		-	-
PIV	211+311,00	PARABOLE	95,58	Sag/Rentrante	75
CTV	211+358,79	-		-	-
-	-	Tangent/Tangente	89,39	-	-
TCV	211+448,18	-		-	-
PIV	211+498,85	PARABOLE	101,33	Crest/Saillante	80
CTV	211+549,52	-		-	-
-	-	Tangent/Tangente	218,64	-	-
TCV	211+768,15	-		-	-
PIV	211+817,16	PARABOLE	98,01	Sag/Rentrante	336
CTV	211+866,17	-		-	-
-	-	Tangent/Tangente	224,21	-	-
TCV	212+090,38	-		-	-
PIV	212+124,39	PARABOLE	68,01	Crest/Saillante	96
CTV	212+158,39	-		-	-
-	-	Tangent/Tangente	39,99	-	-
TCV	212+198,38	-		-	-
PIV	212+227,00	PARABOLE	57,24	Sag/Rentrante	55



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	212+255,62	-		-	-
-	-	Tangent/Tangente	30,38	-	-
TCV	212+286,00	-		-	-
PIV	212+316,00	PARABOLE	60,00	Crest/Saillante	67
CTV	212+346,00	-		-	-
-	-	Tangent/Tangente	118,66	-	-
TCV	212+464,67	-		-	-
PIV	212+529,67	PARABOLE	130,00	Sag/Rentrante	66
CTV	212+594,67	-		-	-
-	-	Tangent/Tangente	28,32	-	-
TCV	212+622,99	-		-	-
PIV	212+662,99	PARABOLE	80,00	Crest/Saillante	106
CTV	212+702,99	-		-	-
-	-	Tangent/Tangente	92,75	-	-
TCV	212+795,73	-		-	-
PIV	212+830,73	PARABOLE	70,00	Crest/Saillante	90
CTV	212+865,73	-		-	-
-	-	Tangent/Tangente	70,47	-	-
TCV	212+936,21	-		-	-
PIV	212+981,21	PARABOLE	90,00	Sag/Rentrante	52
CTV	213+026,21	-		-	-
-	-	Tangent/Tangente	54,34	-	-
TCV	213+080,55	-		-	-
PIV	213+125,55	PARABOLE	90,00	Crest/Saillante	127
CTV	213+170,55	-		-	-
-	-	Tangent/Tangente	100,86	-	-
TCV	213+271,41	-		-	-
PIV	213+321,41	PARABOLE	100,00	Sag/Rentrante	265
CTV	213+371,41	-		-	-
-	-	Tangent/Tangente	157,93	-	-
TCV	213+529,34	-		-	-
PIV	213+619,34	PARABOLE	180,00	Crest/Saillante	115
CTV	213+709,34	-		-	-
-	-	Tangent/Tangente	14,86	-	-
TCV	213+724,19	-		-	-
PIV	213+759,19	PARABOLE	70,00	Sag/Rentrante	110
CTV	213+794,19	-		-	-
-	-	Tangent/Tangente	52,28	-	-
TCV	213+846,48	-		-	-
PIV	213+888,55	PARABOLE	84,14	Crest/Saillante	80
CTV	213+930,61	-		-	-
-	-	Tangent/Tangente	69,06	-	-
TCV	213+999,67	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	214+069,67	PARABOLE	140,00	Sag/Rentrante	78
CTV	214+139,67	-		-	-
-	-	Tangent/Tangente	106,92	-	-
TCV	214+246,60	-		-	-
PIV	214+451,95	PARABOLE	410,71	Crest/Saillante	193
CTV	214+657,30	-		-	-
-	-	Tangent/Tangente	84,84	-	-
TCV	214+742,14	-		-	-
PIV	214+842,14	PARABOLE	200,00	Sag/Rentrante	265
CTV	214+942,14	-		-	-
-	-	Tangent/Tangente	288,89	-	-
TCV	215+231,03	-		-	-
PIV	215+331,03	PARABOLE	200,00	Crest/Saillante	145
CTV	215+431,03	-		-	-
-	-	Tangent/Tangente	17,51	-	-
TCV	215+448,54	-		-	-
PIV	215+573,54	PARABOLE	250,00	Sag/Rentrante	125
CTV	215+698,54	-		-	-
-	-	Tangent/Tangente	192,53	-	-
TCV	215+891,07	-		-	-
PIV	215+946,07	PARABOLE	110,00	Crest/Saillante	78
CTV	216+001,07	-		-	-
-	-	Tangent/Tangente	21,96	-	-
TCV	216+023,03	-		-	-
PIV	216+108,26	PARABOLE	170,45	Sag/Rentrante	62
CTV	216+193,48	-		-	-
-	-	Tangent/Tangente	95,25	-	-
TCV	216+288,73	-		-	-
PIV	216+336,51	PARABOLE	95,57	Crest/Saillante	64
CTV	216+384,29	-		-	-
-	-	Tangent/Tangente	80,53	-	-
TCV	216+464,83	-		-	-
PIV	216+484,83	PARABOLE	40,00	Crest/Saillante	118
CTV	216+504,83	-		-	-
-	-	Tangent/Tangente	3,48	-	-
TCV	216+508,31	-		-	-
PIV	216+551,08	PARABOLE	85,54	Sag/Rentrante	53
CTV	216+593,84	-		-	-
-	-	Tangent/Tangente	73,77	-	-
TCV	216+667,61	-		-	-
PIV	216+778,99	PARABOLE	222,76	Crest/Saillante	166
CTV	216+890,37	-		-	-
-	-	Tangent/Tangente	5,00	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	216+895,37	-		-	-
PIV	216+945,37	PARABOLE	100,00	Sag/Rentrante	264
CTV	216+995,37	-		-	-
-	-	Tangent/Tangente	71,97	-	-
TCV	217+067,33	-		-	-
PIV	217+170,28	PARABOLE	205,88	Crest/Saillante	150
CTV	217+273,22	-		-	-
-	-	Tangent/Tangente	24,76	-	-
TCV	217+297,98	-		-	-
PIV	217+355,63	PARABOLE	115,31	Sag/Rentrante	264
CTV	217+413,28	-		-	-
-	-	Tangent/Tangente	46,83	-	-
TCV	217+460,11	-		-	-
PIV	217+560,11	PARABOLE	200,00	Crest/Saillante	254
CTV	217+660,11	-		-	-
-	-	Tangent/Tangente	145,92	-	-
TCV	217+806,03	-		-	-
PIV	217+866,03	PARABOLE	120,00	Sag/Rentrante	96
CTV	217+926,03	-		-	-
-	-	Tangent/Tangente	24,67	-	-
TCV	217+950,70	-		-	-
PIV	217+984,80	PARABOLE	68,21	Crest/Saillante	92
CTV	218+018,91	-		-	-
-	-	Tangent/Tangente	5,70	-	-
TCV	218+024,61	-		-	-
PIV	218+074,61	PARABOLE	100,00	Sag/Rentrante	73
CTV	218+124,61	-		-	-
-	-	Tangent/Tangente	169,33	-	-
TCV	218+293,94	-		-	-
PIV	218+398,00	PARABOLE	208,12	Crest/Saillante	74
CTV	218+502,06	-		-	-
-	-	Tangent/Tangente	57,41	-	-
TCV	218+559,47	-		-	-
PIV	218+611,56	PARABOLE	104,18	Sag/Rentrante	48
CTV	218+663,65	-		-	-
-	-	Tangent/Tangente	45,55	-	-
TCV	218+709,20	-		-	-
PIV	218+757,32	PARABOLE	96,25	Crest/Saillante	86
CTV	218+805,44	-		-	-
-	-	Tangent/Tangente	10,06	-	-
TCV	218+815,51	-		-	-
PIV	218+948,81	PARABOLE	266,61	Sag/Rentrante	103
CTV	219+082,12	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	206,49	-	-
TCV	219+288,60	-	-	-	-
PIV	219+351,32	PARABOLE	125,44	Crest/Saillante	83
CTV	219+414,04	-	-	-	-
-	-	Tangent/Tangente	12,98	-	-
TCV	219+427,02	-	-	-	-
PIV	219+557,87	PARABOLE	261,70	Sag/Rentrante	101
CTV	219+688,72	-	-	-	-
-	-	Tangent/Tangente	34,20	-	-
TCV	219+722,91	-	-	-	-
PIV	219+755,74	PARABOLE	65,66	Crest/Saillante	129
CTV	219+788,57	-	-	-	-
-	-	Tangent/Tangente	127,52	-	-
TCV	219+916,09	-	-	-	-
PIV	219+950,80	PARABOLE	69,42	Crest/Saillante	97
CTV	219+985,52	-	-	-	-
-	-	Tangent/Tangente	19,77	-	-
-	-	Tangent/Tangente	19,77	-	-
TCV	220+005,29	-	-	-	-
PIV	220+055,29	PARABOLE	100,00	Sag/Rentrante	87
CTV	220+105,29	-	-	-	-
-	-	Tangent/Tangente	111,19	-	-
PIV	220+216,49	-	-	-	-
-	-	Tangent/Tangente	67,62	-	-
CTV	220+284,10	-	-	-	-
PIV	220+333,46	PARABOLE	98,72	Crest/Saillante	109
CTV	220+382,82	-	-	-	-
-	-	Tangent/Tangente	15,20	-	-
TCV	220+398,02	-	-	-	-
PIV	220+420,02	PARABOLE	44,00	Sag/Rentrante	63
CTV	220+442,02	-	-	-	-
-	-	Tangent/Tangente	130,68	-	-
TCV	220+572,70	-	-	-	-
PIV	220+597,70	PARABOLE	50,00	Sag/Rentrante	183
CTV	220+622,70	-	-	-	-
-	-	Tangent/Tangente	53,38	-	-
TCV	220+676,08	-	-	-	-
PIV	220+763,58	PARABOLE	175,00	Crest/Saillante	89
CTV	220+851,08	-	-	-	-
-	-	Tangent/Tangente	0,15	-	-
TCV	220+851,23	-	-	-	-
PIV	220+891,23	PARABOLE	80,00	Sag/Rentrante	52
CTV	220+931,23	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
	-	Tangent/Tangente	44,50	-	-
TCV	220+975,73	-		-	-
PIV	221+016,04	PARABOLE	80,61	Crest/Saillante	80
CTV	221+056,35	-		-	-
	-	Tangent/Tangente	47,75	-	-
TCV	221+104,09	-		-	-
PIV	221+161,09	PARABOLE	114,00	Sag/Rentrante	69
CTV	221+218,09	-		-	-
	-	Tangent/Tangente	61,03	-	-
TCV	221+279,13	-		-	-
PIV	221+330,47	PARABOLE	102,69	Crest/Saillante	88
CTV	221+381,82	-		-	-
	-	Tangent/Tangente	180,56	-	-
TCV	221+562,38	-		-	-
PIV	221+587,88	PARABOLE	51,00	Sag/Rentrante	68
CTV	221+613,38	-		-	-
	-	Tangent/Tangente	155,01	-	-
TCV	221+768,39	-		-	-
PIV	221+828,18	PARABOLE	119,57	Sag/Rentrante	51
CTV	221+887,96	-		-	-
	-	Tangent/Tangente	272,19	-	-
TCV	222+160,14	-		-	-
PIV	222+254,21	PARABOLE	188,13	Crest/Saillante	64
CTV	222+348,27	-		-	-
	-	Tangent/Tangente	59,76	-	-
TCV	222+408,04	-		-	-
PIV	222+454,95	PARABOLE	93,81	Sag/Rentrante	39
CTV	222+501,85	-		-	-
	-	Tangent/Tangente	57,01	-	-
TCV	222+558,87	-		-	-
PIV	222+598,87	PARABOLE	80,00	Crest/Saillante	76
CTV	222+638,87	-		-	-
	-	Tangent/Tangente	76,19	-	-
TCV	222+715,05	-		-	-
PIV	222+755,55	PARABOLE	81,00	Crest/Saillante	77
CTV	222+796,05	-		-	-
	-	Tangent/Tangente	43,80	-	-
TCV	222+839,86	-		-	-
PIV	222+887,23	PARABOLE	94,76	Sag/Rentrante	52
CTV	222+934,61	-		-	-
	-	Tangent/Tangente	20,41	-	-
TCV	222+955,02	-		-	-
PIV	223+044,82	PARABOLE	179,60	Crest/Saillante	86

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	223+134,62	-		-	-
	-	Tangent/Tangente	12,38	-	-
TCV	223+147,00	-		-	-
PIV	223+194,02	PARABOLE	94,05	Sag/Rentrante	107
CTV	223+241,05	-		-	-
	-	Tangent/Tangente	111,29	-	-
TCV	223+352,34	-		-	-
PIV	223+439,36	PARABOLE	174,03	Crest/Saillante	115
CTV	223+526,37	-		-	-
	-	Tangent/Tangente	18,05	-	-
TCV	223+544,43	-		-	-
PIV	223+619,43	PARABOLE	150,00	Sag/Rentrante	109
CTV	223+694,43	-		-	-
	-	Tangent/Tangente	26,71	-	-
TCV	223+721,14	-		-	-
PIV	223+771,14	PARABOLE	100,00	Crest/Saillante	104
CTV	223+821,14	-		-	-
	-	Tangent/Tangente	283,86	-	-
TCV	224+105,00	-		-	-
PIV	224+145,00	PARABOLE	80,00	Crest/Saillante	75
CTV	224+185,00	-		-	-
	-	Tangent/Tangente	45,84	-	-
CTV	224+230,84	-		-	-
-	224+385,84	PARABOLE	310,00	Sag/Rentrante	70
TCV	224+540,84	-		-	-
	-	Tangent/Tangente	0,00	-	-
TCV	224+540,84	-		-	-
PIV	224+619,84	PARABOLE	158,00	Crest/Saillante	93
CTV	224+698,84	-		-	-
-	-	Tangent/Tangente	304,15	-	-
TCV	225+002,99	-		-	-
PIV	225+062,99	PARABOLE	120,00	Sag/Rentrante	64
CTV	225+122,99	-		-	-
-	-	Tangent/Tangente	52,28	-	-
TCV	225+175,27	-		-	-
PIV	225+204,27	PARABOLE	58,00	Crest/Saillante	174
CTV	225+233,27	-		-	-
-	-	Tangent/Tangente	182,95	-	-
TCV	225+416,22	-		-	-
PIV	225+478,22	PARABOLE	124,00	Sag/Rentrante	447
CTV	225+540,22	-		-	-
-	-	Tangent/Tangente	142,96	-	-
TCV	225+683,18	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	225+721,68	PARABOLE	77,00	Sag/Rentrante	66
CTV	225+760,18	-		-	-
-	-	Tangent/Tangente	82,31	-	-
TCV	225+842,48	-		-	-
PIV	225+882,73	PARABOLE	80,50	Crest/Saillante	85
CTV	225+922,98	-		-	-
-	-	Tangent/Tangente	93,23	-	-
TCV	226+016,22	-		-	-
PIV	226+069,97	PARABOLE	107,50	Crest/Saillante	81
CTV	226+123,72	-		-	-
-	-	Tangent/Tangente	126,97	-	-
TCV	226+250,69	-		-	-
PIV	226+302,69	PARABOLE	104,00	Crest/Saillante	63
CTV	226+354,69	-		-	-
-	-	Tangent/Tangente	163,42	-	-
TCV	226+518,11	-		-	-
PIV	226+568,11	PARABOLE	100,00	Sag/Rentrante	47
CTV	226+618,11	-		-	-
-	-	Tangent/Tangente	13,39	-	-
TCV	226+631,50	-		-	-
PIV	226+676,50	PARABOLE	90,00	Crest/Saillante	71
CTV	226+721,50	-		-	-
-	-	Tangent/Tangente	33,15	-	-
TCV	226+754,65	-		-	-
PIV	226+884,65	PARABOLE	260,00	Sag/Rentrante	91
CTV	227+014,65	-		-	-
-	-	Tangent/Tangente	109,42	-	-
TCV	227+124,07	-		-	-
PIV	227+178,07	PARABOLE	108,00	Sag/Rentrante	48
CTV	227+232,07	-		-	-
-	-	Tangent/Tangente	81,64	-	-
TCV	227+313,72	-		-	-
PIV	227+413,72	PARABOLE	200,00	Crest/Saillante	67
CTV	227+513,72	-		-	-
-	-	Tangent/Tangente	1,40	-	-
TCV	227+515,11	-		-	-
PIV	227+572,61	PARABOLE	115,00	Crest/Saillante	78
CTV	227+630,11	-		-	-
-	-	Tangent/Tangente	29,95	-	-
TCV	227+660,06	-		-	-
PIV	227+727,31	PARABOLE	134,50	Sag/Rentrante	41
CTV	227+794,56	-		-	-
-	-	Tangent/Tangente	64,88	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	227+859,44	-		-	-
PIV	227+925,44	PARABOLE	132,00	Sag/Rentrante	64
CTV	227+991,44	-		-	-
-	-	Tangent/Tangente	46,54	-	-
TCV	228+037,98	-		-	-
PIV	228+148,98	PARABOLE	222,00	Crest/Saillante	69
CTV	228+259,98	-		-	-
-	-	Tangent/Tangente	23,15	-	-
TCV	228+283,13	-		-	-
PIV	228+346,17	PARABOLE	126,08	Sag/Rentrante	61
CTV	228+409,21	-		-	-
-	-	Tangent/Tangente	64,52	-	-
TCV	228+473,73	-		-	-
PIV	228+501,98	PARABOLE	56,50	Crest/Saillante	76
CTV	228+530,23	-		-	-
-	-	Tangent/Tangente	12,96	-	-
TCV	228+543,19	-		-	-
PIV	228+573,69	PARABOLE	61,00	Sag/Rentrante	78
CTV	228+604,19	-		-	-
-	-	Tangent/Tangente	17,57	-	-
TCV	228+621,76	-		-	-
PIV	228+660,26	PARABOLE	77,00	Crest/Saillante	71
CTV	228+698,76	-		-	-
-	-	Tangent/Tangente	12,01	-	-
TCV	228+710,77	-		-	-
PIV	228+735,77	PARABOLE	50,00	Crest/Saillante	84
CTV	228+760,77	-		-	-
-	-	Tangent/Tangente	56,31	-	-
TCV	228+817,08	-		-	-
PIV	228+857,08	PARABOLE	80,00	Sag/Rentrante	47
CTV	228+897,08	-		-	-
-	-	Tangent/Tangente	32,82	-	-
TCV	228+929,90	-		-	-
PIV	228+973,40	PARABOLE	87,00	Crest/Saillante	100
CTV	229+016,90	-		-	-
-	-	Tangent/Tangente	36,34	-	-
TCV	229+053,24	-		-	-
PIV	229+163,24	PARABOLE	220,00	Sag/Rentrante	48
CTV	229+273,24	-		-	-
-	-	Tangent/Tangente	158,63	-	-
TCV	229+431,87	-		-	-
PIV	229+578,37	PARABOLE	293,00	Crest/Saillante	62
CTV	229+724,87	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	218,75	-	-
-	-	Tangent/Tangente	218,75	-	-
TCV	229+943,62	-	-	-	-
PIV	230+022,62	PARABOLE	158,00	Sag/Rentrante	49
CTV	230+101,62	-	-	-	-
-	-	Tangent/Tangente	368,60	-	-
TCV	230+470,22	-	-	-	-
PIV	230+519,22	PARABOLE	98,00	Sag/Rentrante	49
CTV	230+568,22	-	-	-	-
-	-	Tangent/Tangente	33,57	-	-
TCV	230+601,79	-	-	-	-
PIV	230+644,29	PARABOLE	85,00	Crest/Saillante	66
CTV	230+686,79	-	-	-	-
-	-	Tangent/Tangente	42,05	-	-
TCV	230+728,84	-	-	-	-
PIV	230+777,84	PARABOLE	98,00	Sag/Rentrante	55
CTV	230+826,84	-	-	-	-
-	-	Tangent/Tangente	67,90	-	-
TCV	230+894,73	-	-	-	-
PIV	230+985,73	PARABOLE	182,00	Crest/Saillante	63
CTV	231+076,73	-	-	-	-
-	-	Tangent/Tangente	205,66	-	-
PIV	231+282,40	-	-	-	-
-	-	Tangent/Tangente	172,75	-	-
TCV	231+455,14	-	-	-	-
PIV	231+568,64	PARABOLE	227,00	Crest/Saillante	63
CTV	231+682,14	-	-	-	-
-	-	Tangent/Tangente	41,97	-	-
TCV	231+724,12	-	-	-	-
PIV	231+788,12	PARABOLE	128,00	Sag/Rentrante	45
CTV	231+852,12	-	-	-	-
-	-	Tangent/Tangente	40,52	-	-
TCV	231+892,64	-	-	-	-
PIV	231+929,14	PARABOLE	73,00	Crest/Saillante	72
CTV	231+965,64	-	-	-	-
-	-	Tangent/Tangente	11,35	-	-
TCV	231+976,99	-	-	-	-
PIV	232+035,99	PARABOLE	118,00	Sag/Rentrante	75
CTV	232+094,99	-	-	-	-
-	-	Tangent/Tangente	132,01	-	-
TCV	232+227,00	-	-	-	-
PIV	232+257,00	PARABOLE	60,00	Crest/Saillante	199
CTV	232+287,00	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	10,28	-	-
TCV	232+297,28	-		-	-
PIV	232+347,28	PARABOLE	100,00	Sag/Rentrante	66
CTV	232+397,28	-		-	-
-	-	Tangent/Tangente	144,07	-	-
TCV	232+541,35	-		-	-
PIV	232+601,85	PARABOLE	121,00	Crest/Saillante	77
CTV	232+662,35	-		-	-
-	-	Tangent/Tangente	79,44	-	-
TCV	232+741,79	-		-	-
PIV	232+796,29	PARABOLE	109,00	Crest/Saillante	65
CTV	232+850,79	-		-	-
-	-	Tangent/Tangente	56,29	-	-
TCV	232+907,09	-		-	-
PIV	232+979,59	PARABOLE	145,00	Sag/Rentrante	50
CTV	233+052,09	-		-	-
-	-	Tangent/Tangente	85,03	-	-
TCV	233+137,11	-		-	-
PIV	233+212,11	PARABOLE	150,00	Sag/Rentrante	107
CTV	233+287,11	-		-	-
-	-	Tangent/Tangente	0,14	-	-
TCV	233+287,25	-		-	-
PIV	233+339,75	PARABOLE	105,00	Crest/Saillante	73
CTV	233+392,25	-		-	-
-	-	Tangent/Tangente	90,49	-	-
TCV	233+482,74	-		-	-
PIV	233+542,74	PARABOLE	120,00	Sag/Rentrante	92
CTV	233+602,74	-		-	-
-	-	Tangent/Tangente	22,85	-	-
TCV	233+625,59	-		-	-
PIV	233+675,59	PARABOLE	100,00	Crest/Saillante	126
CTV	233+725,59	-		-	-
-	-	Tangent/Tangente	24,75	-	-
TCV	233+750,34	-		-	-
PIV	233+805,34	PARABOLE	110,00	Sag/Rentrante	66
CTV	233+860,34	-		-	-
-	-	Tangent/Tangente	24,75	-	-
TCV	233+885,10	-		-	-
PIV	233+945,10	PARABOLE	120,00	Crest/Saillante	62
CTV	234+005,10	-		-	-
-	-	Tangent/Tangente	34,17	-	-
TCV	234+039,27	-		-	-
PIV	234+139,27	PARABOLE	200,00	Sag/Rentrante	53

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	234+239,27	-		-	-
-	-	Tangent/Tangente	44,86	-	-
TCV	234+284,13	-		-	-
PIV	234+353,13	PARABOLE	138,00	Crest/Saillante	81
CTV	234+422,13	-		-	-
-	-	Tangent/Tangente	188,42	-	-
TCV	234+610,56	-		-	-
PIV	234+650,56	PARABOLE	80,00	Sag/Rentrante	100
CTV	234+690,56	-		-	-
-	-	Tangent/Tangente	7,20	-	-
TCV	234+697,76	-		-	-
PIV	234+740,26	PARABOLE	85,00	Crest/Saillante	139
CTV	234+782,76	-		-	-
-	-	Tangent/Tangente	34,08	-	-
TCV	234+816,84	-		-	-
PIV	234+844,34	PARABOLE	55,00	Sag/Rentrante	89
CTV	234+871,84	-		-	-
-	-	Tangent/Tangente	118,04	-	-
TCV	234+989,88	-		-	-
PIV	235+034,90	PARABOLE	90,05	Crest/Saillante	73
CTV	235+079,93	-		-	-
-	-	Tangent/Tangente	68,55	-	-
TCV	235+148,48	-		-	-
PIV	235+196,48	PARABOLE	96,00	Sag/Rentrante	76
CTV	235+244,48	-		-	-
-	-	Tangent/Tangente	72,70	-	-
TCV	235+317,18	-		-	-
PIV	235+350,63	PARABOLE	66,90	Crest/Saillante	130
CTV	235+384,08	-		-	-
-	-	Tangent/Tangente	233,75	-	-
TCV	235+617,83	-		-	-
PIV	235+684,80	PARABOLE	133,95	Sag/Rentrante	262
CTV	235+751,78	-		-	-
-	-	Tangent/Tangente	247,56	-	-
TCV	235+999,34	-		-	-
PIV	236+039,34	PARABOLE	80,00	Crest/Saillante	219
CTV	236+079,34	-		-	-
-	-	Tangent/Tangente	19,59	-	-
TCV	236+098,94	-		-	-
PIV	236+147,94	PARABOLE	98,00	Sag/Rentrante	265
CTV	236+196,94	-		-	-
-	-	Tangent/Tangente	153,34	-	-
TCV	236+350,28	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	236+394,78	PARABOLE	89,00	Crest/Saillante	189
CTV	236+439,28	-		-	-
-	-	Tangent/Tangente	71,27	-	-
TCV	236+510,55	-		-	-
PIV	236+590,55	PARABOLE	160,00	Sag/Rentrante	49
CTV	236+670,55	-		-	-
-	-	Tangent/Tangente	44,73	-	-
TCV	236+715,27	-		-	-
PIV	236+790,27	PARABOLE	150,00	Crest/Saillante	63
CTV	236+865,27	-		-	-
-	-	Tangent/Tangente	22,48	-	-
TCV	236+887,76	-		-	-
PIV	236+915,26	PARABOLE	55,00	Sag/Rentrante	265
CTV	236+942,76	-		-	-
-	-	Tangent/Tangente	31,35	-	-
TCV	236+974,11	-		-	-
PIV	236+994,11	PARABOLE	40,00	Crest/Saillante	87
CTV	237+014,11	-		-	-
-	-	Tangent/Tangente	206,47	-	-
TCV	237+220,57	-		-	-
PIV	237+242,07	PARABOLE	43,00	Crest/Saillante	66
CTV	237+263,57	-		-	-
-	-	Tangent/Tangente	26,57	-	-
TCV	237+290,15	-		-	-
PIV	237+330,15	PARABOLE	80,00	Sag/Rentrante	58
CTV	237+370,15	-		-	-
-	-	Tangent/Tangente	104,65	-	-
TCV	237+474,79	-		-	-
PIV	237+516,79	PARABOLE	84,00	Sag/Rentrante	69
CTV	237+558,79	-		-	-
-	-	Tangent/Tangente	221,03	-	-
TCV	237+779,82	-		-	-
PIV	237+857,31	PARABOLE	154,98	Sag/Rentrante	260
CTV	237+934,80	-		-	-
-	-	Tangent/Tangente	86,12	-	-
TCV	238+020,92	-		-	-
PIV	238+068,92	PARABOLE	96,00	Sag/Rentrante	64
CTV	238+116,92	-		-	-
-	-	Tangent/Tangente	95,40	-	-
TCV	238+212,33	-		-	-
PIV	238+269,83	PARABOLE	115,00	Crest/Saillante	64
CTV	238+327,33	-		-	-
-	-	Tangent/Tangente	37,29	-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
TCV	238+364,62	-		-	-	-
PIV	238+436,74	PARABOLE	144,25	Sag/Rentrante	56	
CTV	238+508,87	-		-	-	-
-	-	Tangent/Tangente	50,82	-	-	-
TCV	238+559,69	-		-	-	-
PIV	238+619,69	PARABOLE	120,00	Crest/Saillante	78	
CTV	238+679,69	-		-	-	-
-	-	Tangent/Tangente	166,17	-	-	-
TCV	238+845,86	-		-	-	-
PIV	238+907,36	PARABOLE	123,00	Crest/Saillante	77	
CTV	238+968,86	-		-	-	-
-	-	Tangent/Tangente	35,30	-	-	-
TCV	239+004,16	-		-	-	-
PIV	239+037,16	PARABOLE	66,00	Sag/Rentrante	68	
CTV	239+070,16	-		-	-	-
-	-	Tangent/Tangente	98,81	-	-	-
TCV	239+168,97	-		-	-	-
PIV	239+251,22	PARABOLE	164,50	Sag/Rentrante	49	
CTV	239+333,47	-		-	-	-
-	-	Tangent/Tangente	26,67	-	-	-
TCV	239+360,14	-		-	-	-
PIV	239+435,14	PARABOLE	150,00	Crest/Saillante	64	
CTV	239+510,14	-		-	-	-
-	-	Tangent/Tangente	80,32	-	-	-
TCV	239+590,46	-		-	-	-
PIV	239+650,46	PARABOLE	120,00	Sag/Rentrante	222	
CTV	239+710,46	-		-	-	-
-	-	Tangent/Tangente	53,83	-	-	-
TCV	239+764,29	-		-	-	-
PIV	239+834,29	PARABOLE	140,00	Sag/Rentrante	66	
CTV	239+904,29	-		-	-	-
-	-	Tangent/Tangente	49,43	-	-	-
-	-	Tangent/Tangente	49,53	-	-	-
TCV	239+953,82	-		-	-	-
PIV	240+025,82	PARABOLE	144,00	Crest/Saillante	64	
CTV	240+097,82	-		-	-	-
-	-	Tangent/Tangente	8,62	-	-	-
TCV	240+106,44	-		-	-	-
PIV	240+161,44	PARABOLE	110,00	Sag/Rentrante	58	
CTV	240+216,44	-		-	-	-
-	-	Tangent/Tangente	19,81	-	-	-
TCV	240+236,25	-		-	-	-
PIV	240+273,75	PARABOLE	75,00	Sag/Rentrante	266	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	240+311,25	-		-	-
-	-	Tangent/Tangente	11,37	-	-
TCV	240+322,62	-		-	-
PIV	240+410,12	PARABOLE	175,00	Crest/Saillante	66
CTV	240+497,62	-		-	-
-	-	Tangent/Tangente	245,89	-	-
TCV	240+743,51	-		-	-
PIV	240+783,51	PARABOLE	80,00	Sag/Rentrante	37
CTV	240+823,51	-		-	-
-	-	Tangent/Tangente	39,80	-	-
TCV	240+863,30	-		-	-
PIV	240+902,30	PARABOLE	78,00	Sag/Rentrante	42
CTV	240+941,30	-		-	-
-	-	Tangent/Tangente	45,47	-	-
TCV	240+986,77	-		-	-
PIV	241+032,27	PARABOLE	91,00	Crest/Saillante	62
CTV	241+077,77	-		-	-
-	-	Tangent/Tangente	51,28	-	-
TCV	241+129,05	-		-	-
PIV	241+176,05	PARABOLE	94,00	Sag/Rentrante	62
CTV	241+223,05	-		-	-
-	-	Tangent/Tangente	260,48	-	-
TCV	241+483,53	-		-	-
PIV	241+527,03	PARABOLE	87,00	Sag/Rentrante	43
CTV	241+570,53	-		-	-
-	-	Tangent/Tangente	14,29	-	-
TCV	241+584,82	-		-	-
PIV	241+606,89	PARABOLE	44,14	Crest/Saillante	86
CTV	241+628,96	-		-	-
-	-	Tangent/Tangente	30,83	-	-
TCV	241+659,78	-		-	-
PIV	241+743,28	PARABOLE	167,00	Crest/Saillante	62
CTV	241+826,78	-		-	-
-	-	Tangent/Tangente	21,98	-	-
TCV	241+848,76	-		-	-
PIV	241+934,82	PARABOLE	172,11	Sag/Rentrante	53
CTV	242+020,87	-		-	-
-	-	Tangent/Tangente	63,10	-	-
TCV	242+083,97	-		-	-
PIV	242+153,72	PARABOLE	139,50	Crest/Saillante	66
CTV	242+223,47	-		-	-
-	-	Tangent/Tangente	0,14	-	-
TCV	242+223,61	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	242+293,36	PARABOLE	139,50	Sag/Rentrante	50
CTV	242+363,11	-		-	-
-	-	Tangent/Tangente	18,95	-	-
TCV	242+382,05	-		-	-
PIV	242+428,78	PARABOLE	93,44	Sag/Rentrante	43
CTV	242+475,50	-		-	-
-	-	Tangent/Tangente	36,82	-	-
TCV	242+512,31	-		-	-
PIV	242+532,31	PARABOLE	40,00	Crest/Saillante	45
CTV	242+552,31	-		-	-
-	-	Tangent/Tangente	11,25	-	-
TCV	242+563,57	-		-	-
PIV	242+593,57	PARABOLE	60,00	Crest/Saillante	88
CTV	242+623,57	-		-	-
-	-	Tangent/Tangente	100,26	-	-
TCV	242+723,82	-		-	-
PIV	242+743,34	PARABOLE	39,03	Sag/Rentrante	262
CTV	242+762,85	-		-	-
-	-	Tangent/Tangente	301,58	-	-
TCV	243+064,43	-		-	-
PIV	243+100,47	PARABOLE	72,08	Crest/Saillante	74
CTV	243+136,52	-		-	-
-	-	Tangent/Tangente	24,45	-	-
TCV	243+160,97	-		-	-
PIV	243+185,97	PARABOLE	50,00	Sag/Rentrante	67
CTV	243+210,97	-		-	-
-	-	Tangent/Tangente	52,11	-	-
TCV	243+263,08	-		-	-
PIV	243+322,35	PARABOLE	118,56	Crest/Saillante	63
CTV	243+381,63	-		-	-
-	-	Tangent/Tangente	32,61	-	-
TCV	243+414,25	-		-	-
PIV	243+469,25	PARABOLE	110,00	Sag/Rentrante	45
CTV	243+524,25	-		-	-
-	-	Tangent/Tangente	40,65	-	-
TCV	243+564,89	-		-	-
PIV	243+619,39	PARABOLE	109,00	Crest/Saillante	86
CTV	243+673,89	-		-	-
-	-	Tangent/Tangente	63,91	-	-
TCV	243+737,80	-		-	-
PIV	243+780,80	PARABOLE	85,99	Sag/Rentrante	59
CTV	243+823,79	-		-	-
-	-	Tangent/Tangente	39,99	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	243+863,78	-		-	-
PIV	243+900,45	PARABOLE	73,35	Crest/Saillante	109
CTV	243+937,13	-		-	-
-	-	Tangent/Tangente	36,31	-	-
TCV	243+973,44	-		-	-
PIV	244+038,19	PARABOLE	129,50	Sag/Rentrante	260
CTV	244+102,94	-		-	-
-	-	Tangent/Tangente	24,40	-	-
TCV	244+127,35	-		-	-
PIV	244+177,35	PARABOLE	100,00	Sag/Rentrante	61
CTV	244+227,35	-		-	-
-	-	Tangent/Tangente	9,96	-	-
TCV	244+237,30	-		-	-
PIV	244+274,80	PARABOLE	75,00	Crest/Saillante	75
CTV	244+312,30	-		-	-
-	-	Tangent/Tangente	31,08	-	-
TCV	244+343,39	-		-	-
PIV	244+380,89	PARABOLE	75,00	Sag/Rentrante	49
CTV	244+418,39	-		-	-
-	-	Tangent/Tangente	68,16	-	-
TCV	244+486,55	-		-	-
PIV	244+581,12	PARABOLE	189,14	Crest/Saillante	63
CTV	244+675,70	-		-	-
-	-	Tangent/Tangente	77,55	-	-
TCV	244+753,25	-		-	-
PIV	244+802,33	PARABOLE	98,16	Sag/Rentrante	46
CTV	244+851,41	-		-	-
-	-	Tangent/Tangente	192,01	-	-
TCV	245+043,42	-		-	-
PIV	245+101,22	PARABOLE	115,61	Sag/Rentrante	67
CTV	245+159,03	-		-	-
-	-	Tangent/Tangente	47,23	-	-
TCV	245+206,26	-		-	-
PIV	245+259,44	PARABOLE	106,36	Crest/Saillante	87
CTV	245+312,63	-		-	-
-	-	Tangent/Tangente	76,02	-	-
TCV	245+388,65	-		-	-
PIV	245+408,65	PARABOLE	40,00	Sag/Rentrante	264
CTV	245+428,65	-		-	-
-	-	Tangent/Tangente	7,69	-	-
TCV	245+436,34	-		-	-
PIV	245+456,34	PARABOLE	40,00	Crest/Saillante	138
CTV	245+476,34	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	59,76	-	-
TCV	245+536,10	-		-	-
PIV	245+586,10	PARABOLE	100,00	Sag/Rentrante	51
CTV	245+636,10	-		-	-
-	-	Tangent/Tangente	41,84	-	-
TCV	245+677,94	-		-	-
PIV	245+715,44	PARABOLE	75,00	Crest/Saillante	66
CTV	245+752,94	-		-	-
-	-	Tangent/Tangente	48,98	-	-
TCV	245+801,93	-		-	-
PIV	245+821,93	PARABOLE	40,00	Crest/Saillante	88
CTV	245+841,93	-		-	-
-	-	Tangent/Tangente	43,71	-	-
TCV	245+885,63	-		-	-
PIV	245+919,29	PARABOLE	67,32	Sag/Rentrante	52
CTV	245+952,95	-		-	-
-	-	Tangent/Tangente	186,26	-	-
TCV	246+139,21	-		-	-
PIV	246+174,21	PARABOLE	70,00	Crest/Saillante	93
CTV	246+209,21	-		-	-
-	-	Tangent/Tangente	1,58	-	-
TCV	246+210,79	-		-	-
PIV	246+275,79	PARABOLE	130,00	Sag/Rentrante	103
CTV	246+340,79	-		-	-
-	-	Tangent/Tangente	76,52	-	-
TCV	246+417,31	-		-	-
PIV	246+457,31	PARABOLE	80,00	Sag/Rentrante	259
CTV	246+497,31	-		-	-
-	-	Tangent/Tangente	17,76	-	-
TCV	246+515,07	-		-	-
PIV	246+542,57	PARABOLE	55,00	Crest/Saillante	80
CTV	246+570,07	-		-	-
-	-	Tangent/Tangente	15,22	-	-
TCV	246+585,29	-		-	-
PIV	246+620,29	PARABOLE	70,00	Sag/Rentrante	55
CTV	246+655,29	-		-	-
-	-	Tangent/Tangente	88,37	-	-
TCV	246+743,66	-		-	-
PIV	246+773,66	PARABOLE	60,00	Sag/Rentrante	51
CTV	246+803,66	-		-	-
-	-	Tangent/Tangente	49,49	-	-
TCV	246+853,15	-		-	-
PIV	246+928,15	PARABOLE	150,00	Crest/Saillante	63

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	247+003,15	-		-	-
-	-	Tangent/Tangente	14,77	-	-
TCV	247+017,92	-		-	-
PIV	247+070,57	PARABOLE	105,31	Sag/Rentrante	54
CTV	247+123,23	-		-	-
-	-	Tangent/Tangente	76,86	-	-
TCV	247+200,09	-		-	-
PIV	247+232,48	PARABOLE	64,80	Sag/Rentrante	69
CTV	247+264,88	-		-	-
-	-	Tangent/Tangente	149,16	-	-
TCV	247+414,04	-		-	-
PIV	247+457,33	PARABOLE	86,58	Sag/Rentrante	52
CTV	247+500,62	-		-	-
-	-	Tangent/Tangente	97,23	-	-
TCV	247+597,85	-		-	-
PIV	247+679,95	PARABOLE	164,22	Crest/Saillante	62
CTV	247+762,06	-		-	-
-	-	Tangent/Tangente	53,52	-	-
TCV	247+815,58	-		-	-
PIV	247+845,58	PARABOLE	60,00	Sag/Rentrante	70
CTV	247+875,58	-		-	-
-	-	Tangent/Tangente	51,09	-	-
TCV	247+926,67	-		-	-
PIV	247+959,17	PARABOLE	65,00	Crest/Saillante	58
CTV	247+991,67	-		-	-
-	-	Tangent/Tangente	52,80	-	-
TCV	248+044,47	-		-	-
PIV	248+124,47	PARABOLE	160,00	Sag/Rentrante	48
CTV	248+204,47	-		-	-
-	-	Tangent/Tangente	143,94	-	-
TCV	248+348,41	-		-	-
PIV	248+398,41	PARABOLE	100,00	Sag/Rentrante	63
CTV	248+448,41	-		-	-
-	-	Tangent/Tangente	90,69	-	-
TCV	248+539,10	-		-	-
PIV	248+656,60	PARABOLE	235,00	Crest/Saillante	65
CTV	248+774,10	-		-	-
-	-	Tangent/Tangente	47,12	-	-
TCV	248+821,22	-		-	-
PIV	248+921,22	PARABOLE	200,00	Sag/Rentrante	57
CTV	249+021,22	-		-	-
-	-	Tangent/Tangente	52,38	-	-
TCV	249+073,59	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	249+106,09	PARABOLE	65,00	Crest/Saillante	82
CTV	249+138,59	-		-	-
-	-	Tangent/Tangente	10,61	-	-
TCV	249+149,20	-		-	-
PIV	249+184,20	PARABOLE	70,00	Sag/Rentrante	50
CTV	249+219,20	-		-	-
-	-	Tangent/Tangente	32,62	-	-
TCV	249+251,83	-		-	-
PIV	249+272,11	PARABOLE	40,57	Crest/Saillante	95
CTV	249+292,39	-		-	-
-	-	Tangent/Tangente	121,54	-	-
TCV	249+413,93	-		-	-
PIV	249+446,43	PARABOLE	65,00	Crest/Saillante	78
CTV	249+478,93	-		-	-
-	-	Tangent/Tangente	20,30	-	-
TCV	249+499,23	-		-	-
PIV	249+521,73	PARABOLE	45,00	Crest/Saillante	54
CTV	249+544,23	-		-	-
-	-	Tangent/Tangente	44,02	-	-
TCV	249+588,26	-		-	-
PIV	249+675,76	PARABOLE	175,00	Sag/Rentrante	47
CTV	249+763,26	-		-	-
-	-	Tangent/Tangente	37,77	-	-
TCV	249+801,03	-		-	-
PIV	249+843,53	PARABOLE	85,00	Crest/Saillante	73
CTV	249+886,03	-		-	-
-	-	Tangent/Tangente	52,17	-	-
TCV	249+938,20	-		-	-
PIV	249+988,20	PARABOLE	100,00	Sag/Rentrante	48
CTV	250+038,20	-		-	-
-	-	Tangent/Tangente	106,90	-	-
-	-	Tangent/Tangente	106,90	-	-
TCV	250+145,10	-		-	-
PIV	250+172,60	PARABOLE	55,00	Crest/Saillante	77
CTV	250+200,10	-		-	-
-	-	Tangent/Tangente	67,04	-	-
TCV	250+267,14	-		-	-
PIV	250+307,14	PARABOLE	80,00	Sag/Rentrante	51
CTV	250+347,14	-		-	-
-	-	Tangent/Tangente	55,04	-	-
TCV	250+402,18	-		-	-
PIV	250+439,68	PARABOLE	75,00	Crest/Saillante	69
CTV	250+477,18	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	108,10	-	-
TCV	250+585,28	-		-	-
PIV	250+647,78	PARABOLE	125,00	Sag/Rentrante	54
CTV	250+710,28	-		-	-
-	-	Tangent/Tangente	69,23	-	-
TCV	250+779,51	-		-	-
PIV	250+834,51	PARABOLE	110,00	Sag/Rentrante	75
CTV	250+889,51	-		-	-
-	-	Tangent/Tangente	31,78	-	-
TCV	250+921,29	-		-	-
PIV	250+998,79	PARABOLE	155,00	Crest/Saillante	68
CTV	251+076,29	-		-	-
-	-	Tangent/Tangente	41,48	-	-
TCV	251+117,78	-		-	-
PIV	251+172,78	PARABOLE	110,00	Sag/Rentrante	53
CTV	251+227,78	-		-	-
-	-	Tangent/Tangente	67,45	-	-
TCV	251+295,23	-		-	-
PIV	251+352,73	PARABOLE	115,00	Crest/Saillante	67
CTV	251+410,23	-		-	-
-	-	Tangent/Tangente	29,06	-	-
TCV	251+439,29	-		-	-
PIV	251+469,29	PARABOLE	60,00	Sag/Rentrante	256
CTV	251+499,29	-		-	-
-	-	Tangent/Tangente	26,33	-	-
TCV	251+525,63	-		-	-
PIV	251+610,63	PARABOLE	170,00	Crest/Saillante	100
CTV	251+695,63	-		-	-
-	-	Tangent/Tangente	94,75	-	-
TCV	251+790,37	-		-	-
PIV	251+850,37	PARABOLE	120,00	Sag/Rentrante	90
CTV	251+910,37	-		-	-
-	-	Tangent/Tangente	37,41	-	-
TCV	251+947,79	-		-	-
PIV	251+976,79	PARABOLE	58,00	Crest/Saillante	66
CTV	252+005,79	-		-	-
-	-	Tangent/Tangente	33,02	-	-
TCV	252+038,81	-		-	-
PIV	252+128,81	PARABOLE	180,00	Sag/Rentrante	77
CTV	252+218,81	-		-	-
-	-	Tangent/Tangente	56,30	-	-
TCV	252+275,10	-		-	-
PIV	252+335,10	PARABOLE	120,00	Crest/Saillante	83

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	252+395,10	-		-	-
-	-	Tangent/Tangente	6,41	-	-
TCV	252+401,51	-		-	-
PIV	252+435,51	PARABOLE	68,00	Sag/Rentrante	95
CTV	252+469,51	-		-	-
-	-	Tangent/Tangente	100,24	-	-
TCV	252+569,75	-		-	-
PIV	252+590,75	PARABOLE	42,00	Crest/Saillante	93
CTV	252+611,75	-		-	-
-	-	Tangent/Tangente	73,54	-	-
TCV	252+685,29	-		-	-
PIV	252+766,79	PARABOLE	163,00	Sag/Rentrante	55
CTV	252+848,29	-		-	-
-	-	Tangent/Tangente	13,50	-	-
TCV	252+861,79	-		-	-
PIV	252+944,29	PARABOLE	165,00	Crest/Saillante	65
CTV	253+026,79	-		-	-
-	-	Tangent/Tangente	89,47	-	-
TCV	253+116,26	-		-	-
PIV	253+177,76	PARABOLE	123,00	Sag/Rentrante	48
CTV	253+239,26	-		-	-
-	-	Tangent/Tangente	41,61	-	-
TCV	253+280,87	-		-	-
PIV	253+341,87	PARABOLE	122,00	Crest/Saillante	71
CTV	253+402,87	-		-	-
-	-	Tangent/Tangente	237,42	-	-
TCV	253+640,29	-		-	-
PIV	253+662,79	PARABOLE	45,00	Crest/Saillante	92
CTV	253+685,29	-		-	-
-	-	Tangent/Tangente	8,15	-	-
TCV	253+693,45	-		-	-
PIV	253+720,95	PARABOLE	55,00	Sag/Rentrante	44
CTV	253+748,45	-		-	-
-	-	Tangent/Tangente	83,84	-	-
TCV	253+832,29	-		-	-
PIV	253+854,79	PARABOLE	45,00	Crest/Saillante	75
CTV	253+877,29	-		-	-
-	-	Tangent/Tangente	39,33	-	-
TCV	253+916,62	-		-	-
PIV	254+014,12	PARABOLE	195,00	Sag/Rentrante	84
CTV	254+111,62	-		-	-
-	-	Tangent/Tangente	43,77	-	-
TCV	254+155,39	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	254+197,89	PARABOLE	85,00	Crest/Saillante	67
CTV	254+240,39	-		-	-
-	-	Tangent/Tangente	51,53	-	-
TCV	254+291,93	-		-	-
PIV	254+323,43	PARABOLE	63,00	Sag/Rentrante	63
CTV	254+354,93	-		-	-
-	-	Tangent/Tangente	24,74	-	-
TCV	254+379,67	-		-	-
PIV	254+404,67	PARABOLE	50,00	Crest/Saillante	87
CTV	254+429,67	-		-	-
-	-	Tangent/Tangente	59,19	-	-
TCV	254+488,85	-		-	-
PIV	254+546,35	PARABOLE	115,00	Sag/Rentrante	56
CTV	254+603,85	-		-	-
-	-	Tangent/Tangente	38,08	-	-
TCV	254+641,93	-		-	-
PIV	254+671,43	PARABOLE	59,00	Crest/Saillante	107
CTV	254+700,93	-		-	-
-	-	Tangent/Tangente	41,68	-	-
TCV	254+742,61	-		-	-
PIV	254+835,11	PARABOLE	185,00	Sag/Rentrante	57
CTV	254+927,61	-		-	-
-	-	Tangent/Tangente	40,66	-	-
TCV	254+968,27	-		-	-
PIV	255+035,27	PARABOLE	134,00	Crest/Saillante	63
CTV	255+102,27	-		-	-
-	-	Tangent/Tangente	46,02	-	-
TCV	255+148,29	-		-	-
PIV	255+191,79	PARABOLE	87,00	Sag/Rentrante	46
CTV	255+235,29	-		-	-
-	-	Tangent/Tangente	42,91	-	-
TCV	255+278,20	-		-	-
PIV	255+300,70	PARABOLE	45,00	Crest/Saillante	78
CTV	255+323,20	-		-	-
-	-	Tangent/Tangente	85,98	-	-
TCV	255+409,18	-		-	-
PIV	255+441,68	PARABOLE	65,00	Sag/Rentrante	68
CTV	255+474,18	-		-	-
-	-	Tangent/Tangente	48,38	-	-
TCV	255+522,56	-		-	-
PIV	255+584,06	PARABOLE	123,00	Crest/Saillante	91
CTV	255+645,56	-		-	-
-	-	Tangent/Tangente	142,23	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	255+787,79	-		-	-
PIV	255+807,79	PARABOLE	40,00	Sag/Rentrante	69
CTV	255+827,79	-		-	-
-	-	Tangent/Tangente	43,53	-	-
TCV	255+871,32	-		-	-
PIV	255+904,82	PARABOLE	67,00	Crest/Saillante	58
CTV	255+938,32	-		-	-
-	-	Tangent/Tangente	44,09	-	-
TCV	255+982,41	-		-	-
PIV	256+051,41	PARABOLE	138,00	Sag/Rentrante	56
CTV	256+120,41	-		-	-
-	-	Tangent/Tangente	175,62	-	-
TCV	256+296,02	-		-	-
PIV	256+355,52	PARABOLE	119,00	Crest/Saillante	66
CTV	256+415,02	-		-	-
-	-	Tangent/Tangente	39,12	-	-
TCV	256+454,14	-		-	-
PIV	256+571,64	PARABOLE	235,00	Sag/Rentrante	49
CTV	256+689,14	-		-	-
-	-	Tangent/Tangente	52,33	-	-
TCV	256+741,48	-		-	-
PIV	256+763,98	PARABOLE	45,00	Crest/Saillante	63
CTV	256+786,48	-		-	-
-	-	Tangent/Tangente	31,35	-	-
TCV	256+817,83	-		-	-
PIV	256+859,33	PARABOLE	83,00	Crest/Saillante	63
CTV	256+900,83	-		-	-
-	-	Tangent/Tangente	126,60	-	-
TCV	257+027,43	-		-	-
PIV	257+132,43	PARABOLE	210,00	Sag/Rentrante	49
CTV	257+237,43	-		-	-
-	-	Tangent/Tangente	74,81	-	-
TCV	257+312,25	-		-	-
PIV	257+390,25	PARABOLE	156,00	Crest/Saillante	64
CTV	257+468,25	-		-	-
-	-	Tangent/Tangente	108,82	-	-
TCV	257+577,07	-		-	-
PIV	257+602,07	PARABOLE	50,00	Crest/Saillante	101
CTV	257+627,07	-		-	-
-	-	Tangent/Tangente	30,44	-	-
TCV	257+657,51	-		-	-
PIV	257+696,51	PARABOLE	78,00	Sag/Rentrante	257
CTV	257+735,51	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	229,18	-	-
TCV	257+964,69	-		-	-
PIV	258+004,69	PARABOLE	80,00	Crest/Saillante	76
CTV	258+044,69	-		-	-
-	-	Tangent/Tangente	21,14	-	-
TCV	258+065,82	-		-	-
PIV	258+134,82	PARABOLE	138,00	Sag/Rentrante	47
CTV	258+203,82	-		-	-
-	-	Tangent/Tangente	7,69	-	-
TCV	258+211,51	-		-	-
PIV	258+246,51	PARABOLE	70,00	Crest/Saillante	141
CTV	258+281,51	-		-	-
-	-	Tangent/Tangente	28,48	-	-
TCV	258+309,99	-		-	-
PIV	258+334,99	PARABOLE	50,00	Sag/Rentrante	74
CTV	258+359,99	-		-	-
-	-	Tangent/Tangente	78,41	-	-
TCV	258+438,40	-		-	-
PIV	258+509,90	PARABOLE	143,00	Crest/Saillante	72
CTV	258+581,40	-		-	-
-	-	Tangent/Tangente	226,48	-	-
TCV	258+807,88	-		-	-
PIV	258+878,38	PARABOLE	141,00	Sag/Rentrante	264
CTV	258+948,88	-		-	-
-	-	Tangent/Tangente	42,56	-	-
TCV	258+991,44	-		-	-
PIV	259+046,44	PARABOLE	110,00	Crest/Saillante	75
CTV	259+101,44	-		-	-
-	-	Tangent/Tangente	50,26	-	-
TCV	259+151,70	-		-	-
PIV	259+206,70	PARABOLE	110,00	Sag/Rentrante	53
CTV	259+261,70	-		-	-
-	-	Tangent/Tangente	89,08	-	-
TCV	259+350,78	-		-	-
PIV	259+430,78	PARABOLE	160,00	Crest/Saillante	71
CTV	259+510,78	-		-	-
-	-	Tangent/Tangente	100,00	-	-
TCV	259+610,78	-		-	-
PIV	259+655,78	PARABOLE	90,00	Sag/Rentrante	47
CTV	259+700,78	-		-	-
-	-	Tangent/Tangente	119,59	-	-
TCV	259+820,37	-		-	-
PIV	259+851,37	PARABOLE	62,00	Crest/Saillante	83



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	259+882,37	-		-	-
-	-	Tangent/Tangente	70,79	-	-
TCV	259+953,16	-		-	-
PIV	259+975,66	PARABOLE	45,00	Sag/Rentrante	44
CTV	259+998,16	-		-	-
-	-	Tangent/Tangente	42,22	-	-
-	-	Tangent/Tangente	42,22	-	-
TCV	260+040,38	-		-	-
PIV	260+084,38	PARABOLE	88,00	Crest/Saillante	73
CTV	260+128,38	-		-	-
-	-	Tangent/Tangente	43,61	-	-
TCV	260+171,99	-		-	-
PIV	260+244,49	PARABOLE	145,00	Sag/Rentrante	83
CTV	260+316,99	-		-	-
-	-	Tangent/Tangente	86,13	-	-
TCV	260+403,12	-		-	-
PIV	260+453,12	PARABOLE	100,00	Sag/Rentrante	69
CTV	260+503,12	-		-	-
-	-	Tangent/Tangente	166,59	-	-
TCV	260+669,71	-		-	-
PIV	260+711,71	PARABOLE	84,00	Crest/Saillante	63
CTV	260+753,71	-		-	-
-	-	Tangent/Tangente	19,43	-	-
TCV	260+773,14	-		-	-
PIV	260+810,14	PARABOLE	74,00	Sag/Rentrante	54
CTV	260+847,14	-		-	-
-	-	Tangent/Tangente	128,05	-	-
TCV	260+975,19	-		-	-
PIV	261+036,19	PARABOLE	122,00	Sag/Rentrante	59
CTV	261+097,19	-		-	-
-	-	Tangent/Tangente	6,90	-	-
TCV	261+104,09	-		-	-
PIV	261+268,59	PARABOLE	329,00	Crest/Saillante	92
CTV	261+433,09	-		-	-
-	-	Tangent/Tangente	198,60	-	-
TCV	261+631,69	-		-	-
PIV	261+670,19	PARABOLE	77,00	Crest/Saillante	125
CTV	261+708,69	-		-	-
-	-	Tangent/Tangente	52,15	-	-
TCV	261+760,84	-		-	-
PIV	261+780,84	PARABOLE	40,00	Crest/Saillante	84
CTV	261+800,84	-		-	-
-	-	Tangent/Tangente	26,38	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	261+827,22	-		-	-
PIV	261+852,22	PARABOLE	50,00	Sag/Rentrante	32
CTV	261+877,22	-		-	-
-	-	Tangent/Tangente	2,29	-	-
TCV	261+879,51	-		-	-
PIV	261+957,01	PARABOLE	155,00	Crest/Saillante	90
CTV	262+034,51	-		-	-
-	-	Tangent/Tangente	167,71	-	-
TCV	262+202,22	-		-	-
PIV	262+262,22	PARABOLE	120,00	Crest/Saillante	84
CTV	262+322,22	-		-	-
-	-	Tangent/Tangente	270,36	-	-
TCV	262+592,58	-		-	-
PIV	262+647,08	PARABOLE	109,00	Sag/Rentrante	61
CTV	262+701,58	-		-	-
-	-	Tangent/Tangente	178,23	-	-
TCV	262+879,81	-		-	-
PIV	262+904,81	PARABOLE	50,00	Sag/Rentrante	262
CTV	262+929,81	-		-	-
-	-	Tangent/Tangente	268,60	-	-
TCV	263+198,41	-		-	-
PIV	263+238,41	PARABOLE	80,00	Crest/Saillante	85
CTV	263+278,41	-		-	-
-	-	Tangent/Tangente	33,62	-	-
TCV	263+312,03	-		-	-
PIV	263+332,03	PARABOLE	40,00	Sag/Rentrante	84
CTV	263+352,03	-		-	-
-	-	Tangent/Tangente	48,24	-	-
TCV	263+400,27	-		-	-
PIV	263+435,27	PARABOLE	70,00	Crest/Saillante	95
CTV	263+470,27	-		-	-
-	-	Tangent/Tangente	6,90	-	-
TCV	263+477,17	-		-	-
PIV	263+527,17	PARABOLE	100,00	Sag/Rentrante	62
CTV	263+577,17	-		-	-
-	-	Tangent/Tangente	37,83	-	-
TCV	263+614,99	-		-	-
PIV	263+667,99	PARABOLE	106,00	Crest/Saillante	145
CTV	263+720,99	-		-	-
-	-	Tangent/Tangente	0,15	-	-
TCV	263+721,14	-		-	-
PIV	263+778,14	PARABOLE	114,00	Sag/Rentrante	263
CTV	263+835,14	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	20,17	-	-
TCV	263+855,31	-		-	-
PIV	263+905,31	PARABOLE	100,00	Sag/Rentrante	266
CTV	263+955,31	-		-	-
-	-	Tangent/Tangente	23,05	-	-
TCV	263+978,37	-		-	-
PIV	264+030,87	PARABOLE	105,00	Crest/Saillante	102
CTV	264+083,37	-		-	-
-	-	Tangent/Tangente	89,38	-	-
TCV	264+172,74	-		-	-
PIV	264+231,67	PARABOLE	117,86	Sag/Rentrante	118
CTV	264+290,60	-		-	-
-	-	Tangent/Tangente	459,09	-	-
TCV	264+749,69	-		-	-
PIV	264+815,05	PARABOLE	130,71	Sag/Rentrante	263
CTV	264+880,40	-		-	-
-	-	Tangent/Tangente	66,40	-	-
TCV	264+946,80	-		-	-
PIV	265+000,39	PARABOLE	107,17	Crest/Saillante	172
CTV	265+053,97	-		-	-
-	-	Tangent/Tangente	52,85	-	-
TCV	265+106,82	-		-	-
PIV	265+156,82	PARABOLE	100,00	Sag/Rentrante	110
CTV	265+206,82	-		-	-
-	-	Tangent/Tangente	62,09	-	-
TCV	265+268,90	-		-	-
PIV	265+318,90	PARABOLE	100,00	Crest/Saillante	92
CTV	265+368,90	-		-	-
-	-	Tangent/Tangente	169,11	-	-
TCV	265+538,02	-		-	-
PIV	265+588,02	PARABOLE	100,00	Crest/Saillante	123
CTV	265+638,02	-		-	-
-	-	Tangent/Tangente	36,70	-	-
TCV	265+674,72	-		-	-
PIV	265+720,43	PARABOLE	91,41	Sag/Rentrante	114
CTV	265+766,13	-		-	-
-	-	Tangent/Tangente	255,15	-	-
TCV	266+021,28	-		-	-
PIV	266+171,28	PARABOLE	300,00	Sag/Rentrante	266
CTV	266+321,28	-		-	-
-	-	Tangent/Tangente	51,72	-	-
TCV	266+373,01	-		-	-
PIV	266+573,01	PARABOLE	400,00	Crest/Saillante	244

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	266+773,01	-		-	-
-	-	Tangent/Tangente	418,68	-	-
TCV	267+191,69	-		-	-
PIV	267+258,58	PARABOLE	133,77	Sag/Rentrante	136
CTV	267+325,46	-		-	-
-	-	Tangent/Tangente	56,25	-	-
TCV	267+381,71	-		-	-
PIV	267+412,22	PARABOLE	61,02	Crest/Saillante	82
CTV	267+442,73	-		-	-
-	-	Tangent/Tangente	16,35	-	-
TCV	267+459,08	-		-	-
PIV	267+514,08	PARABOLE	110,00	Sag/Rentrante	153
CTV	267+569,08	-		-	-
-	-	Tangent/Tangente	214,05	-	-
TCV	267+783,13	-		-	-
PIV	267+873,13	PARABOLE	180,00	Sag/Rentrante	166
CTV	267+963,12	-		-	-
-	-	Tangent/Tangente	45,08	-	-
TCV	268+008,21	-		-	-
PIV	268+060,35	PARABOLE	104,29	Crest/Saillante	79
CTV	268+112,50	-		-	-
-	-	Tangent/Tangente	15,04	-	-
TCV	268+127,54	-		-	-
PIV	268+190,75	PARABOLE	126,41	Sag/Rentrante	96
CTV	268+253,95	-		-	-
-	-	Tangent/Tangente	50,61	-	-
TCV	268+304,57	-		-	-
PIV	268+366,80	PARABOLE	124,47	Sag/Rentrante	62
CTV	268+429,03	-		-	-
-	-	Tangent/Tangente	59,86	-	-
TCV	268+488,90	-		-	-
PIV	268+674,90	PARABOLE	372,00	Crest/Saillante	86
CTV	268+860,90	-		-	-
-	-	Tangent/Tangente	82,86	-	-
TCV	268+943,75	-		-	-
PIV	268+992,95	PARABOLE	98,39	Sag/Rentrante	54
CTV	269+042,14	-		-	-
-	-	Tangent/Tangente	142,86	-	-
TCV	269+185,00	-		-	-
PIV	269+210,96	PARABOLE	51,92	Sag/Rentrante	55
CTV	269+236,92	-		-	-
-	-	Tangent/Tangente	70,62	-	-
TCV	269+307,54	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	269+370,62	PARABOLE	126,17	Crest/Saillante	73
CTV	269+433,71	-		-	-
-	-	Tangent/Tangente	130,80	-	-
TCV	269+564,51	-		-	-
PIV	269+604,51	PARABOLE	80,00	Crest/Saillante	146
CTV	269+644,51	-		-	-
-	-	Tangent/Tangente	21,14	-	-
TCV	269+665,66	-		-	-
PIV	269+726,71	PARABOLE	122,11	Sag/Rentrante	69
CTV	269+787,77	-		-	-
-	-	Tangent/Tangente	223,30	-	-
-	-	Tangent/Tangente	223,30	-	-
TCV	270+011,07	-		-	-
PIV	270+036,07	PARABOLE	50,00	Sag/Rentrante	81
CTV	270+061,07	-		-	-
-	-	Tangent/Tangente	240,96	-	-
TCV	270+302,03	-		-	-
PIV	270+363,03	PARABOLE	122,00	Crest/Saillante	77
CTV	270+424,03	-		-	-
-	-	Tangent/Tangente	46,89	-	-
TCV	270+470,93	-		-	-
PIV	270+536,93	PARABOLE	132,00	Sag/Rentrante	80
CTV	270+602,93	-		-	-
-	-	Tangent/Tangente	53,04	-	-
TCV	270+655,97	-		-	-
PIV	270+705,97	PARABOLE	100,00	Crest/Saillante	154
CTV	270+755,97	-		-	-
-	-	Tangent/Tangente	240,84	-	-
TCV	270+996,81	-		-	-
PIV	271+122,02	PARABOLE	250,42	Sag/Rentrante	265
CTV	271+247,23	-		-	-
-	-	Tangent/Tangente	88,13	-	-
TCV	271+335,36	-		-	-
PIV	271+385,65	PARABOLE	100,58	Sag/Rentrante	68
CTV	271+435,94	-		-	-
-	-	Tangent/Tangente	54,59	-	-
TCV	271+490,53	-		-	-
PIV	271+538,03	PARABOLE	95,00	Crest/Saillante	72
CTV	271+585,53	-		-	-
-	-	Tangent/Tangente	66,21	-	-
TCV	271+651,74	-		-	-
PIV	271+685,74	PARABOLE	68,00	Crest/Saillante	107
CTV	271+719,74	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	59,84	-	-
TCV	271+779,58	-		-	-
PIV	271+854,58	PARABOLE	150,00	Sag/Rentrante	64
CTV	271+929,58	-		-	-
-	-	Tangent/Tangente	10,97	-	-
TCV	271+940,55	-		-	-
PIV	272+010,55	PARABOLE	140,00	Crest/Saillante	84
CTV	272+080,55	-		-	-
-	-	Tangent/Tangente	173,44	-	-
TCV	272+253,98	-		-	-
PIV	272+271,98	PARABOLE	36,00	Sag/Rentrante	137
CTV	272+289,98	-		-	-
-	-	Tangent/Tangente	119,34	-	-
TCV	272+409,32	-		-	-
PIV	272+459,32	PARABOLE	100,00	Sag/Rentrante	138
CTV	272+509,32	-		-	-
-	-	Tangent/Tangente	16,00	-	-
TCV	272+525,32	-		-	-
PIV	272+602,82	PARABOLE	155,00	Crest/Saillante	100
CTV	272+680,32	-		-	-
-	-	Tangent/Tangente	87,15	-	-
TCV	272+767,47	-		-	-
PIV	272+792,47	PARABOLE	50,00	Sag/Rentrante	261
CTV	272+817,47	-		-	-
-	-	Tangent/Tangente	62,19	-	-
TCV	272+879,66	-		-	-
PIV	272+922,16	PARABOLE	85,00	Sag/Rentrante	51
CTV	272+964,66	-		-	-
-	-	Tangent/Tangente	76,32	-	-
TCV	273+040,98	-		-	-
PIV	273+123,48	PARABOLE	165,00	Crest/Saillante	71
CTV	273+205,98	-		-	-
-	-	Tangent/Tangente	74,01	-	-
TCV	273+279,99	-		-	-
PIV	273+409,99	PARABOLE	260,00	Sag/Rentrante	102
CTV	273+539,99	-		-	-
-	-	Tangent/Tangente	367,83	-	-
TCV	273+907,82	-		-	-
PIV	274+107,82	PARABOLE	400,00	Sag/Rentrante	136
CTV	274+307,82	-		-	-
-	-	Tangent/Tangente	248,53	-	-
TCV	274+556,35	-		-	-
PIV	274+616,35	PARABOLE	120,00	Crest/Saillante	76

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	274+676,35	-		-	-
-	-	Tangent/Tangente	106,72	-	-
TCV	274+783,07	-		-	-
PIV	274+825,57	PARABOLE	85,00	Crest/Saillante	81
CTV	274+868,07	-		-	-
-	-	Tangent/Tangente	33,64	-	-
TCV	274+901,71	-		-	-
PIV	274+949,21	PARABOLE	95,00	Sag/Rentrante	48
CTV	274+996,71	-		-	-
-	-	Tangent/Tangente	47,92	-	-
TCV	275+044,63	-		-	-
PIV	275+092,13	PARABOLE	95,00	Crest/Saillante	98
CTV	275+139,63	-		-	-
-	-	Tangent/Tangente	43,83	-	-
TCV	275+183,46	-		-	-
PIV	275+244,46	PARABOLE	122,00	Sag/Rentrante	208
CTV	275+305,46	-		-	-
-	-	Tangent/Tangente	1,18	-	-
TCV	275+306,64	-		-	-
PIV	275+321,64	PARABOLE	30,00	Crest/Saillante	110
CTV	275+336,64	-		-	-
-	-	Tangent/Tangente	11,33	-	-
TCV	275+347,97	-		-	-
PIV	275+365,47	PARABOLE	35,00	Sag/Rentrante	261
CTV	275+382,97	-		-	-
-	-	Tangent/Tangente	58,91	-	-
TCV	275+441,88	-		-	-
PIV	275+456,88	PARABOLE	30,00	Sag/Rentrante	264
CTV	275+471,88	-		-	-
-	-	Tangent/Tangente	23,50	-	-
TCV	275+495,39	-		-	-
PIV	275+535,39	PARABOLE	80,00	Crest/Saillante	81
CTV	275+575,39	-		-	-
-	-	Tangent/Tangente	102,44	-	-
TCV	275+677,83	-		-	-
PIV	275+777,83	PARABOLE	200,00	Sag/Rentrante	68
CTV	275+877,83	-		-	-
-	-	Tangent/Tangente	83,00	-	-
TCV	275+960,83	-		-	-
PIV	276+018,33	PARABOLE	115,00	Crest/Saillante	63
CTV	276+075,83	-		-	-
-	-	Tangent/Tangente	29,01	-	-
TCV	276+104,84	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	276+163,34	PARABOLE	117,00	Sag/Rentrante	76
CTV	276+221,84	-		-	-
-	-	Tangent/Tangente	28,56	-	-
TCV	276+250,40	-		-	-
PIV	276+307,90	PARABOLE	115,00	Crest/Saillante	109
CTV	276+365,40	-		-	-
-	-	Tangent/Tangente	64,36	-	-
TCV	276+429,75	-		-	-
PIV	276+469,75	PARABOLE	80,00	Sag/Rentrante	69
CTV	276+509,75	-		-	-
-	-	Tangent/Tangente	156,80	-	-
TCV	276+666,55	-		-	-
PIV	276+716,55	PARABOLE	100,00	Sag/Rentrante	265
CTV	276+766,55	-		-	-
-	-	Tangent/Tangente	59,01	-	-
TCV	276+825,56	-		-	-
PIV	276+905,56	PARABOLE	160,00	Crest/Saillante	160
CTV	276+985,56	-		-	-
-	-	Tangent/Tangente	67,19	-	-
TCV	277+052,76	-		-	-
PIV	277+157,76	PARABOLE	210,00	Sag/Rentrante	83
CTV	277+262,76	-		-	-
-	-	Tangent/Tangente	100,09	-	-
TCV	277+362,85	-		-	-
PIV	277+428,85	PARABOLE	132,00	Crest/Saillante	70
CTV	277+494,85	-		-	-
-	-	Tangent/Tangente	113,49	-	-
TCV	277+608,34	-		-	-
PIV	277+661,84	PARABOLE	107,00	Sag/Rentrante	70
CTV	277+715,34	-		-	-
-	-	Tangent/Tangente	103,64	-	-
TCV	277+818,97	-		-	-
PIV	277+873,97	PARABOLE	110,00	Sag/Rentrante	108
CTV	277+928,97	-		-	-
-	-	Tangent/Tangente	37,63	-	-
TCV	277+966,60	-		-	-
PIV	278+009,10	PARABOLE	85,00	Crest/Saillante	64
CTV	278+051,60	-		-	-
-	-	Tangent/Tangente	45,42	-	-
TCV	278+097,03	-		-	-
PIV	278+147,03	PARABOLE	100,00	Sag/Rentrante	64
CTV	278+197,03	-		-	-
-	-	Tangent/Tangente	210,89	-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	278+407,92	-		-	-
PIV	278+507,92	PARABOLE	200,00	Sag/Rentrante	267
CTV	278+607,92	-		-	-
-	-	Tangent/Tangente	217,23	-	-
TCV	278+825,15	-		-	-
PIV	278+860,15	PARABOLE	70,00	Sag/Rentrante	640
CTV	278+895,15	-		-	-
-	-	Tangent/Tangente	70,98	-	-
PIV	278+966,13	-		-	-
-	-	Tangent/Tangente	101,28	-	-
TCV	279+067,42	-		-	-
PIV	279+119,92	PARABOLE	105,00	Sag/Rentrante	80
CTV	279+172,42	-		-	-
-	-	Tangent/Tangente	63,37	-	-
TCV	279+235,79	-		-	-
PIV	279+315,79	PARABOLE	160,00	Crest/Saillante	98
CTV	279+395,79	-		-	-
-	-	Tangent/Tangente	204,28	-	-
TCV	279+600,06	-		-	-
PIV	279+650,06	PARABOLE	100,00	Crest/Saillante	103
CTV	279+700,06	-		-	-
-	-	Tangent/Tangente	100,76	-	-
TCV	279+800,82	-		-	-
PIV	279+820,82	PARABOLE	40,00	Sag/Rentrante	69
CTV	279+840,82	-		-	-
-	-	Tangent/Tangente	119,53	-	-
-	-	Tangent/Tangente	119,53	-	-
TCV	279+960,35	-		-	-
PIV	280+040,35	PARABOLE	160,00	Crest/Saillante	110
CTV	280+120,35	-		-	-
-	-	Tangent/Tangente	107,82	-	-
TCV	280+228,17	-		-	-
PIV	280+278,17	PARABOLE	100,00	Sag/Rentrante	106
CTV	280+328,17	-		-	-
-	-	Tangent/Tangente	61,65	-	-
TCV	280+389,82	-		-	-
PIV	280+439,82	PARABOLE	100,00	Crest/Saillante	172
CTV	280+489,82	-		-	-
-	-	Tangent/Tangente	39,25	-	-
TCV	280+529,06	-		-	-
PIV	280+674,06	PARABOLE	290,00	Sag/Rentrante	457
CTV	280+819,06	-		-	-
-	-	Tangent/Tangente	39,27	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	280+858,33	-		-	-
PIV	280+908,33	PARABOLE	100,00	Crest/Saillante	255
CTV	280+958,33	-		-	-
-	-	Tangent/Tangente	229,72	-	-
TCV	281+188,05	-		-	-
PIV	281+278,05	PARABOLE	180,00	Sag/Rentrante	228
CTV	281+368,05	-		-	-
-	-	Tangent/Tangente	199,93	-	-
TCV	281+567,98	-		-	-
PIV	281+623,98	PARABOLE	112,00	Sag/Rentrante	69
CTV	281+679,98	-		-	-
-	-	Tangent/Tangente	112,03	-	-
TCV	281+792,01	-		-	-
PIV	281+942,01	PARABOLE	300,00	Crest/Saillante	80
CTV	282+092,01	-		-	-
-	-	Tangent/Tangente	175,73	-	-
TCV	282+267,74	-		-	-
PIV	282+308,74	PARABOLE	82,00	Sag/Rentrante	48
CTV	282+349,74	-		-	-
-	-	Tangent/Tangente	139,73	-	-
TCV	282+489,48	-		-	-
PIV	282+594,48	PARABOLE	210,00	Crest/Saillante	122
CTV	282+699,48	-		-	-
-	-	Tangent/Tangente	146,23	-	-
TCV	282+845,71	-		-	-
PIV	282+928,21	PARABOLE	165,00	Sag/Rentrante	301
CTV	283+010,71	-		-	-
-	-	Tangent/Tangente	83,59	-	-
TCV	283+094,30	-		-	-
PIV	283+151,80	PARABOLE	115,00	Crest/Saillante	189
CTV	283+209,30	-		-	-
-	-	Tangent/Tangente	92,96	-	-
TCV	283+302,26	-		-	-
PIV	283+382,26	PARABOLE	160,00	Sag/Rentrante	175
CTV	283+462,26	-		-	-
-	-	Tangent/Tangente	93,63	-	-
TCV	283+555,89	-		-	-
PIV	283+613,39	PARABOLE	115,00	Crest/Saillante	118
CTV	283+670,89	-		-	-
-	-	Tangent/Tangente	8,21	-	-
TCV	283+679,10	-		-	-
PIV	283+754,10	PARABOLE	150,00	Sag/Rentrante	264
CTV	283+829,10	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	81,10	-	-
TCV	283+910,20	-		-	-
PIV	283+980,20	PARABOLE	140,00	Sag/Rentrante	263
CTV	284+050,20	-		-	-
-	-	Tangent/Tangente	154,49	-	-
TCV	284+204,69	-		-	-
PIV	284+279,69	PARABOLE	150,00	Crest/Saillante	137
CTV	284+354,69	-		-	-
-	-	Tangent/Tangente	388,27	-	-
TCV	284+742,96	-		-	-
PIV	284+845,46	PARABOLE	205,00	Sag/Rentrante	99
CTV	284+947,96	-		-	-
-	-	Tangent/Tangente	180,32	-	-
TCV	285+128,28	-		-	-
PIV	285+178,28	PARABOLE	100,00	Crest/Saillante	127
CTV	285+228,28	-		-	-
-	-	Tangent/Tangente	316,52	-	-
TCV	285+544,80	-		-	-
PIV	285+624,80	PARABOLE	160,00	Crest/Saillante	89
CTV	285+704,80	-		-	-
-	-	Tangent/Tangente	252,84	-	-
TCV	285+957,64	-		-	-
PIV	286+027,64	PARABOLE	140,00	Sag/Rentrante	115
CTV	286+097,64	-		-	-
-	-	Tangent/Tangente	108,55	-	-
TCV	286+206,20	-		-	-
PIV	286+288,70	PARABOLE	165,00	Sag/Rentrante	264
CTV	286+371,20	-		-	-
-	-	Tangent/Tangente	101,23	-	-
TCV	286+472,43	-		-	-
PIV	286+548,93	PARABOLE	153,00	Crest/Saillante	113
CTV	286+625,43	-		-	-
-	-	Tangent/Tangente	79,51	-	-
TCV	286+704,94	-		-	-
PIV	286+729,94	PARABOLE	50,00	Sag/Rentrante	261
CTV	286+754,94	-		-	-
-	-	Tangent/Tangente	329,72	-	-
TCV	287+084,66	-		-	-
PIV	287+159,66	PARABOLE	150,00	Sag/Rentrante	266
CTV	287+234,66	-		-	-
-	-	Tangent/Tangente	255,93	-	-
TCV	287+490,59	-		-	-
PIV	287+550,59	PARABOLE	120,00	Sag/Rentrante	175

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	287+610,59	-		-	-
-	-	Tangent/Tangente	93,33	-	-
TCV	287+703,92	-		-	-
PIV	287+893,92	PARABOLE	380,00	Crest/Saillante	114
CTV	288+083,92	-		-	-
-	-	Tangent/Tangente	79,05	-	-
TCV	288+162,97	-		-	-
PIV	288+212,97	PARABOLE	100,00	Crest/Saillante	167
CTV	288+262,97	-		-	-
-	-	Tangent/Tangente	126,21	-	-
TCV	288+389,18	-		-	-
PIV	288+419,18	PARABOLE	60,00	Sag/Rentrante	128
CTV	288+449,18	-		-	-
-	-	Tangent/Tangente	125,42	-	-
TCV	288+574,60	-		-	-
PIV	288+591,10	PARABOLE	33,00	Crest/Saillante	225
CTV	288+607,60	-		-	-
-	-	Tangent/Tangente	94,86	-	-
TCV	288+702,46	-		-	-
PIV	288+727,26	PARABOLE	49,60	Sag/Rentrante	55
CTV	288+752,06	-		-	-
-	-	Tangent/Tangente	49,87	-	-
TCV	288+801,93	-		-	-
PIV	288+839,43	PARABOLE	75,00	Crest/Saillante	89
CTV	288+876,93	-		-	-
-	-	Tangent/Tangente	38,40	-	-
TCV	288+915,33	-		-	-
PIV	288+990,33	PARABOLE	150,00	Crest/Saillante	100
CTV	289+065,33	-		-	-
-	-	Tangent/Tangente	1,59	-	-
TCV	289+066,92	-		-	-
PIV	289+126,89	PARABOLE	119,93	Sag/Rentrante	62
CTV	289+186,85	-		-	-
-	-	Tangent/Tangente	120,31	-	-
TCV	289+307,16	-		-	-
PIV	289+379,66	PARABOLE	145,00	Crest/Saillante	113
CTV	289+452,16	-		-	-
-	-	Tangent/Tangente	253,62	-	-
TCV	289+705,78	-		-	-
PIV	289+823,28	PARABOLE	235,00	Sag/Rentrante	87
CTV	289+940,78	-		-	-
-	-	Tangent/Tangente	25,20	-	-
TCV	289+965,99	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	290+005,99	PARABOLE	80,00	Crest/Saillante	92
CTV	290+045,99	-		-	-
-	-	Tangent/Tangente	53,24	-	-
-	-	Tangent/Tangente	53,24	-	-
TCV	290+099,23	-	-	-	-
PIV	290+219,23	PARABOLE	240,00	Crest/Saillante	161
CTV	290+339,23	-		-	-
-	-	Tangent/Tangente	68,93	-	-
TCV	290+408,16	-		-	-
PIV	290+495,66	PARABOLE	175,00	Sag/Rentrante	109
CTV	290+583,16	-		-	-
-	-	Tangent/Tangente	217,26	-	-
TCV	290+800,41	-		-	-
PIV	290+870,41	PARABOLE	140,00	Crest/Saillante	82
CTV	290+940,41	-		-	-
-	-	Tangent/Tangente	592,44	-	-
TCV	291+532,85	-		-	-
PIV	291+753,85	PARABOLE	442,00	Sag/Rentrante	121
CTV	291+974,85	-		-	-
-	-	Tangent/Tangente	137,72	-	-
TCV	292+112,57	-		-	-
PIV	292+177,57	PARABOLE	130,00	Crest/Saillante	94
CTV	292+242,57	-		-	-
-	-	Tangent/Tangente	140,20	-	-
TCV	292+382,76	-		-	-
PIV	292+442,57	PARABOLE	119,61	Sag/Rentrante	122
CTV	292+502,37	-		-	-
-	-	Tangent/Tangente	254,10	-	-
TCV	292+756,47	-		-	-
PIV	292+798,97	PARABOLE	85,00	Crest/Saillante	157
CTV	292+841,47	-		-	-
-	-	Tangent/Tangente	26,46	-	-
TCV	292+867,93	-		-	-
PIV	292+907,93	PARABOLE	80,00	Sag/Rentrante	54
CTV	292+947,93	-		-	-
-	-	Tangent/Tangente	19,16	-	-
TCV	292+967,09	-		-	-
PIV	293+047,09	PARABOLE	160,00	Crest/Saillante	138
CTV	293+127,09	-		-	-
-	-	Tangent/Tangente	116,70	-	-
TCV	293+243,79	-		-	-
PIV	293+293,79	PARABOLE	100,00	Crest/Saillante	89
CTV	293+343,79	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	187,21	-	-
TCV	293+531,01	-		-	-
PIV	293+606,01	PARABOLE	150,00	Sag/Rentrante	113
CTV	293+681,01	-		-	-
-	-	Tangent/Tangente	134,52	-	-
TCV	293+815,52	-		-	-
PIV	293+990,52	PARABOLE	350,00	Crest/Saillante	129
CTV	294+165,52	-		-	-
-	-	Tangent/Tangente	179,71	-	-
TCV	294+345,23	-		-	-
PIV	294+494,68	PARABOLE	298,90	Sag/Rentrante	509
CTV	294+644,13	-		-	-
		Tangent/Tangente	0,00	-	-
PVRC	294+644,13	-		-	-
PIV	294+669,13	PARABOLE	50,00	Crest/Saillante	96
CTV	294+694,13	-		-	-
-	-	Tangent/Tangente	79,84	-	-
TCV	294+773,96	-		-	-
PIV	294+808,96	PARABOLE	70,00	Sag/Rentrante	48
CTV	294+843,96	-		-	-
-	-	Tangent/Tangente	39,32	-	-
TCV	294+883,29	-		-	-
PIV	294+928,29	PARABOLE	90,00	Crest/Saillante	77
CTV	294+973,29	-		-	-
-	-	Tangent/Tangente	77,39	-	-
TCV	295+050,67	-		-	-
PIV	295+100,67	PARABOLE	100,00	Crest/Saillante	74
CTV	295+150,67	-		-	-
-	-	Tangent/Tangente	23,80	-	-
TCV	295+174,47	-		-	-
PIV	295+236,97	PARABOLE	125,00	Sag/Rentrante	55
CTV	295+299,47	-		-	-
-	-	Tangent/Tangente	72,35	-	-
TCV	295+371,82	-		-	-
PIV	295+411,82	PARABOLE	80,00	Crest/Saillante	226
CTV	295+451,82	-		-	-
-	-	Tangent/Tangente	45,32	-	-
TCV	295+497,14	-		-	-
PIV	295+542,14	PARABOLE	90,00	Sag/Rentrante	53
CTV	295+587,14	-		-	-
-	-	Tangent/Tangente	13,50	-	-
TCV	295+600,64	-		-	-
PIV	295+664,64	PARABOLE	128,00	Crest/Saillante	65

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	295+728,64	-		-	-
-	-	Tangent/Tangente	24,38	-	-
TCV	295+753,02	-		-	-
PIV	295+778,02	PARABOLE	50,00	Sag/Rentrante	45
CTV	295+803,02	-		-	-
-	-	Tangent/Tangente	43,12	-	-
TCV	295+846,15	-		-	-
PIV	295+896,15	PARABOLE	100,00	Sag/Rentrante	80
CTV	295+946,15	-		-	-
-	-	Tangent/Tangente	111,78	-	-
TCV	296+057,93	-		-	-
PIV	296+257,93	PARABOLE	400,00	Crest/Saillante	125
CTV	296+457,93	-		-	-
-	-	Tangent/Tangente	160,82	-	-
TCV	296+618,75	-		-	-
PIV	296+706,54	PARABOLE	175,59	Sag/Rentrante	455
CTV	296+794,34	-		-	-
-	-	Tangent/Tangente	289,06	-	-
TCV	297+083,39	-		-	-
PIV	297+176,33	PARABOLE	185,86	Crest/Saillante	129
CTV	297+269,26	-		-	-
-	-	Tangent/Tangente	0,00	-	-
TCV	297+269,26	-		-	-
PIV	297+349,26	PARABOLE	160,00	Sag/Rentrante	95
CTV	297+429,26	-		-	-
-	-	Tangent/Tangente	50,57	-	-
TCV	297+479,83	-		-	-
PIV	297+517,33	PARABOLE	75,00	Crest/Saillante	135
CTV	297+554,83	-		-	-
-	-	Tangent/Tangente	71,17	-	-
TCV	297+625,99	-		-	-
PIV	297+685,99	PARABOLE	120,00	Crest/Saillante	143
CTV	297+745,99	-		-	-
-	-	Tangent/Tangente	20,90	-	-
TCV	297+766,89	-		-	-
PIV	297+839,39	PARABOLE	145,00	Sag/Rentrante	117
CTV	297+911,89	-		-	-
-	-	Tangent/Tangente	14,26	-	-
TCV	297+926,14	-		-	-
PIV	297+951,14	PARABOLE	50,00	Crest/Saillante	116
CTV	297+976,14	-		-	-
-	-	Tangent/Tangente	38,42	-	-
TCV	298+014,56	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	298+074,56	PARABOLE	120,00	Crest/Saillante	96
CTV	298+134,56	-		-	-
-	-	Tangent/Tangente	19,29	-	-
TCV	298+153,86	-		-	-
PIV	298+188,86	PARABOLE	70,00	Sag/Rentrante	54
CTV	298+223,86	-		-	-
-	-	Tangent/Tangente	99,29	-	-
TCV	298+323,15	-		-	-
PIV	298+357,15	PARABOLE	68,00	Crest/Saillante	69
CTV	298+391,15	-		-	-
-	-	Tangent/Tangente	108,55	-	-
TCV	298+499,70	-		-	-
PIV	298+544,70	PARABOLE	90,00	Sag/Rentrante	63
CTV	298+589,70	-		-	-
-	-	Tangent/Tangente	529,09	-	-
TCV	299+118,79	-		-	-
PIV	299+266,34	PARABOLE	295,10	Crest/Saillante	279
CTV	299+413,89	-		-	-
-	-	Tangent/Tangente	227,56	-	-
TCV	299+641,46	-		-	-
PIV	299+685,93	PARABOLE	88,95	Sag/Rentrante	68
CTV	299+730,41	-		-	-
-	-	Tangent/Tangente	176,68	-	-
TCV	299+907,09	-		-	-
PIV	299+957,09	PARABOLE	100,00	Crest/Saillante	84
CTV	300+007,09	-		-	-
-	-	Tangent/Tangente	20,28	-	-
-	-	Tangent/Tangente	20,28	-	-
TCV	300+027,37	-		-	-
PIV	300+077,37	PARABOLE	100,00	Sag/Rentrante	264
CTV	300+127,37	-		-	-
-	-	Tangent/Tangente	46,52	-	-
TCV	300+173,90	-		-	-
PIV	300+196,40	PARABOLE	45,00	Crest/Saillante	201
CTV	300+218,90	-		-	-
-	-	Tangent/Tangente	2,52	-	-
TCV	300+221,42	-		-	-
PIV	300+256,42	PARABOLE	70,00	Sag/Rentrante	263
CTV	300+291,42	-		-	-
-	-	Tangent/Tangente	246,71	-	-
TCV	300+538,13	-		-	-
PIV	300+583,13	PARABOLE	90,00	Sag/Rentrante	264
CTV	300+628,13	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	118,32	-	-
TCV	300+746,45	-		-	-
PIV	300+776,45	PARABOLE	60,00	Crest/Saillante	97
CTV	300+806,45	-		-	-
-	-	Tangent/Tangente	87,42	-	-
TCV	300+893,87	-		-	-
PIV	300+968,87	PARABOLE	150,00	Sag/Rentrante	140
CTV	301+043,87	-		-	-
-	-	Tangent/Tangente	274,86	-	-
TCV	301+318,73	-		-	-
PIV	301+368,73	PARABOLE	100,00	Crest/Saillante	188
CTV	301+418,73	-		-	-
-	-	Tangent/Tangente	126,09	-	-
TCV	301+544,82	-		-	-
PIV	301+652,32	PARABOLE	215,00	Sag/Rentrante	264
CTV	301+759,82	-		-	-
-	-	Tangent/Tangente	132,58	-	-
TCV	301+892,39	-		-	-
PIV	302+022,39	PARABOLE	260,00	Crest/Saillante	194
CTV	302+152,39	-		-	-
-	-	Tangent/Tangente	210,54	-	-
TCV	302+362,94	-		-	-
PIV	302+417,94	PARABOLE	110,00	Crest/Saillante	168
CTV	302+472,94	-		-	-
-	-	Tangent/Tangente	62,70	-	-
TCV	302+535,64	-		-	-
PIV	302+605,64	PARABOLE	140,00	Sag/Rentrante	264
CTV	302+675,64	-		-	-
-	-	Tangent/Tangente	3,20	-	-
TCV	302+678,83	-		-	-
PIV	302+721,33	PARABOLE	85,00	Crest/Saillante	234
CTV	302+763,83	-		-	-
-	-	Tangent/Tangente	160,38	-	-
TCV	302+924,21	-		-	-
PIV	302+944,21	PARABOLE	40,00	Crest/Saillante	160
CTV	302+964,21	-		-	-
-	-	Tangent/Tangente	1,23	-	-
TCV	302+965,44	-		-	-
PIV	302+987,94	PARABOLE	45,00	Sag/Rentrante	139
CTV	303+010,44	-		-	-
-	-	Tangent/Tangente	225,33	-	-
TCV	303+235,77	-		-	-
PIV	303+265,77	PARABOLE	60,00	Crest/Saillante	137

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	303+295,77	-		-	-
-	-	Tangent/Tangente	50,67	-	-
TCV	303+346,44	-		-	-
PIV	303+371,44	PARABOLE	50,00	Crest/Saillante	216
CTV	303+396,44	-		-	-
-	-	Tangent/Tangente	17,07	-	-
TCV	303+413,51	-		-	-
PIV	303+453,51	PARABOLE	80,00	Sag/Rentrante	263
CTV	303+493,51	-		-	-
-	-	Tangent/Tangente	14,27	-	-
TCV	303+507,78	-		-	-
PIV	303+542,78	PARABOLE	70,00	Sag/Rentrante	70
CTV	303+577,78	-		-	-
-	-	Tangent/Tangente	32,90	-	-
TCV	303+610,69	-		-	-
PIV	303+638,19	PARABOLE	55,00	Crest/Saillante	69
CTV	303+665,69	-		-	-
-	-	Tangent/Tangente	145,21	-	-
TCV	303+810,89	-		-	-
PIV	303+824,89	PARABOLE	28,00	Sag/Rentrante	301
CTV	303+838,89	-		-	-
-	-	Tangent/Tangente	0,47	-	-
TCV	303+839,36	-		-	-
PIV	303+859,36	PARABOLE	40,00	Crest/Saillante	133
CTV	303+879,36	-		-	-
-	-	Tangent/Tangente	21,09	-	-
TCV	303+900,45	-		-	-
PIV	303+925,45	PARABOLE	50,00	Sag/Rentrante	177
CTV	303+950,45	-		-	-
-	-	Tangent/Tangente	140,62	-	-
TCV	304+091,07	-		-	-
PIV	304+141,07	PARABOLE	100,00	Crest/Saillante	96
CTV	304+191,07	-		-	-
-	-	Tangent/Tangente	65,51	-	-
TCV	304+256,58	-		-	-
PIV	304+349,08	PARABOLE	185,00	Sag/Rentrante	72
CTV	304+441,58	-		-	-
-	-	Tangent/Tangente	13,97	-	-
TCV	304+455,55	-		-	-
PIV	304+520,55	PARABOLE	130,00	Crest/Saillante	109
CTV	304+585,55	-		-	-
-	-	Tangent/Tangente	201,79	-	-
TCV	304+787,34	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	304+817,34	PARABOLE	60,00	Crest/Saillante	107
CTV	304+847,34	-		-	-
-	-	Tangent/Tangente	49,24	-	-
TCV	304+896,58	-		-	-
PIV	304+929,08	PARABOLE	65,00	Sag/Rentrante	263
CTV	304+961,58	-		-	-
-	-	Tangent/Tangente	185,43	-	-
TCV	305+147,01	-		-	-
PIV	305+179,51	PARABOLE	65,00	Crest/Saillante	125
CTV	305+212,01	-		-	-
-	-	Tangent/Tangente	212,14	-	-
TCV	305+424,16	-		-	-
PIV	305+506,66	PARABOLE	165,00	Sag/Rentrante	97
CTV	305+589,16	-		-	-
-	-	Tangent/Tangente	325,33	-	-
TCV	305+914,49	-		-	-
PIV	305+964,49	PARABOLE	100,00	Crest/Saillante	98
CTV	306+014,49	-		-	-
-	-	Tangent/Tangente	107,12	-	-
TCV	306+121,61	-		-	-
PIV	306+146,61	PARABOLE	50,00	Crest/Saillante	248
CTV	306+171,61	-		-	-
-	-	Tangent/Tangente	108,60	-	-
TCV	306+280,20	-		-	-
PIV	306+360,20	PARABOLE	160,00	Sag/Rentrante	115
CTV	306+440,20	-		-	-
-	-	Tangent/Tangente	57,08	-	-
TCV	306+497,28	-		-	-
PIV	306+572,28	PARABOLE	150,00	Crest/Saillante	91
CTV	306+647,28	-		-	-
-	-	Tangent/Tangente	3,87	-	-
TCV	306+651,15	-		-	-
PIV	306+681,15	PARABOLE	60,00	Sag/Rentrante	92
CTV	306+711,15	-		-	-
-	-	Tangent/Tangente	114,85	-	-
TCV	306+826,00	-		-	-
PIV	306+941,00	PARABOLE	230,00	Sag/Rentrante	127
CTV	307+056,00	-		-	-
-	-	Tangent/Tangente	139,24	-	-
TCV	307+195,24	-		-	-
PIV	307+227,74	PARABOLE	65,00	Crest/Saillante	105
CTV	307+260,24	-		-	-
-	-	Tangent/Tangente	21,08	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	307+281,32	-		-	-
PIV	307+336,32	PARABOLE	110,00	Sag/Rentrante	265
CTV	307+391,32	-		-	-
-	-	Tangent/Tangente	1,42	-	-
TCV	307+392,75	-		-	-
PIV	307+437,75	PARABOLE	90,00	Crest/Saillante	92
CTV	307+482,75	-		-	-
-	-	Tangent/Tangente	151,78	-	-
TCV	307+634,53	-		-	-
PIV	307+717,03	PARABOLE	165,00	Sag/Rentrante	91
CTV	307+799,53	-		-	-
-	-	Tangent/Tangente	120,32	-	-
TCV	307+919,85	-		-	-
PIV	307+974,85	PARABOLE	110,00	Sag/Rentrante	259
CTV	308+029,85	-		-	-
-	-	Tangent/Tangente	65,19	-	-
TCV	308+095,04	-		-	-
PIV	308+127,54	PARABOLE	65,00	Crest/Saillante	63
CTV	308+160,04	-		-	-
-	-	Tangent/Tangente	62,04	-	-
TCV	308+222,07	-		-	-
PIV	308+297,07	PARABOLE	150,00	Sag/Rentrante	80
CTV	308+372,07	-		-	-
-	-	Tangent/Tangente	7,45	-	-
TCV	308+379,52	-		-	-
PIV	308+394,52	PARABOLE	30,00	Crest/Saillante	155
CTV	308+409,52	-		-	-
-	-	Tangent/Tangente	44,12	-	-
TCV	308+453,64	-		-	-
PIV	308+506,14	PARABOLE	105,00	Sag/Rentrante	125
CTV	308+558,64	-		-	-
-	-	Tangent/Tangente	86,24	-	-
TCV	308+644,88	-		-	-
PIV	308+732,38	PARABOLE	175,00	Sag/Rentrante	259
CTV	308+819,88	-		-	-
-	-	Tangent/Tangente	126,22	-	-
TCV	308+946,10	-		-	-
PIV	308+993,60	PARABOLE	95,00	Crest/Saillante	91
CTV	309+041,10	-		-	-
-	-	Tangent/Tangente	133,00	-	-
TCV	309+174,10	-		-	-
PIV	309+239,10	PARABOLE	130,00	Sag/Rentrante	73
CTV	309+304,10	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	16,07	-	-
TCV	309+320,17	-		-	-
PIV	309+357,67	PARABOLE	75,00	Crest/Saillante	170
CTV	309+395,17	-		-	-
-	-	Tangent/Tangente	173,03	-	-
TCV	309+568,20	-		-	-
PIV	309+600,70	PARABOLE	65,00	Crest/Saillante	122
CTV	309+633,20	-		-	-
-	-	Tangent/Tangente	47,45	-	-
TCV	309+680,65	-		-	-
PIV	309+735,65	PARABOLE	110,00	Sag/Rentrante	263
CTV	309+790,65	-		-	-
-	-	Tangent/Tangente	162,27	-	-
-	-	Tangent/Tangente	162,27	-	-
TCV	309+952,92	-		-	-
PIV	310+020,42	PARABOLE	135,00	Crest/Saillante	115
CTV	310+087,92	-		-	-
-	-	Tangent/Tangente	296,72	-	-
TCV	310+384,64	-		-	-
PIV	310+427,14	PARABOLE	85,00	Crest/Saillante	85
CTV	310+469,64	-		-	-
-	-	Tangent/Tangente	79,90	-	-
TCV	310+549,55	-		-	-
PIV	310+587,05	PARABOLE	75,00	Sag/Rentrante	121
CTV	310+624,55	-		-	-
-	-	Tangent/Tangente	291,47	-	-
TCV	310+916,02	-		-	-
PIV	310+956,02	PARABOLE	80,00	Crest/Saillante	106
CTV	310+996,02	-		-	-
-	-	Tangent/Tangente	32,41	-	-
TCV	311+028,43	-		-	-
PIV	311+085,93	PARABOLE	115,00	Sag/Rentrante	58
CTV	311+143,43	-		-	-
-	-	Tangent/Tangente	132,16	-	-
TCV	311+275,59	-		-	-
PIV	311+300,59	PARABOLE	50,00	Crest/Saillante	159
CTV	311+325,59	-		-	-
-	-	Tangent/Tangente	97,97	-	-
TCV	311+423,57	-		-	-
PIV	311+448,57	PARABOLE	50,00	Crest/Saillante	159
CTV	311+473,57	-		-	-
-	-	Tangent/Tangente	132,05	-	-
TCV	311+605,62	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	311+680,62	PARABOLE	150,00	Sag/Rentrante	264
CTV	311+755,62	-		-	-
-	-	Tangent/Tangente	289,54	-	-
TCV	312+045,16	-		-	-
PIV	312+060,16	PARABOLE	30,00	Sag/Rentrante	264
CTV	312+075,16	-		-	-
-	-	Tangent/Tangente	35,24	-	-
TCV	312+110,40	-		-	-
PIV	312+155,40	PARABOLE	90,00	Sag/Rentrante	50
CTV	312+200,40	-		-	-
-	-	Tangent/Tangente	26,01	-	-
TCV	312+226,40	-		-	-
PIV	312+278,90	PARABOLE	105,00	Crest/Saillante	65
CTV	312+331,40	-		-	-
-	-	Tangent/Tangente	21,09	-	-
TCV	312+352,49	-		-	-
PIV	312+367,49	PARABOLE	30,00	Crest/Saillante	141
CTV	312+382,49	-		-	-
-	-	Tangent/Tangente	1,42	-	-
TCV	312+383,91	-		-	-
PIV	312+391,41	PARABOLE	15,00	Sag/Rentrante	260
CTV	312+398,91	-		-	-
-	-	Tangent/Tangente	89,16	-	-
TCV	312+488,07	-		-	-
PIV	312+543,07	PARABOLE	110,00	Sag/Rentrante	83
CTV	312+598,07	-		-	-
-	-	Tangent/Tangente	135,15	-	-
TCV	312+733,23	-		-	-
PIV	312+838,23	PARABOLE	210,00	Crest/Saillante	89
CTV	312+943,23	-		-	-
-	-	Tangent/Tangente	75,49	-	-
TCV	313+018,72	-		-	-
PIV	313+033,72	PARABOLE	30,00	Sag/Rentrante	99
CTV	313+048,72	-		-	-
-	-	Tangent/Tangente	61,95	-	-
TCV	313+110,67	-		-	-
PIV	313+168,17	PARABOLE	115,00	Sag/Rentrante	97
CTV	313+225,67	-		-	-
-	-	Tangent/Tangente	5,66	-	-
TCV	313+231,33	-		-	-
PIV	313+246,33	PARABOLE	30,00	Sag/Rentrante	260
CTV	313+261,33	-		-	-
-	-	Tangent/Tangente	17,46	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	313+278,80	-		-	-
PIV	313+296,30	PARABOLE	35,00	Crest/Saillante	108
CTV	313+313,80	-		-	-
-	-	Tangent/Tangente	1,11	-	-
TCV	313+314,90	-		-	-
PIV	313+322,40	PARABOLE	15,00	Sag/Rentrante	263
CTV	313+329,90	-		-	-
-	-	Tangent/Tangente	74,13	-	-
TCV	313+404,03	-		-	-
PIV	313+441,53	PARABOLE	75,00	Sag/Rentrante	52
CTV	313+479,03	-		-	-
-	-	Tangent/Tangente	49,81	-	-
TCV	313+528,85	-		-	-
PIV	313+553,85	PARABOLE	50,00	Crest/Saillante	94
CTV	313+578,85	-		-	-
-	-	Tangent/Tangente	110,27	-	-
TCV	313+689,12	-		-	-
PIV	313+744,12	PARABOLE	110,00	Crest/Saillante	77
CTV	313+799,12	-		-	-
-	-	Tangent/Tangente	43,83	-	-
TCV	313+842,95	-		-	-
PIV	313+875,45	PARABOLE	65,00	Sag/Rentrante	109
CTV	313+907,95	-		-	-
-	-	Tangent/Tangente	1,32	-	-
TCV	313+909,27	-		-	-
PIV	313+931,77	PARABOLE	45,00	Crest/Saillante	161
CTV	313+954,27	-		-	-
-	-	Tangent/Tangente	184,10	-	-
TCV	314+138,37	-		-	-
PIV	314+198,37	PARABOLE	120,00	Sag/Rentrante	65
CTV	314+258,37	-		-	-
-	-	Tangent/Tangente	7,01	-	-
TCV	314+265,37	-		-	-
PIV	314+320,37	PARABOLE	110,00	Crest/Saillante	84
CTV	314+375,37	-		-	-
-	-	Tangent/Tangente	173,02	-	-
TCV	314+548,39	-		-	-
PIV	314+575,89	PARABOLE	55,00	Crest/Saillante	85
CTV	314+603,39	-		-	-
-	-	Tangent/Tangente	181,65	-	-
TCV	314+785,05	-		-	-
PIV	314+867,55	PARABOLE	165,00	Sag/Rentrante	78
CTV	314+950,05	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	208,20	-	-
TCV	315+158,25	-		-	-
PIV	315+183,25	PARABOLE	50,00	Crest/Saillante	148
CTV	315+208,25	-		-	-
-	-	Tangent/Tangente	60,17	-	-
TCV	315+268,42	-		-	-
PIV	315+330,92	PARABOLE	125,00	Sag/Rentrante	166
CTV	315+393,42	-		-	-
-	-	Tangent/Tangente	152,79	-	-
TCV	315+546,22	-		-	-
PIV	315+666,22	PARABOLE	240,00	Crest/Saillante	100
CTV	315+786,22	-		-	-
-	-	Tangent/Tangente	64,88	-	-
TCV	315+851,09	-		-	-
PIV	315+901,09	PARABOLE	100,00	Sag/Rentrante	137
CTV	315+951,09	-		-	-
-	-	Tangent/Tangente	114,97	-	-
TCV	316+066,06	-		-	-
PIV	316+086,06	PARABOLE	40,00	Sag/Rentrante	49
CTV	316+106,06	-		-	-
-	-	Tangent/Tangente	21,92	-	-
TCV	316+127,98	-		-	-
PIV	316+162,98	PARABOLE	70,00	Crest/Saillante	73
CTV	316+197,98	-		-	-
-	-	Tangent/Tangente	118,49	-	-
TCV	316+316,47	-		-	-
PIV	316+361,47	PARABOLE	90,00	Sag/Rentrante	95
CTV	316+406,47	-		-	-
-	-	Tangent/Tangente	102,96	-	-
TCV	316+509,43	-		-	-
PIV	316+569,43	PARABOLE	120,00	Sag/Rentrante	96
CTV	316+629,43	-		-	-
-	-	Tangent/Tangente	88,58	-	-
TCV	316+718,01	-		-	-
PIV	316+798,01	PARABOLE	160,00	Crest/Saillante	102
CTV	316+878,01	-		-	-
-	-	Tangent/Tangente	424,54	-	-
TCV	317+302,55	-		-	-
PIV	317+340,05	PARABOLE	75,00	Sag/Rentrante	1440
CTV	317+377,55	-		-	-
-	-	Tangent/Tangente	37,14	-	-
TCV	317+414,69	-		-	-
PIV	317+434,69	PARABOLE	40,00	Crest/Saillante	191



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	317+454,69	-		-	-
-	-	Tangent/Tangente	48,98	-	-
TCV	317+503,67	-		-	-
PIV	317+576,17	PARABOLE	145,00	Crest/Saillante	95
CTV	317+648,67	-		-	-
-	-	Tangent/Tangente	87,53	-	-
TCV	317+736,21	-		-	-
PIV	317+876,21	PARABOLE	280,00	Sag/Rentrante	100
CTV	318+016,21	-		-	-
-	-	Tangent/Tangente	136,58	-	-
TCV	318+152,79	-		-	-
PIV	318+182,79	PARABOLE	60,00	Crest/Saillante	90
CTV	318+212,79	-		-	-
-	-	Tangent/Tangente	76,32	-	-
TCV	318+289,11	-		-	-
PIV	318+361,61	PARABOLE	145,00	Sag/Rentrante	93
CTV	318+434,11	-		-	-
-	-	Tangent/Tangente	51,97	-	-
TCV	318+486,08	-		-	-
PIV	318+551,08	PARABOLE	130,00	Crest/Saillante	84
CTV	318+616,08	-		-	-
-	-	Tangent/Tangente	49,57	-	-
TCV	318+665,64	-		-	-
PIV	318+715,64	PARABOLE	100,00	Sag/Rentrante	240
CTV	318+765,64	-		-	-
-	-	Tangent/Tangente	245,07	-	-
TCV	319+010,71	-		-	-
PIV	319+060,71	PARABOLE	100,00	Crest/Saillante	143
CTV	319+110,71	-		-	-
-	-	Tangent/Tangente	110,67	-	-
TCV	319+221,39	-		-	-
PIV	319+281,39	PARABOLE	120,00	Sag/Rentrante	232
CTV	319+341,39	-		-	-
-	-	Tangent/Tangente	151,14	-	-
TCV	319+492,52	-		-	-
PIV	319+592,52	PARABOLE	200,00	Sag/Rentrante	266
CTV	319+692,52	-		-	-
-	-	Tangent/Tangente	397,61	-	-
-	-	Tangent/Tangente	397,61	-	-
TCV	320+090,13	-		-	-
PIV	320+100,13	PARABOLE	20,00	Crest/Saillante	243
CTV	320+110,13	-		-	-
-	-	Tangent/Tangente	14,28	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	320+124,41	-		-	-
PIV	320+134,41	PARABOLE	20,00	Sag/Rentrante	266
CTV	320+144,41	-		-	-
-	-	Tangent/Tangente	200,33	-	-
TCV	320+344,75	-		-	-
PIV	320+352,25	PARABOLE	15,00	Crest/Saillante	273
CTV	320+359,75	-		-	-
-	-	Tangent/Tangente	96,89	-	-
TCV	320+456,64	-		-	-
PIV	320+481,64	PARABOLE	50,00	Sag/Rentrante	159
CTV	320+506,64	-		-	-
-	-	Tangent/Tangente	121,10	-	-
TCV	320+627,74	-		-	-
PIV	320+690,24	PARABOLE	125,00	Crest/Saillante	98
CTV	320+752,74	-		-	-
-	-	Tangent/Tangente	17,94	-	-
TCV	320+770,68	-		-	-
PIV	320+823,18	PARABOLE	105,00	Sag/Rentrante	550
CTV	320+875,68	-		-	-
-	-	Tangent/Tangente	125,29	-	-
TCV	321+000,97	-		-	-
PIV	321+013,47	PARABOLE	25,00	Crest/Saillante	147
CTV	321+025,97	-		-	-
-	-	Tangent/Tangente	1,11	-	-
TCV	321+027,07	-		-	-
PIV	321+037,07	PARABOLE	20,00	Sag/Rentrante	264
CTV	321+047,07	-		-	-
-	-	Tangent/Tangente	32,63	-	-
TCV	321+079,70	-		-	-
PIV	321+094,70	PARABOLE	30,00	Crest/Saillante	108
CTV	321+109,70	-		-	-
-	-	Tangent/Tangente	70,85	-	-
TCV	321+180,56	-		-	-
PIV	321+225,56	PARABOLE	90,00	Sag/Rentrante	43
CTV	321+270,56	-		-	-
-	-	Tangent/Tangente	40,37	-	-
TCV	321+310,92	-		-	-
PIV	321+373,92	PARABOLE	126,00	Crest/Saillante	64
CTV	321+436,92	-		-	-
-	-	Tangent/Tangente	0,10	-	-
TCV	321+437,02	-		-	-
PIV	321+462,02	PARABOLE	50,00	Sag/Rentrante	321
CTV	321+487,02	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	41,13	-	-
TCV	321+528,15	-		-	-
PIV	321+600,65	PARABOLE	145,00	Sag/Rentrante	55
CTV	321+673,15	-		-	-
-	-	Tangent/Tangente	158,56	-	-
TCV	321+831,70	-		-	-
PIV	321+889,20	PARABOLE	115,00	Crest/Saillante	106
CTV	321+946,70	-		-	-
-	-	Tangent/Tangente	24,22	-	-
TCV	321+970,92	-		-	-
PIV	322+053,42	PARABOLE	165,00	Crest/Saillante	70
CTV	322+135,92	-		-	-
-	-	Tangent/Tangente	23,28	-	-
TCV	322+159,20	-		-	-
PIV	322+206,70	PARABOLE	95,00	Sag/Rentrante	49
CTV	322+254,20	-		-	-
-	-	Tangent/Tangente	64,42	-	-
TCV	322+318,63	-		-	-
PIV	322+366,13	PARABOLE	95,00	Crest/Saillante	79
CTV	322+413,63	-		-	-
-	-	Tangent/Tangente	28,16	-	-
TCV	322+441,79	-		-	-
PIV	322+466,79	PARABOLE	50,00	Sag/Rentrante	85
CTV	322+491,79	-		-	-
-	-	Tangent/Tangente	143,66	-	-
TCV	322+635,45	-		-	-
PIV	322+655,45	PARABOLE	40,00	Sag/Rentrante	125
CTV	322+675,45	-		-	-
-	-	Tangent/Tangente	57,66	-	-
TCV	322+733,11	-		-	-
PIV	322+783,11	PARABOLE	100,00	Crest/Saillante	85
CTV	322+833,11	-		-	-
-	-	Tangent/Tangente	27,30	-	-
TCV	322+860,41	-		-	-
PIV	322+889,41	PARABOLE	58,00	Sag/Rentrante	81
CTV	322+918,41	-		-	-
-	-	Tangent/Tangente	179,38	-	-
TCV	323+097,79	-		-	-
PIV	323+137,79	PARABOLE	80,00	Crest/Saillante	82
CTV	323+177,79	-		-	-
-	-	Tangent/Tangente	62,85	-	-
TCV	323+240,64	-		-	-
PIV	323+290,64	PARABOLE	100,00	Sag/Rentrante	54

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	323+340,64	-		-	-
-	-	Tangent/Tangente	18,43	-	-
TCV	323+359,08	-		-	-
PIV	323+384,08	PARABOLE	50,00	Crest/Saillante	98
CTV	323+409,08	-		-	-
-	-	Tangent/Tangente	95,99	-	-
TCV	323+505,07	-		-	-
PIV	323+532,57	PARABOLE	55,00	Sag/Rentrante	138
CTV	323+560,07	-		-	-
-	-	Tangent/Tangente	64,99	-	-
TCV	323+625,06	-		-	-
PIV	323+667,56	PARABOLE	85,00	Sag/Rentrante	51
CTV	323+710,06	-		-	-
-	-	Tangent/Tangente	170,83	-	-
TCV	323+880,89	-		-	-
PIV	323+930,89	PARABOLE	100,00	Crest/Saillante	66
CTV	323+980,89	-		-	-
-	-	Tangent/Tangente	137,33	-	-
TCV	324+118,22	-		-	-
PIV	324+143,22	PARABOLE	50,00	Crest/Saillante	229
CTV	324+168,22	-		-	-
-	-	Tangent/Tangente	137,88	-	-
TCV	324+306,09	-		-	-
PIV	324+338,59	PARABOLE	65,00	Crest/Saillante	183
CTV	324+371,09	-		-	-
-	-	Tangent/Tangente	55,39	-	-
TCV	324+426,48	-		-	-
PIV	324+508,98	PARABOLE	165,00	Sag/Rentrante	263
CTV	324+591,48	-		-	-
-	-	Tangent/Tangente	221,31	-	-
TCV	324+812,79	-		-	-
PIV	324+870,29	PARABOLE	115,00	Crest/Saillante	154
CTV	324+927,79	-		-	-
-	-	Tangent/Tangente	96,19	-	-
TCV	325+023,98	-		-	-
PIV	325+153,98	PARABOLE	260,00	Sag/Rentrante	262
CTV	325+283,98	-		-	-
-	-	Tangent/Tangente	241,93	-	-
TCV	325+525,91	-		-	-
PIV	325+593,41	PARABOLE	135,00	Crest/Saillante	86
CTV	325+660,91	-		-	-
-	-	Tangent/Tangente	11,55	-	-
TCV	325+672,46	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	325+704,96	PARABOLE	65,00	Sag/Rentrante	129
CTV	325+737,46	-		-	-
-	-	Tangent/Tangente	182,26	-	-
TCV	325+919,71	-		-	-
PIV	325+984,71	PARABOLE	130,00	Sag/Rentrante	59
CTV	326+049,71	-		-	-
-	-	Tangent/Tangente	60,21	-	-
TCV	326+109,92	-		-	-
PIV	326+152,42	PARABOLE	85,00	Crest/Saillante	66
CTV	326+194,92	-		-	-
-	-	Tangent/Tangente	38,48	-	-
TCV	326+233,40	-		-	-
PIV	326+290,90	PARABOLE	115,00	Sag/Rentrante	74
CTV	326+348,40	-		-	-
-	-	Tangent/Tangente	115,42	-	-
TCV	326+463,82	-		-	-
PIV	326+488,82	PARABOLE	50,00	Crest/Saillante	112
CTV	326+513,82	-		-	-
-	-	Tangent/Tangente	171,60	-	-
TCV	326+685,42	-		-	-
PIV	326+730,42	PARABOLE	90,00	Sag/Rentrante	499
CTV	326+775,42	-		-	-
-	-	Tangent/Tangente	25,51	-	-
TCV	326+800,93	-		-	-
PIV	326+823,43	PARABOLE	45,00	Crest/Saillante	96
CTV	326+845,93	-		-	-
-	-	Tangent/Tangente	53,29	-	-
TCV	326+899,22	-		-	-
PIV	326+919,22	PARABOLE	40,00	Sag/Rentrante	70
CTV	326+939,22	-		-	-
-	-	Tangent/Tangente	143,70	-	-
TCV	327+082,92	-		-	-
PIV	327+112,92	PARABOLE	60,00	Sag/Rentrante	55
CTV	327+142,92	-		-	-
-	-	Tangent/Tangente	43,81	-	-
TCV	327+186,73	-		-	-
PIV	327+269,23	PARABOLE	165,00	Crest/Saillante	76
CTV	327+351,73	-		-	-
-	-	Tangent/Tangente	46,83	-	-
TCV	327+398,56	-		-	-
PIV	327+443,56	PARABOLE	90,00	Sag/Rentrante	76
CTV	327+488,56	-		-	-
-	-	Tangent/Tangente	37,85	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	327+526,41	-		-	-
PIV	327+541,41	PARABOLE	30,00	Sag/Rentrante	109
CTV	327+556,41	-		-	-
-	-	Tangent/Tangente	21,81	-	-
TCV	327+578,22	-		-	-
PIV	327+605,72	PARABOLE	55,00	Crest/Saillante	87
CTV	327+633,22	-		-	-
-	-	Tangent/Tangente	114,04	-	-
TCV	327+747,26	-		-	-
PIV	327+764,76	PARABOLE	35,00	Sag/Rentrante	74
CTV	327+782,26	-		-	-
-	-	Tangent/Tangente	25,99	-	-
TCV	327+808,24	-		-	-
PIV	327+825,74	PARABOLE	35,00	Sag/Rentrante	261
CTV	327+843,24	-		-	-
-	-	Tangent/Tangente	6,58	-	-
TCV	327+849,82	-		-	-
PIV	327+864,82	PARABOLE	30,00	Crest/Saillante	98
CTV	327+879,82	-		-	-
-	-	Tangent/Tangente	30,90	-	-
TCV	327+910,73	-		-	-
PIV	327+938,23	PARABOLE	55,00	Sag/Rentrante	100
CTV	327+965,73	-		-	-
-	-	Tangent/Tangente	43,52	-	-
TCV	328+009,25	-		-	-
PIV	328+046,75	PARABOLE	75,00	Crest/Saillante	117
CTV	328+084,25	-		-	-
-	-	Tangent/Tangente	124,60	-	-
TCV	328+208,85	-		-	-
PIV	328+223,85	PARABOLE	30,00	Sag/Rentrante	266
CTV	328+238,85	-		-	-
-	-	Tangent/Tangente	132,31	-	-
TCV	328+371,16	-		-	-
PIV	328+386,16	PARABOLE	30,00	Sag/Rentrante	262
CTV	328+401,16	-		-	-
-	-	Tangent/Tangente	8,05	-	-
TCV	328+409,21	-		-	-
PIV	328+466,71	PARABOLE	115,00	Crest/Saillante	101
CTV	328+524,21	-		-	-
-	-	Tangent/Tangente	19,87	-	-
TCV	328+544,08	-		-	-
PIV	328+600,58	PARABOLE	113,00	Sag/Rentrante	108
CTV	328+657,08	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	24,81	-	-
TCV	328+681,89	-		-	-
PIV	328+711,89	PARABOLE	60,00	Crest/Saillante	211
CTV	328+741,89	-		-	-
-	-	Tangent/Tangente	77,51	-	-
TCV	328+819,40	-		-	-
PIV	328+891,90	PARABOLE	145,00	Crest/Saillante	133
CTV	328+964,40	-		-	-
-	-	Tangent/Tangente	153,04	-	-
TCV	329+117,44	-		-	-
PIV	329+134,94	PARABOLE	35,00	Sag/Rentrante	86
CTV	329+152,44	-		-	-
-	-	Tangent/Tangente	52,46	-	-
TCV	329+204,91	-		-	-
PIV	329+224,91	PARABOLE	40,00	Sag/Rentrante	154
CTV	329+244,91	-		-	-
-	-	Tangent/Tangente	69,15	-	-
TCV	329+314,06	-		-	-
PIV	329+331,56	PARABOLE	35,00	Crest/Saillante	105
CTV	329+349,06	-		-	-
-	-	Tangent/Tangente	95,37	-	-
TCV	329+444,43	-		-	-
PIV	329+479,43	PARABOLE	70,00	Sag/Rentrante	95
CTV	329+514,43	-		-	-
-	-	Tangent/Tangente	16,89	-	-
TCV	329+531,32	-		-	-
PIV	329+608,82	PARABOLE	155,00	Crest/Saillante	93
CTV	329+686,32	-		-	-
-	-	Tangent/Tangente	39,84	-	-
TCV	329+726,16	-		-	-
PIV	329+763,66	PARABOLE	75,00	Sag/Rentrante	76
CTV	329+801,16	-		-	-
-	-	Tangent/Tangente	73,71	-	-
TCV	329+874,87	-		-	-
PIV	329+909,87	PARABOLE	70,00	Sag/Rentrante	74
CTV	329+944,87	-		-	-
-	-	Tangent/Tangente	11,18	-	-
TCV	329+956,05	-		-	-
PIV	329+993,55	PARABOLE	75,00	Crest/Saillante	89
CTV	330+031,05	-		-	-
-	-	Tangent/Tangente	9,01	-	-
-	-	Tangent/Tangente	9,01	-	-
TCV	330+040,06	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	330+048,56	PARABOLE	17,00	Sag/Rentrante	258
CTV	330+057,06	-		-	-
-	-	Tangent/Tangente	64,16	-	-
TCV	330+121,22	-		-	-
PIV	330+148,72	PARABOLE	55,00	Crest/Saillante	101
CTV	330+176,22	-		-	-
-	-	Tangent/Tangente	93,95	-	-
TCV	330+270,17	-		-	-
PIV	330+292,67	PARABOLE	45,00	Crest/Saillante	191
CTV	330+315,17	-		-	-
-	-	Tangent/Tangente	37,79	-	-
TCV	330+352,96	-		-	-
PIV	330+402,96	PARABOLE	100,00	Sag/Rentrante	56
CTV	330+452,96	-		-	-
-	-	Tangent/Tangente	42,85	-	-
TCV	330+495,81	-		-	-
PIV	330+528,31	PARABOLE	65,00	Crest/Saillante	61
CTV	330+560,81	-		-	-
-	-	Tangent/Tangente	4,41	-	-
TCV	330+565,21	-		-	-
PIV	330+580,21	PARABOLE	30,00	Sag/Rentrante	158
CTV	330+595,21	-		-	-
-	-	Tangent/Tangente	34,64	-	-
TCV	330+629,85	-		-	-
PIV	330+642,35	PARABOLE	25,00	Sag/Rentrante	337
CTV	330+654,85	-		-	-
-	-	Tangent/Tangente	42,26	-	-
TCV	330+697,11	-		-	-
PIV	330+722,11	PARABOLE	50,00	Crest/Saillante	102
CTV	330+747,11	-		-	-
-	-	Tangent/Tangente	27,98	-	-
TCV	330+775,10	-		-	-
PIV	330+800,10	PARABOLE	50,00	Crest/Saillante	134
CTV	330+825,10	-		-	-
-	-	Tangent/Tangente	39,48	-	-
TCV	330+864,57	-		-	-
PIV	330+889,57	PARABOLE	50,00	Sag/Rentrante	259
CTV	330+914,57	-		-	-
-	-	Tangent/Tangente	47,78	-	-
TCV	330+962,36	-		-	-
PIV	330+999,86	PARABOLE	75,00	Sag/Rentrante	62
CTV	331+037,36	-		-	-
-	-	Tangent/Tangente	25,61	-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	331+062,97	-		-	-
PIV	331+117,97	PARABOLE	110,00	Crest/Saillante	79
CTV	331+172,97	-		-	-
-	-	Tangent/Tangente	305,04	-	-
TCV	331+478,01	-		-	-
PIV	331+583,01	PARABOLE	210,00	Sag/Rentrante	117
CTV	331+688,01	-		-	-
-	-	Tangent/Tangente	187,10	-	-
TCV	331+875,11	-		-	-
PIV	331+902,61	PARABOLE	55,00	Crest/Saillante	159
CTV	331+930,11	-		-	-
-	-	Tangent/Tangente	23,74	-	-
TCV	331+953,85	-		-	-
PIV	331+991,35	PARABOLE	75,00	Crest/Saillante	82
CTV	332+028,85	-		-	-
-	-	Tangent/Tangente	61,56	-	-
TCV	332+090,40	-		-	-
PIV	332+155,40	PARABOLE	130,00	Sag/Rentrante	72
CTV	332+220,40	-		-	-
-	-	Tangent/Tangente	72,93	-	-
TCV	332+293,33	-		-	-
PIV	332+328,33	PARABOLE	70,00	Sag/Rentrante	265
CTV	332+363,33	-		-	-
-	-	Tangent/Tangente	237,62	-	-
TCV	332+600,96	-		-	-
PIV	332+625,96	PARABOLE	50,00	Crest/Saillante	235
CTV	332+650,96	-		-	-
-	-	Tangent/Tangente	100,05	-	-
TCV	332+751,00	-		-	-
PIV	332+791,00	PARABOLE	80,00	Sag/Rentrante	263
CTV	332+831,00	-		-	-
-	-	Tangent/Tangente	106,35	-	-
TCV	332+937,35	-		-	-
PIV	333+127,35	PARABOLE	380,00	Crest/Saillante	152
CTV	333+317,35	-		-	-
-	-	Tangent/Tangente	193,50	-	-
TCV	333+510,85	-		-	-
PIV	333+655,85	PARABOLE	290,00	Sag/Rentrante	264
CTV	333+800,85	-		-	-
-	-	Tangent/Tangente	101,06	-	-
TCV	333+901,91	-		-	-
PIV	333+936,91	PARABOLE	70,00	Crest/Saillante	163
CTV	333+971,91	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	107,39	-	-
TCV	334+079,30	-		-	-
PIV	334+109,30	PARABOLE	60,00	Crest/Saillante	130
CTV	334+139,30	-		-	-
-	-	Tangent/Tangente	4,52	-	-
TCV	334+143,82	-		-	-
PIV	334+243,82	PARABOLE	200,00	Sag/Rentrante	115
CTV	334+343,82	-		-	-
-	-	Tangent/Tangente	141,41	-	-
TCV	334+485,22	-		-	-
PIV	334+512,72	PARABOLE	55,00	Crest/Saillante	130
CTV	334+540,22	-		-	-
-	-	Tangent/Tangente	35,62	-	-
TCV	334+575,84	-		-	-
PIV	334+613,34	PARABOLE	75,00	Sag/Rentrante	263
CTV	334+650,84	-		-	-
-	-	Tangent/Tangente	181,69	-	-
TCV	334+832,53	-		-	-
PIV	334+890,03	PARABOLE	115,00	Sag/Rentrante	54
CTV	334+947,53	-		-	-
-	-	Tangent/Tangente	83,15	-	-
TCV	335+030,68	-		-	-
PIV	335+080,68	PARABOLE	100,00	Crest/Saillante	69
CTV	335+130,68	-		-	-
-	-	Tangent/Tangente	489,75	-	-
TCV	335+620,43	-		-	-
PIV	335+670,43	PARABOLE	100,00	Sag/Rentrante	171
CTV	335+720,43	-		-	-
-	-	Tangent/Tangente	388,86	-	-
TCV	336+109,29	-		-	-
PIV	336+139,29	PARABOLE	60,00	Crest/Saillante	85
CTV	336+169,29	-		-	-
-	-	Tangent/Tangente	19,25	-	-
PIV	336+188,53	-		-	-
-	-	Tangent/Tangente	0,86	-	-
TCV	336+189,39	-		-	-
PIV	336+229,39	PARABOLE	80,00	Sag/Rentrante	70
CTV	336+269,39	-		-	-
-	-	Tangent/Tangente	184,57	-	-
TCV	336+453,97	-		-	-
PIV	336+511,47	PARABOLE	115,00	Crest/Saillante	109
CTV	336+568,97	-		-	-
-	-	Tangent/Tangente	97,31	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	336+666,28	-		-	-
PIV	336+751,28	PARABOLE	170,00	Crest/Saillante	82
CTV	336+836,28	-		-	-
-	-	Tangent/Tangente	70,84	-	-
TCV	336+907,12	-		-	-
PIV	336+957,12	PARABOLE	100,00	Sag/Rentrante	58
CTV	337+007,12	-		-	-
-	-	Tangent/Tangente	365,29	-	-
TCV	337+372,41	-		-	-
PIV	337+447,41	PARABOLE	150,00	Sag/Rentrante	262
CTV	337+522,41	-		-	-
-	-	Tangent/Tangente	557,35	-	-
TCV	338+079,75	-		-	-
PIV	338+144,75	PARABOLE	130,00	Crest/Saillante	119
CTV	338+209,75	-		-	-
-	-	Tangent/Tangente	19,02	-	-
TCV	338+228,77	-		-	-
PIV	338+308,77	PARABOLE	160,00	Sag/Rentrante	111
CTV	338+388,77	-		-	-
-	-	Tangent/Tangente	112,81	-	-
TCV	338+501,58	-		-	-
PIV	338+534,08	PARABOLE	65,00	Crest/Saillante	84
CTV	338+566,58	-		-	-
-	-	Tangent/Tangente	26,27	-	-
TCV	338+592,85	-		-	-
PIV	338+617,85	PARABOLE	50,00	Sag/Rentrante	51
CTV	338+642,85	-		-	-
-	-	Tangent/Tangente	191,97	-	-
TCV	338+834,82	-		-	-
PIV	338+869,82	PARABOLE	70,00	Crest/Saillante	156
CTV	338+904,82	-		-	-
-	-	Tangent/Tangente	32,50	-	-
TCV	338+937,32	-		-	-
PIV	339+007,32	PARABOLE	140,00	Sag/Rentrante	265
CTV	339+077,32	-		-	-
-	-	Tangent/Tangente	18,26	-	-
TCV	339+095,58	-		-	-
PIV	339+120,58	PARABOLE	50,00	Crest/Saillante	169
CTV	339+145,58	-		-	-
-	-	Tangent/Tangente	158,69	-	-
TCV	339+304,27	-		-	-
PIV	339+324,27	PARABOLE	40,00	Crest/Saillante	143
CTV	339+344,27	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	53,23	-	-
TCV	339+397,51	-		-	-
PIV	339+422,51	PARABOLE	50,00	Sag/Rentrante	84
CTV	339+447,51	-		-	-
-	-	Tangent/Tangente	136,04	-	-
TCV	339+583,54	-		-	-
PIV	339+621,04	PARABOLE	75,00	Crest/Saillante	192
CTV	339+658,54	-		-	-
-	-	Tangent/Tangente	98,82	-	-
TCV	339+757,36	-		-	-
PIV	339+832,36	PARABOLE	150,00	Crest/Saillante	118
CTV	339+907,36	-		-	-
-	-	Tangent/Tangente	64,57	-	-
-	-	Tangent/Tangente	64,57	-	-
TCV	339+971,93	-		-	-
PIV	340+011,93	PARABOLE	80,00	Sag/Rentrante	45
CTV	340+051,93	-		-	-
-	-	Tangent/Tangente	65,65	-	-
TCV	340+117,58	-		-	-
PIV	340+212,58	PARABOLE	190,00	Crest/Saillante	71
CTV	340+307,58	-		-	-
-	-	Tangent/Tangente	23,20	-	-
TCV	340+330,78	-		-	-
PIV	340+384,78	PARABOLE	108,00	Sag/Rentrante	49
CTV	340+438,78	-		-	-
-	-	Tangent/Tangente	187,65	-	-
TCV	340+626,43	-		-	-
PIV	340+668,93	PARABOLE	85,00	Crest/Saillante	64
CTV	340+711,43	-		-	-
-	-	Tangent/Tangente	14,50	-	-
TCV	340+725,92	-		-	-
PIV	340+780,92	PARABOLE	110,00	Sag/Rentrante	62
CTV	340+835,92	-		-	-
-	-	Tangent/Tangente	86,11	-	-
TCV	340+922,04	-		-	-
PIV	340+972,04	PARABOLE	100,00	Sag/Rentrante	146
CTV	341+022,04	-		-	-
-	-	Tangent/Tangente	26,94	-	-
TCV	341+048,97	-		-	-
PIV	341+098,97	PARABOLE	100,00	Sag/Rentrante	61
CTV	341+148,97	-		-	-
-	-	Tangent/Tangente	36,81	-	-
TCV	341+185,78	-		-	-

Point	Stationing	Element	Lenght	Type	Speed	Vitesse
	Chaînage	Élément	Longueur (m)		(km/h)	
PIV	341+210,78	PARABOLE	50,00	Crest/Saillante	63	
CTV	341+235,78	-		-	-	
-	-	Tangent/Tangente	321,89	-	-	
TCV	341+557,67	-		-	-	
PIV	341+612,67	PARABOLE	110,00	Crest/Saillante	109	
CTV	341+667,67	-		-	-	
-	-	Tangent/Tangente	97,65	-	-	
TCV	341+765,32	-		-	-	
PIV	341+837,82	PARABOLE	145,00	Sag/Rentrante	348	
CTV	341+910,32	-		-	-	
-	-	Tangent/Tangente	74,64	-	-	
TCV	341+984,96	-		-	-	
PIV	342+014,96	PARABOLE	60,00	Crest/Saillante	62	
CTV	342+044,96	-		-	-	
-	-	Tangent/Tangente	29,92	-	-	
TCV	342+074,89	-		-	-	
PIV	342+107,39	PARABOLE	65,00	Sag/Rentrante	46	
CTV	342+139,89	-		-	-	
-	-	Tangent/Tangente	94,33	-	-	
TCV	342+234,22	-		-	-	
PIV	342+271,72	PARABOLE	75,00	Sag/Rentrante	48	
CTV	342+309,22	-		-	-	
-	-	Tangent/Tangente	24,91	-	-	
TCV	342+334,13	-		-	-	
PIV	342+371,63	PARABOLE	75,00	Crest/Saillante	64	
CTV	342+409,13	-		-	-	
-	-	Tangent/Tangente	322,62	-	-	
TCV	342+731,75	-		-	-	
PIV	342+756,75	PARABOLE	50,00	Crest/Saillante	148	
CTV	342+781,75	-		-	-	
-	-	Tangent/Tangente	61,13	-	-	
TCV	342+842,88	-		-	-	
PIV	342+897,88	PARABOLE	110,00	Sag/Rentrante	55	
CTV	342+952,88	-		-	-	
-	-	Tangent/Tangente	21,23	-	-	
TCV	342+974,12	-		-	-	
PIV	343+009,12	PARABOLE	70,00	Crest/Saillante	77	
CTV	343+044,12	-		-	-	
-	-	Tangent/Tangente	113,85	-	-	
TCV	343+157,97	-		-	-	
PIV	343+170,47	PARABOLE	25,00	Crest/Saillante	141	
CTV	343+182,97	-		-	-	
-	-	Tangent/Tangente	0,28	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	343+183,25	-		-	-
PIV	343+203,25	PARABOLE	40,00	Sag/Rentrante	262
CTV	343+223,25	-		-	-
-	-	Tangent/Tangente	31,34	-	-
TCV	343+254,59	-		-	-
PIV	343+274,59	PARABOLE	40,00	Sag/Rentrante	37
CTV	343+294,59	-		-	-
-	-	Tangent/Tangente	14,18	-	-
TCV	343+308,77	-		-	-
PIV	343+351,27	PARABOLE	85,00	Crest/Saillante	70
CTV	343+393,77	-		-	-
-	-	Tangent/Tangente	124,46	-	-
TCV	343+518,23	-		-	-
PIV	343+543,23	PARABOLE	50,00	Crest/Saillante	83
CTV	343+568,23	-		-	-
-	-	Tangent/Tangente	43,49	-	-
TCV	343+611,73	-		-	-
PIV	343+686,73	PARABOLE	150,00	Sag/Rentrante	92
CTV	343+761,73	-		-	-
-	-	Tangent/Tangente	78,39	-	-
TCV	343+840,11	-		-	-
PIV	343+857,61	PARABOLE	35,00	Sag/Rentrante	108
CTV	343+875,11	-		-	-
-	-	Tangent/Tangente	1,31	-	-
TCV	343+876,43	-		-	-
PIV	343+893,93	PARABOLE	35,00	Crest/Saillante	132
CTV	343+911,43	-		-	-
-	-	Tangent/Tangente	195,55	-	-
TCV	344+106,98	-		-	-
PIV	344+156,98	PARABOLE	100,00	Crest/Saillante	123
CTV	344+206,98	-		-	-
-	-	Tangent/Tangente	132,66	-	-
TCV	344+339,64	-		-	-
PIV	344+379,64	PARABOLE	80,00	Sag/Rentrante	262
CTV	344+419,64	-		-	-
-	-	Tangent/Tangente	182,20	-	-
TCV	344+601,84	-		-	-
PIV	344+614,34	PARABOLE	25,00	Crest/Saillante	131
CTV	344+626,84	-		-	-
-	-	Tangent/Tangente	19,49	-	-
TCV	344+646,33	-		-	-
PIV	344+683,83	PARABOLE	75,00	Sag/Rentrante	82
CTV	344+721,33	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	44,08	-	-
TCV	344+765,40	-		-	-
PIV	344+815,40	PARABOLE	100,00	Crest/Saillante	128
CTV	344+865,40	-		-	-
-	-	Tangent/Tangente	103,11	-	-
TCV	344+968,51	-		-	-
PIV	345+003,51	PARABOLE	70,00	Sag/Rentrante	265
CTV	345+038,51	-		-	-
-	-	Tangent/Tangente	230,26	-	-
TCV	345+268,77	-		-	-
PIV	345+348,77	PARABOLE	160,00	Sag/Rentrante	101
CTV	345+428,77	-		-	-
-	-	Tangent/Tangente	81,11	-	-
TCV	345+509,88	-		-	-
PIV	345+589,88	PARABOLE	160,00	Crest/Saillante	73
CTV	345+669,88	-		-	-
-	-	Tangent/Tangente	40,55	-	-
TCV	345+710,44	-		-	-
PIV	345+745,44	PARABOLE	70,00	Sag/Rentrante	48
CTV	345+780,44	-		-	-
-	-	Tangent/Tangente	36,42	-	-
TCV	345+816,85	-		-	-
PIV	345+856,85	PARABOLE	80,00	Sag/Rentrante	68
CTV	345+896,85	-		-	-
-	-	Tangent/Tangente	77,64	-	-
TCV	345+974,50	-		-	-
PIV	346+014,50	PARABOLE	80,00	Crest/Saillante	71
CTV	346+054,50	-		-	-
-	-	Tangent/Tangente	347,16	-	-
TCV	346+401,66	-		-	-
PIV	346+471,66	PARABOLE	140,00	Sag/Rentrante	260
CTV	346+541,66	-		-	-
-	-	Tangent/Tangente	105,49	-	-
TCV	346+647,15	-		-	-
PIV	346+737,15	PARABOLE	180,00	Sag/Rentrante	135
CTV	346+827,15	-		-	-
-	-	Tangent/Tangente	77,06	-	-
TCV	346+904,21	-		-	-
PIV	346+964,21	PARABOLE	120,00	Crest/Saillante	96
CTV	347+024,21	-		-	-
-	-	Tangent/Tangente	138,35	-	-
TCV	347+162,56	-		-	-
PIV	347+240,06	PARABOLE	155,00	Sag/Rentrante	261

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	347+317,56	-		-	-
-	-	Tangent/Tangente	142,76	-	-
TCV	347+460,32	-		-	-
PIV	347+527,82	PARABOLE	135,00	Sag/Rentrante	264
CTV	347+595,32	-		-	-
-	-	Tangent/Tangente	109,77	-	-
TCV	347+705,08	-		-	-
PIV	347+762,58	PARABOLE	115,00	Sag/Rentrante	65
CTV	347+820,08	-		-	-
-	-	Tangent/Tangente	1,27	-	-
TCV	347+821,36	-		-	-
PIV	347+868,86	PARABOLE	95,00	Crest/Saillante	78
CTV	347+916,36	-		-	-
-	-	Tangent/Tangente	652,99	-	-
TCV	348+569,35	-		-	-
PIV	348+659,35	PARABOLE	180,00	Crest/Saillante	118
CTV	348+749,35	-		-	-
-	-	Tangent/Tangente	79,40	-	-
TCV	348+828,74	-		-	-
PIV	348+953,74	PARABOLE	250,00	Sag/Rentrante	85
CTV	349+078,74	-		-	-
-	-	Tangent/Tangente	5,71	-	-
TCV	349+084,46	-		-	-
PIV	349+134,46	PARABOLE	100,00	Crest/Saillante	66
CTV	349+184,46	-		-	-
-	-	Tangent/Tangente	31,16	-	-
TCV	349+215,62	-		-	-
PIV	349+265,62	PARABOLE	100,00	Sag/Rentrante	65
CTV	349+315,62	-		-	-
-	-	Tangent/Tangente	42,18	-	-
TCV	349+357,81	-		-	-
PIV	349+385,31	PARABOLE	55,00	Crest/Saillante	85
CTV	349+412,81	-		-	-
-	-	Tangent/Tangente	0,85	-	-
TCV	349+413,65	-		-	-
PIV	349+493,65	PARABOLE	160,00	Sag/Rentrante	71
CTV	349+573,65	-		-	-
-	-	Tangent/Tangente	106,70	-	-
TCV	349+680,36	-		-	-
PIV	349+707,86	PARABOLE	55,00	Crest/Saillante	81
CTV	349+735,36	-		-	-
-	-	Tangent/Tangente	15,37	-	-
TCV	349+750,72	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	349+798,22	PARABOLE	95,00	Sag/Rentrante	104
CTV	349+845,72	-		-	-
-	-	Tangent/Tangente	28,89	-	-
TCV	349+874,61	-		-	-
PIV	349+932,11	PARABOLE	115,00	Crest/Saillante	73
CTV	349+989,61	-		-	-
-	-	Tangent/Tangente	270,92	-	-
-	-	Tangent/Tangente	270,92	-	-
TCV	350+260,54	-		-	-
PIV	350+296,04	PARABOLE	71,00	Sag/Rentrante	251
CTV	350+331,54	-		-	-
-	-	Tangent/Tangente	160,25	-	-
TCV	350+491,78	-		-	-
PIV	350+574,28	PARABOLE	165,00	Sag/Rentrante	129
CTV	350+656,78	-		-	-
-	-	Tangent/Tangente	140,72	-	-
TCV	350+797,50	-		-	-
PIV	350+839,00	PARABOLE	83,00	Crest/Saillante	331
CTV	350+880,50	-		-	-
-	-	Tangent/Tangente	122,86	-	-
TCV	351+003,36	-		-	-
PIV	351+028,36	PARABOLE	50,00	Sag/Rentrante	75
CTV	351+053,36	-		-	-
-	-	Tangent/Tangente	189,52	-	-
TCV	351+242,88	-		-	-
PIV	351+285,88	PARABOLE	86,00	Sag/Rentrante	256
CTV	351+328,88	-		-	-
-	-	Tangent/Tangente	0,32	-	-
TCV	351+329,20	-		-	-
PIV	351+409,20	PARABOLE	160,00	Crest/Saillante	107
CTV	351+489,20	-		-	-
-	-	Tangent/Tangente	84,17	-	-
TCV	351+573,37	-		-	-
PIV	351+648,87	PARABOLE	151,00	Sag/Rentrante	63
CTV	351+724,37	-		-	-
-	-	Tangent/Tangente	49,67	-	-
TCV	351+774,04	-		-	-
PIV	351+842,04	PARABOLE	136,00	Crest/Saillante	59
CTV	351+910,04	-		-	-
-	-	Tangent/Tangente	37,65	-	-
TCV	351+947,69	-		-	-
PIV	352+008,19	PARABOLE	121,00	Sag/Rentrante	43
CTV	352+068,69	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	41,24	-	-
TCV	352+109,93	-		-	-
PIV	352+138,93	PARABOLE	58,00	Crest/Saillante	59
CTV	352+167,93	-		-	-
-	-	Tangent/Tangente	44,77	-	-
TCV	352+212,71	-		-	-
PIV	352+240,71	PARABOLE	56,00	Sag/Rentrante	72
CTV	352+268,71	-		-	-
-	-	Tangent/Tangente	306,60	-	-
TCV	352+575,31	-		-	-
PIV	352+633,31	PARABOLE	116,00	Sag/Rentrante	131
CTV	352+691,31	-		-	-
-	-	Tangent/Tangente	146,94	-	-
TCV	352+838,25	-		-	-
PIV	352+870,75	PARABOLE	65,00	Crest/Saillante	124
CTV	352+903,25	-		-	-
-	-	Tangent/Tangente	13,08	-	-
TCV	352+916,32	-		-	-
PIV	352+976,32	PARABOLE	120,00	Sag/Rentrante	64
CTV	353+036,32	-		-	-
-	-	Tangent/Tangente	65,25	-	-
TCV	353+101,58	-		-	-
PIV	353+167,58	PARABOLE	132,00	Crest/Saillante	63
CTV	353+233,58	-		-	-
-	-	Tangent/Tangente	94,41	-	-
TCV	353+327,99	-		-	-
PIV	353+404,49	PARABOLE	153,00	Sag/Rentrante	79
CTV	353+480,99	-		-	-
-	-	Tangent/Tangente	437,20	-	-
TCV	353+918,19	-		-	-
PIV	354+021,69	PARABOLE	207,00	Sag/Rentrante	103
CTV	354+125,19	-		-	-
-	-	Tangent/Tangente	402,04	-	-
TCV	354+527,23	-		-	-
PIV	354+641,73	PARABOLE	229,00	Crest/Saillante	80
CTV	354+756,23	-		-	-
-	-	Tangent/Tangente	38,18	-	-
TCV	354+794,41	-		-	-
PIV	354+846,41	PARABOLE	104,00	Sag/Rentrante	54
CTV	354+898,41	-		-	-
-	-	Tangent/Tangente	665,54	-	-
TCV	355+563,95	-		-	-
PIV	355+602,45	PARABOLE	77,00	Sag/Rentrante	267

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	355+640,95	-		-	-
-	-	Tangent/Tangente	415,34	-	-
TCV	356+056,29	-		-	-
PIV	356+106,29	PARABOLE	100,00	Crest/Saillante	104
CTV	356+156,29	-		-	-
-	-	Tangent/Tangente	6,14	-	-
TCV	356+162,43	-		-	-
PIV	356+212,43	PARABOLE	100,00	Sag/Rentrante	76
CTV	356+262,43	-		-	-
-	-	Tangent/Tangente	112,99	-	-
TCV	356+375,42	-		-	-
PIV	356+439,92	PARABOLE	129,00	Crest/Saillante	183
CTV	356+504,42	-		-	-
-	-	Tangent/Tangente	331,52	-	-
TCV	356+835,94	-		-	-
PIV	356+858,44	PARABOLE	45,00	Crest/Saillante	149
CTV	356+880,94	-		-	-
-	-	Tangent/Tangente	18,00	-	-
TCV	356+898,94	-		-	-
PIV	356+924,94	PARABOLE	52,00	Sag/Rentrante	264
CTV	356+950,94	-		-	-
-	-	Tangent/Tangente	220,55	-	-
TCV	357+171,49	-		-	-
PIV	357+206,99	PARABOLE	71,00	Sag/Rentrante	97
CTV	357+242,49	-		-	-
-	-	Tangent/Tangente	231,44	-	-
TCV	357+473,94	-		-	-
PIV	357+509,44	PARABOLE	71,00	Crest/Saillante	98
CTV	357+544,94	-		-	-
-	-	Tangent/Tangente	10,98	-	-
TCV	357+555,92	-		-	-
PIV	357+580,92	PARABOLE	50,00	Sag/Rentrante	194
CTV	357+605,92	-		-	-
-	-	Tangent/Tangente	61,84	-	-
TCV	357+667,76	-		-	-
PIV	357+708,76	PARABOLE	82,00	Crest/Saillante	124
CTV	357+749,76	-		-	-
-	-	Tangent/Tangente	182,98	-	-
TCV	357+932,74	-		-	-
PIV	357+985,24	PARABOLE	105,00	Crest/Saillante	100
CTV	358+037,74	-		-	-
-	-	Tangent/Tangente	31,90	-	-
TCV	358+069,65	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	358+129,15	PARABOLE	119,00	Sag/Rentrante	53
CTV	358+188,65	-		-	-
-	-	Tangent/Tangente	57,38	-	-
TCV	358+246,03	-		-	-
PIV	358+315,03	PARABOLE	138,00	Crest/Saillante	67
CTV	358+384,03	-		-	-
-	-	Tangent/Tangente	82,23	-	-
TCV	358+466,25	-		-	-
PIV	358+506,75	PARABOLE	81,00	Sag/Rentrante	55
CTV	358+547,25	-		-	-
-	-	Tangent/Tangente	39,21	-	-
TCV	358+586,46	-		-	-
PIV	358+633,96	PARABOLE	95,00	Sag/Rentrante	51
CTV	358+681,46	-		-	-
-	-	Tangent/Tangente	22,78	-	-
TCV	358+704,25	-		-	-
PIV	358+729,25	PARABOLE	50,00	Crest/Saillante	105
CTV	358+754,25	-		-	-
-	-	Tangent/Tangente	151,39	-	-
TCV	358+905,64	-		-	-
PIV	358+948,64	PARABOLE	86,00	Crest/Saillante	86
CTV	358+991,64	-		-	-
-	-	Tangent/Tangente	17,82	-	-
TCV	359+009,45	-		-	-
PIV	359+031,95	PARABOLE	45,00	Crest/Saillante	196
CTV	359+054,45	-		-	-
-	-	Tangent/Tangente	25,30	-	-
TCV	359+079,75	-		-	-
PIV	359+097,25	PARABOLE	35,00	Crest/Saillante	118
CTV	359+114,75	-		-	-
-	-	Tangent/Tangente	70,71	-	-
TCV	359+185,46	-		-	-
PIV	359+212,96	PARABOLE	55,00	Sag/Rentrante	259
CTV	359+240,46	-		-	-
-	-	Tangent/Tangente	66,08	-	-
TCV	359+306,55	-		-	-
PIV	359+349,05	PARABOLE	85,00	Sag/Rentrante	62
CTV	359+391,55	-		-	-
-	-	Tangent/Tangente	56,37	-	-
TCV	359+447,92	-		-	-
PIV	359+503,92	PARABOLE	112,00	Crest/Saillante	91
CTV	359+559,92	-		-	-
-	-	Tangent/Tangente	255,10	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	359+815,02	-		-	-
PIV	359+917,52	PARABOLE	205,00	Crest/Saillante	89
CTV	360+020,02	-		-	-
-	-	Tangent/Tangente	66,89	-	-
-	-	Tangent/Tangente	66,89	-	-
TCV	360+086,91	-		-	-
PIV	360+144,41	PARABOLE	115,00	Sag/Rentrante	56
CTV	360+201,91	-		-	-
-	-	Tangent/Tangente	340,66	-	-
TCV	360+542,57	-		-	-
PIV	360+602,57	PARABOLE	120,00	Sag/Rentrante	64
CTV	360+662,57	-		-	-
-	-	Tangent/Tangente	165,83	-	-
TCV	360+828,40	-		-	-
PIV	360+860,90	PARABOLE	65,00	Crest/Saillante	92
CTV	360+893,40	-		-	-
-	-	Tangent/Tangente	163,80	-	-
TCV	361+057,21	-		-	-
PIV	361+077,21	PARABOLE	40,00	Sag/Rentrante	66
CTV	361+097,21	-		-	-
-	-	Tangent/Tangente	28,65	-	-
TCV	361+125,86	-		-	-
PIV	361+178,36	PARABOLE	105,00	Crest/Saillante	59
CTV	361+230,86	-		-	-
-	-	Tangent/Tangente	38,01	-	-
TCV	361+268,87	-		-	-
PIV	361+308,87	PARABOLE	80,00	Sag/Rentrante	117
CTV	361+348,87	-		-	-
-	-	Tangent/Tangente	71,02	-	-
TCV	361+419,89	-		-	-
PIV	361+459,89	PARABOLE	80,00	Sag/Rentrante	107
CTV	361+499,89	-		-	-
-	-	Tangent/Tangente	46,89	-	-
TCV	361+546,78	-		-	-
PIV	361+594,28	PARABOLE	95,00	Crest/Saillante	66
CTV	361+641,78	-		-	-
-	-	Tangent/Tangente	0,58	-	-
TCV	361+642,35	-		-	-
PIV	361+704,85	PARABOLE	125,00	Sag/Rentrante	49
CTV	361+767,35	-		-	-
-	-	Tangent/Tangente	0,52	-	-
TCV	361+767,87	-		-	-
PIV	361+800,37	PARABOLE	65,00	Crest/Saillante	181

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	361+832,87	-		-	-
-	-	Tangent/Tangente	197,88	-	-
TCV	362+030,74	-		-	-
PIV	362+070,74	PARABOLE	80,00	Crest/Saillante	236
CTV	362+110,74	-		-	-
-	-	Tangent/Tangente	39,18	-	-
TCV	362+149,92	-		-	-
PIV	362+174,92	PARABOLE	50,00	Sag/Rentrante	265
CTV	362+199,92	-		-	-
-	-	Tangent/Tangente	134,46	-	-
TCV	362+334,38	-		-	-
PIV	362+369,38	PARABOLE	70,00	Sag/Rentrante	103
CTV	362+404,38	-		-	-
-	-	Tangent/Tangente	45,37	-	-
TCV	362+449,75	-		-	-
PIV	362+492,25	PARABOLE	85,00	Crest/Saillante	70
CTV	362+534,75	-		-	-
-	-	Tangent/Tangente	24,80	-	-
TCV	362+559,55	-		-	-
PIV	362+574,55	PARABOLE	30,00	Sag/Rentrante	61
CTV	362+589,55	-		-	-
-	-	Tangent/Tangente	19,14	-	-
TCV	362+608,69	-		-	-
PIV	362+641,69	PARABOLE	66,00	Sag/Rentrante	266
CTV	362+674,69	-		-	-
-	-	Tangent/Tangente	98,94	-	-
TCV	362+773,63	-		-	-
PIV	362+811,13	PARABOLE	75,00	Sag/Rentrante	51
CTV	362+848,63	-		-	-
-	-	Tangent/Tangente	27,92	-	-
TCV	362+876,55	-		-	-
PIV	362+931,55	PARABOLE	110,00	Crest/Saillante	61
CTV	362+986,55	-		-	-
-	-	Tangent/Tangente	30,56	-	-
TCV	363+017,11	-		-	-
PIV	363+077,11	PARABOLE	120,00	Sag/Rentrante	64
CTV	363+137,11	-		-	-
-	-	Tangent/Tangente	99,98	-	-
TCV	363+237,09	-		-	-
PIV	363+299,59	PARABOLE	125,00	Sag/Rentrante	265
CTV	363+362,09	-		-	-
-	-	Tangent/Tangente	106,22	-	-
TCV	363+468,31	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	363+505,81	PARABOLE	75,00	Crest/Saillante	60
CTV	363+543,31	-		-	-
-	-	Tangent/Tangente	66,09	-	-
TCV	363+609,40	-		-	-
PIV	363+622,90	PARABOLE	27,00	Sag/Rentrante	34
CTV	363+636,40	-		-	-
-	-	Tangent/Tangente	81,55	-	-
TCV	363+717,96	-		-	-
PIV	363+732,96	PARABOLE	30,00	Crest/Saillante	117
CTV	363+747,96	-		-	-
-	-	Tangent/Tangente	20,38	-	-
TCV	363+768,34	-		-	-
PIV	363+838,34	PARABOLE	140,00	Sag/Rentrante	75
CTV	363+908,34	-		-	-
-	-	Tangent/Tangente	125,06	-	-
TCV	364+033,40	-		-	-
PIV	364+100,40	PARABOLE	134,00	Crest/Saillante	122
CTV	364+167,40	-		-	-
-	-	Tangent/Tangente	186,96	-	-
TCV	364+354,36	-		-	-
PIV	364+391,86	PARABOLE	75,00	Sag/Rentrante	263
CTV	364+429,36	-		-	-
-	-	Tangent/Tangente	649,39	-	-
TCV	365+078,75	-		-	-
PIV	365+128,75	PARABOLE	100,00	Sag/Rentrante	265
CTV	365+178,75	-		-	-
-	-	Tangent/Tangente	8,00	-	-
TCV	365+186,75	-		-	-
PIV	365+259,25	PARABOLE	145,00	Crest/Saillante	197
CTV	365+331,75	-		-	-
-	-	Tangent/Tangente	265,78	-	-
TCV	365+597,53	-		-	-
PIV	365+627,53	PARABOLE	60,00	Crest/Saillante	211
CTV	365+657,53	-		-	-
-	-	Tangent/Tangente	2,89	-	-
TCV	365+660,42	-		-	-
PIV	365+715,42	PARABOLE	110,00	Sag/Rentrante	127
CTV	365+770,42	-		-	-
-	-	Tangent/Tangente	74,86	-	-
TCV	365+845,28	-		-	-
PIV	365+875,28	PARABOLE	60,00	Sag/Rentrante	65
CTV	365+905,28	-		-	-
-	-	Tangent/Tangente	9,44	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	365+914,72	-		-	-
PIV	365+954,72	PARABOLE	80,00	Crest/Saillante	100
CTV	365+994,72	-		-	-
-	-	Tangent/Tangente	50,28	-	-
TCV	366+045,00	-		-	-
PIV	366+085,00	PARABOLE	80,00	Sag/Rentrante	258
CTV	366+125,00	-		-	-
-	-	Tangent/Tangente	31,45	-	-
TCV	366+156,44	-		-	-
PIV	366+251,44	PARABOLE	190,00	Crest/Saillante	109
CTV	366+346,44	-		-	-
-	-	Tangent/Tangente	491,28	-	-
TCV	366+837,73	-		-	-
PIV	367+012,73	PARABOLE	350,00	Sag/Rentrante	161
CTV	367+187,73	-		-	-
-	-	Tangent/Tangente	27,28	-	-
TCV	367+215,00	-		-	-
PIV	367+450,00	PARABOLE	470,00	Crest/Saillante	135
CTV	367+685,00	-		-	-
-	-	Tangent/Tangente	166,86	-	-
TCV	367+851,86	-		-	-
PIV	367+911,86	PARABOLE	120,00	Sag/Rentrante	78
CTV	367+971,86	-		-	-
-	-	Tangent/Tangente	35,05	-	-
TCV	368+006,92	-		-	-
PIV	368+046,92	PARABOLE	80,00	Crest/Saillante	100
CTV	368+086,92	-		-	-
-	-	Tangent/Tangente	192,22	-	-
TCV	368+279,13	-		-	-
PIV	368+344,13	PARABOLE	130,00	Sag/Rentrante	63
CTV	368+409,13	-		-	-
-	-	Tangent/Tangente	19,03	-	-
TCV	368+428,16	-		-	-
PIV	368+448,16	PARABOLE	40,00	Crest/Saillante	88
CTV	368+468,16	-		-	-
-	-	Tangent/Tangente	6,32	-	-
TCV	368+474,48	-		-	-
PIV	368+571,98	PARABOLE	195,00	Crest/Saillante	124
CTV	368+669,48	-		-	-
-	-	Tangent/Tangente	193,70	-	-
TCV	368+863,18	-		-	-
PIV	368+885,68	PARABOLE	45,00	Crest/Saillante	135
CTV	368+908,18	-		-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	477,74	-	-
TCV	369+385,92	-	-	-	-
PIV	369+419,92	PARABOLE	68,00	Sag/Rentrante	263
CTV	369+453,92	-	-	-	-
-	-	Tangent/Tangente	233,70	-	-
TCV	369+687,61	-	-	-	-
PIV	369+717,61	PARABOLE	60,00	Crest/Saillante	131
CTV	369+747,61	-	-	-	-
-	-	Tangent/Tangente	103,36	-	-
TCV	369+850,97	-	-	-	-
PIV	369+910,97	PARABOLE	120,00	Sag/Rentrante	87
CTV	369+970,97	-	-	-	-
-	-	Tangent/Tangente	415,51	-	-
START	370+000.000	-	-	-	-
-	-	Tangent/Tangente	386,48	-	-
TCV	370+386.476	-	-	-	-
PIV	370+453.853	PARABOLE	134,75	Crest/Saillante	137
CTV	370+521.229	-	-	-	-
-	-	Tangent/Tangente	590,51	-	-
TCV	371+111.740	-	-	-	-
PIV	371+234.240	PARABOLE	245,00	Crest/Saillante	175
CTV	371+356.740	-	-	-	-
-	-	Tangent/Tangente	86,69	-	-
TCV	371+443.433	-	-	-	-
PIV	371+615.933	PARABOLE	345,00	Sag/Rentrante	260
CTV	371+788.433	-	-	-	-
-	-	Tangent/Tangente	468,12	-	-
TCV	372+256.551	-	-	-	-
PIV	372+321.551	PARABOLE	130,00	Sag/Rentrante	96
CTV	372+386.551	-	-	-	-
-	-	Tangent/Tangente	150,01	-	-
TCV	372+536.562	-	-	-	-
PIV	372+596.562	PARABOLE	120,00	Crest/Saillante	116
CTV	372+656.562	-	-	-	-
-	-	Tangent/Tangente	47,47	-	-
TCV	372+704.028	-	-	-	-
PIV	372+743.028	PARABOLE	78,00	Crest/Saillante	72
CTV	372+782.028	-	-	-	-
-	-	Tangent/Tangente	84,59	-	-
TCV	372+866.621	-	-	-	-
PIV	372+916.621	PARABOLE	100,00	Sag/Rentrante	57
CTV	372+966.621	-	-	-	-
-	-	Tangent/Tangente	89,83	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	373+056.452	-	-	-	-
PIV	373+081.452	PARABOLE	50,00	Crest/Saillante	78
CTV	373+106.452	-	-	-	-
-	-	Tangent/Tangente	2,02	-	-
TCV	373+108.473	-	-	-	-
PIV	373+153.473	PARABOLE	90,00	Sag/Rentrante	91
CTV	373+198.473	-	-	-	-
-	-	Tangent/Tangente	47,37	-	-
TCV	373+245.839	-	-	-	-
PIV	373+298.339	PARABOLE	105,00	Crest/Saillante	87
CTV	373+350.839	-	-	-	-
-	-	Tangent/Tangente	21,88	-	-
TCV	373+372.718	-	-	-	-
PIV	373+417.718	PARABOLE	90,00	Sag/Rentrante	56
CTV	373+462.718	-	-	-	-
-	-	Tangent/Tangente	44,64	-	-
TCV	373+507.355	-	-	-	-
PIV	373+569.855	PARABOLE	125,00	Sag/Rentrante	77
CTV	373+632.355	-	-	-	-
-	-	Tangent/Tangente	1,87	-	-
TCV	373+634.228	-	-	-	-
PIV	373+674.228	PARABOLE	80,00	Crest/Saillante	73
CTV	373+714.228	-	-	-	-
-	-	Tangent/Tangente	71,39	-	-
TCV	373+785.614	-	-	-	-
PIV	373+813.114	PARABOLE	55,00	Crest/Saillante	113
CTV	373+840.614	-	-	-	-
-	-	Tangent/Tangente	89,24	-	-
TCV	373+929.852	-	-	-	-
PIV	374+039.852	PARABOLE	220,00	Sag/Rentrante	500
CTV	374+149.852	-	-	-	-
-	-	Tangent/Tangente	82,67	-	-
TCV	374+232.525	-	-	-	-
PIV	374+382.525	PARABOLE	300,00	Sag/Rentrante	265
CTV	374+532.525	-	-	-	-
-	-	Tangent/Tangente	210,64	-	-
TCV	374+743.166	-	-	-	-
PIV	374+858.166	PARABOLE	230,00	Crest/Saillante	179
CTV	374+973.166	-	-	-	-
-	-	Tangent/Tangente	1,74	-	-
TCV	374+974.902	-	-	-	-
PIV	374+982.526	PARABOLE	15,25	Sag/Rentrante	266
CTV	374+990.150	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	104,07	-	-
TCV	375+094.221	-	-	-	-
PIV	375+126.721	PARABOLE	65,00	Sag/Rentrante	266
CTV	375+159.221	-	-	-	-
-	-	Tangent/Tangente	248,42	-	-
TCV	375+407.643	-	-	-	-
PIV	375+457.643	PARABOLE	100,00	Sag/Rentrante	59
CTV	375+507.643	-	-	-	-
-	-	Tangent/Tangente	71,29	-	-
TCV	375+578.928	-	-	-	-
PIV	375+604.928	PARABOLE	52,00	Crest/Saillante	74
CTV	375+630.928	-	-	-	-
-	-	Tangent/Tangente	121,63	-	-
TCV	375+752.560	-	-	-	-
PIV	375+865.060	PARABOLE	225,00	Crest/Saillante	114
CTV	375+977.560	-	-	-	-
-	-	Tangent/Tangente	302,20	-	-
TCV	376+279.762	-	-	-	-
PIV	376+339.762	PARABOLE	120,00	Sag/Rentrante	161
CTV	376+399.762	-	-	-	-
-	-	Tangent/Tangente	187,82	-	-
TCV	376+587.577	-	-	-	-
PIV	376+650.077	PARABOLE	125,00	Sag/Rentrante	68
CTV	376+712.577	-	-	-	-
-	-	Tangent/Tangente	378,03	-	-
TCV	377+090.606	-	-	-	-
PIV	377+125.606	PARABOLE	70,00	Crest/Saillante	74
CTV	377+160.606	-	-	-	-
-	-	Tangent/Tangente	121,25	-	-
TCV	377+281.854	-	-	-	-
PIV	377+328.354	PARABOLE	93,00	Crest/Saillante	105
CTV	377+374.854	-	-	-	-
-	-	Tangent/Tangente	388,30	-	-
TCV	377+763.150	-	-	-	-
PIV	377+815.650	PARABOLE	105,00	Crest/Saillante	86
CTV	377+868.150	-	-	-	-
-	-	Tangent/Tangente	66,58	-	-
TCV	377+934.730	-	-	-	-
PIV	377+982.230	PARABOLE	95,00	Sag/Rentrante	54
CTV	378+029.730	-	-	-	-
-	-	Tangent/Tangente	44,07	-	-
TCV	378+073.803	-	-	-	-
PIV	378+123.803	PARABOLE	100,00	Crest/Saillante	181

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	378+173.803	-	-	-	-
-	-	Tangent/Tangente	12,82	-	-
TCV	378+186.627	-	-	-	-
PIV	378+266.627	PARABOLE	160,00	Sag/Rentrante	263
CTV	378+346.627	-	-	-	-
-	-	Tangent/Tangente	179,00	-	-
TCV	378+525.629	-	-	-	-
PIV	378+560.629	PARABOLE	70,00	Crest/Saillante	178
CTV	378+595.629	-	-	-	-
-	-	Tangent/Tangente	10,19	-	-
TCV	378+605.821	-	-	-	-
PIV	378+685.821	PARABOLE	160,00	Sag/Rentrante	62
CTV	378+765.821	-	-	-	-
-	-	Tangent/Tangente	16,02	-	-
TCV	378+781.837	-	-	-	-
PIV	378+806.837	PARABOLE	50,00	Crest/Saillante	135
CTV	378+831.837	-	-	-	-
-	-	Tangent/Tangente	69,79	-	-
TCV	378+901.624	-	-	-	-
PIV	378+991.624	PARABOLE	180,00	Crest/Saillante	84
CTV	379+081.624	-	-	-	-
-	-	Tangent/Tangente	131,72	-	-
TCV	379+213.347	-	-	-	-
PIV	379+275.847	PARABOLE	125,00	Crest/Saillante	80
CTV	379+338.347	-	-	-	-
-	-	Tangent/Tangente	10,17	-	-
TCV	379+348.512	-	-	-	-
PIV	379+468.512	PARABOLE	240,00	Sag/Rentrante	74
CTV	379+588.512	-	-	-	-
-	-	Tangent/Tangente	364,42	-	-
TCV	379+952.936	-	-	-	-
PIV	380+012.936	PARABOLE	120,00	Crest/Saillante	114
CTV	380+072.936	-	-	-	-
-	-	Tangent/Tangente	62,52	-	-
END	380+135.459	-	-	-	-
START	379+468.510	-	-	-	-
-	-	Tangent/Tangente	484,43	-	-
TCV	379+952.940	-	-	-	-
PIV	380+012.940	PARABOLE	120,00	Crest/Saillante	115
CTV	380+072.940	-	-	-	-
-	-	Tangent/Tangente	61,04	-	-
PIV	380+133.978	-	-	-	-
-	-	Tangent/Tangente	433,99	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	380+567.970	-	-	-	-
PIV	380+607.970	PARABOLE	80,00	Sag/Rentrante	263
CTV	380+647.970	-	-	-	-
-	-	Tangent/Tangente	103,64	-	-
TCV	380+751.609	-	-	-	-
PIV	380+791.609	PARABOLE	80,00	Sag/Rentrante	263
CTV	380+831.609	-	-	-	-
-	-	Tangent/Tangente	28,42	-	-
TCV	380+860.027	-	-	-	-
PIV	380+880.027	PARABOLE	40,00	Crest/Saillante	144
CTV	380+900.027	-	-	-	-
-	-	Tangent/Tangente	11,50	-	-
TCV	380+911.531	-	-	-	-
PIV	380+941.531	PARABOLE	60,00	Sag/Rentrante	265
CTV	380+971.531	-	-	-	-
-	-	Tangent/Tangente	434,07	-	-
TCV	381+405.602	-	-	-	-
PIV	381+485.602	PARABOLE	160,00	Sag/Rentrante	152
CTV	381+565.602	-	-	-	-
-	-	Tangent/Tangente	6,71	-	-
TCV	381+572.311	-	-	-	-
PIV	381+622.311	PARABOLE	100,00	Crest/Saillante	137
CTV	381+672.311	-	-	-	-
-	-	Tangent/Tangente	63,20	-	-
TCV	381+735.508	-	-	-	-
PIV	381+785.508	PARABOLE	100,00	Crest/Saillante	82
CTV	381+835.508	-	-	-	-
-	-	Tangent/Tangente	69,45	-	-
TCV	381+904.955	-	-	-	-
PIV	381+974.955	PARABOLE	140,00	Sag/Rentrante	256
CTV	382+044.955	-	-	-	-
-	-	Tangent/Tangente	223,81	-	-
PIV	382+268.762	-	-	-	-
-	-	Tangent/Tangente	106,60	-	-
TCV	382+375.362	-	-	-	-
PIV	382+405.362	PARABOLE	60,00	Sag/Rentrante	144
CTV	382+435.362	-	-	-	-
-	-	Tangent/Tangente	275,41	-	-
PIV	382+710.767	-	-	-	-
-	-	Tangent/Tangente	99,75	-	-
TCV	382+810.512	-	-	-	-
PIV	382+840.512	PARABOLE	60,00	Sag/Rentrante	265
CTV	382+870.512	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	145,57	-	-
TCV	383+016.079	-	-	-	-
PIV	383+046.079	PARABOLE	60,00	Sag/Rentrante	260
CTV	383+076.079	-	-	-	-
-	-	Tangent/Tangente	23,53	-	-
TCV	383+099.612	-	-	-	-
PIV	383+129.612	PARABOLE	60,00	Crest/Saillante	145
CTV	383+159.612	-	-	-	-
-	-	Tangent/Tangente	150,86	-	-
PIV	383+310.472	-	-	-	-
-	-	Tangent/Tangente	133,43	-	-
TCV	383+443.905	-	-	-	-
PIV	383+480.196	PARABOLE	72,58	Crest/Saillante	129
CTV	383+516.487	-	-	-	-
-	-	Tangent/Tangente	45,50	-	-
TCV	383+561.982	-	-	-	-
PIV	383+591.982	PARABOLE	60,00	Sag/Rentrante	198
CTV	383+621.982	-	-	-	-
-	-	Tangent/Tangente	75,05	-	-
TCV	383+697.034	-	-	-	-
PIV	383+757.034	PARABOLE	120,00	Crest/Saillante	218
CTV	383+817.034	-	-	-	-
-	-	Tangent/Tangente	44,90	-	-
TCV	383+861.933	-	-	-	-
PIV	383+946.933	PARABOLE	170,00	Sag/Rentrante	123
CTV	384+031.933	-	-	-	-
-	-	Tangent/Tangente	46,10	-	-
TCV	384+078.033	-	-	-	-
PIV	384+148.033	PARABOLE	140,00	Crest/Saillante	105
CTV	384+218.033	-	-	-	-
-	-	Tangent/Tangente	293,56	-	-
PIV	384+511.592	-	-	-	-
-	-	Tangent/Tangente	257,59	-	-
TCV	384+769.181	-	-	-	-
PIV	384+829.181	PARABOLE	120,00	Sag/Rentrante	78
CTV	384+889.181	-	-	-	-
-	-	Tangent/Tangente	331,03	-	-
TCV	385+220.208	-	-	-	-
PIV	385+260.208	PARABOLE	80,00	Crest/Saillante	89
CTV	385+300.208	-	-	-	-
-	-	Tangent/Tangente	180,63	-	-
TCV	385+480.837	-	-	-	-
PIV	385+605.837	PARABOLE	250,00	Sag/Rentrante	212

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	385+730.837	-	-	-	-
-	-	Tangent/Tangente	190,42	-	-
TCV	385+921.251	-	-	-	-
PIV	385+951.251	PARABOLE	60,00	Sag/Rentrante	92
CTV	385+981.251	-	-	-	-
-	-	Tangent/Tangente	65,44	-	-
TCV	386+046.687	-	-	-	-
PIV	386+176.687	PARABOLE	260,00	Crest/Saillante	105
CTV	386+306.687	-	-	-	-
-	-	Tangent/Tangente	255,55	-	-
TCV	386+562.237	-	-	-	-
PIV	386+602.237	PARABOLE	80,00	Crest/Saillante	148
CTV	386+642.237	-	-	-	-
-	-	Tangent/Tangente	294,31	-	-
PIV	386+936.550	-	-	-	-
-	-	Tangent/Tangente	454,77	-	-
PIV	387+391.320	-	-	-	-
-	-	Tangent/Tangente	130,92	-	-
TCV	387+522.239	-	-	-	-
PIV	387+572.239	PARABOLE	100,00	Crest/Saillante	106
CTV	387+622.239	-	-	-	-
-	-	Tangent/Tangente	173,45	-	-
TCV	387+795.686	-	-	-	-
PIV	387+865.686	PARABOLE	140,00	Sag/Rentrante	58
CTV	387+935.686	-	-	-	-
-	-	Tangent/Tangente	26,75	-	-
TCV	387+962.436	-	-	-	-
PIV	388+022.436	PARABOLE	120,00	Crest/Saillante	88
CTV	388+082.436	-	-	-	-
-	-	Tangent/Tangente	368,47	-	-
PIV	388+450.908	-	-	-	-
-	-	Tangent/Tangente	280,24	-	-
TCV	388+731.150	-	-	-	-
PIV	388+806.150	PARABOLE	150,00	Sag/Rentrante	63
CTV	388+881.150	-	-	-	-
-	-	Tangent/Tangente	123,05	-	-
TCV	389+004.203	-	-	-	-
PIV	389+054.203	PARABOLE	100,00	Crest/Saillante	65
CTV	389+104.203	-	-	-	-
-	-	Tangent/Tangente	194,87	-	-
TCV	389+299.071	-	-	-	-
PIV	389+409.071	PARABOLE	220,00	Sag/Rentrante	123
CTV	389+519.071	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	203,24	-	-
TCV	389+722.307	-	-	-	-
PIV	389+752.307	PARABOLE	60,00	Crest/Saillante	95
CTV	389+782.307	-	-	-	-
-	-	Tangent/Tangente	72,01	-	-
TCV	389+854.314	-	-	-	-
PIV	389+894.314	PARABOLE	80,00	Sag/Rentrante	50
CTV	389+934.314	-	-	-	-
-	-	Tangent/Tangente	35,31	-	-
TCV	389+969.625	-	-	-	-
PIV	389+999.625	PARABOLE	60,00	Crest/Saillante	65
CTV	390+029.625	-	-	-	-
-	-	Tangent/Tangente	0,00	-	-
END	390+029.627	-	-	-	-
-	-	Tangent/Tangente	90,00	-	-
PIV	390+100,00	-	-	-	-
-	-	Tangent/Tangente	22,64	-	-
TCV	390+122,64	-	-	-	-
PIV	390+132,64	PARABOLE	20,00	Sag/Rentrante	116
CTV	390+142,64	-	-	-	-
-	-	Tangent/Tangente	4,30	-	-
PIV	390+146,94	-	-	-	-
-	-	Tangent/Tangente	13,46	-	-
PIV	390+160,40	-	-	-	-
-	-	Tangent/Tangente	104,08	-	-
PIV	390+264,48	-	-	-	-
-	-	Tangent/Tangente	80,98	-	-
PIV	390+345,46	-	-	-	-
-	-	Tangent/Tangente	40,15	-	-
TCV	390+385,62	-	-	-	-
PIV	390+410,62	PARABOLE	50,00	Sag/Rentrante	262
CTV	390+435,62	-	-	-	-
-	-	Tangent/Tangente	132,55	-	-
TCV	390+568,17	-	-	-	-
PIV	390+628,17	PARABOLE	120,00	Crest/Saillante	127
CTV	390+688,17	-	-	-	-
-	-	Tangent/Tangente	105,67	-	-
PIV	390+793,84	-	-	-	-
-	-	Tangent/Tangente	116,77	-	-
TCV	390+910,60	-	-	-	-
PIV	391+000,60	PARABOLE	180,00	Sag/Rentrante	65
CTV	391+090,60	-	-	-	-
-	-	Tangent/Tangente	36,00	-	-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	391+126,60	-		-	-
PIV	391+179,10	PARABOLE	105,00	Crest/Saillante	61
CTV	391+231,60	-		-	-
-	-	Tangent/Tangente	24,49	-	-
TCV	391+256,09	-		-	-
PIV	391+396,09	PARABOLE	280,00	Sag/Rentrante	71
CTV	391+536,09	-		-	-
-	-	Tangent/Tangente	73,21	-	-
TCV	391+609,30	-		-	-
PIV	391+659,30	PARABOLE	100,00	Crest/Saillante	59
CTV	391+709,30	-		-	-
-	-	Tangent/Tangente	240,91	-	-
PIV	391+950,20	-		-	-
-	-	Tangent/Tangente	94,30	-	-
TCV	392+044,50	-		-	-
PIV	392+204,50	PARABOLE	320,00	Sag/Rentrante	104
CTV	392+364,50	-		-	-
-	-	Tangent/Tangente	216,43	-	-
TCV	392+580,93	-		-	-
PIV	392+625,93	PARABOLE	90,00	Crest/Saillante	135
CTV	392+670,93	-		-	-
-	-	Tangent/Tangente	63,14	-	-
TCV	392+734,07	-		-	-
PIV	392+754,07	PARABOLE	40,00	Sag/Rentrante	62
CTV	392+774,07	-		-	-
-	-	Tangent/Tangente	73,53	-	-
TCV	392+847,60	-		-	-
PIV	392+887,60	PARABOLE	80,00	Crest/Saillante	111
CTV	392+927,60	-		-	-
-	-	Tangent/Tangente	110,85	-	-
TCV	393+038,45	-		-	-
PIV	393+088,45	PARABOLE	100,00	Crest/Saillante	83
CTV	393+138,45	-		-	-
-	-	Tangent/Tangente	20,95	-	-
TCV	393+159,41	-		-	-
PIV	393+289,41	PARABOLE	260,00	Sag/Rentrante	108
CTV	393+419,41	-		-	-
-	-	Tangent/Tangente	118,82	-	-
PIV	393+538,22	-		-	-
-	-	Tangent/Tangente	79,60	-	-
PIV	393+617,83	-		-	-
-	-	Tangent/Tangente	108,14	-	-
TCV	393+725,97	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	393+775,97	PARABOLE	100,00	Sag/Rentrante	68
CTV	393+825,97	-		-	-
-	-	Tangent/Tangente	45,05	-	-
TCV	393+871,01	-		-	-
PIV	393+961,01	PARABOLE	180,00	Crest/Saillante	99
CTV	394+051,01	-		-	-
-	-	Tangent/Tangente	162,40	-	-
PIV	394+213,42	-		-	-
-	-	Tangent/Tangente	118,63	-	-
TCV	394+332,04	-		-	-
PIV	394+372,04	PARABOLE	80,00	Crest/Saillante	157
CTV	394+412,04	-		-	-
-	-	Tangent/Tangente	83,24	-	-
TCV	394+495,29	-		-	-
PIV	394+535,29	PARABOLE	80,00	Sag/Rentrante	327
CTV	394+575,29	-		-	-
-	-	Tangent/Tangente	108,00	-	-
TCV	394+683,29	-		-	-
PIV	394+733,29	PARABOLE	100,00	Crest/Saillante	126
CTV	394+783,29	-		-	-
-	-	Tangent/Tangente	141,31	-	-
TCV	394+924,60	-		-	-
PIV	394+994,60	PARABOLE	140,00	Sag/Rentrante	148
CTV	395+064,60	-		-	-
-	-	Tangent/Tangente	219,38	-	-
TCV	395+283,98	-		-	-
PIV	395+313,98	PARABOLE	60,00	Crest/Saillante	197
CTV	395+343,98	-		-	-
-	-	Tangent/Tangente	171,03	-	-
TCV	395+515,00	-		-	-
PIV	395+565,00	PARABOLE	100,00	Sag/Rentrante	75
CTV	395+615,00	-		-	-
-	-	Tangent/Tangente	250,99	-	-
TCV	395+866,00	-		-	-
PIV	395+956,00	PARABOLE	180,00	Crest/Saillante	101
CTV	396+046,00	-		-	-
-	-	Tangent/Tangente	49,33	-	-
TCV	396+095,32	-		-	-
PIV	396+115,32	PARABOLE	40,00	Sag/Rentrante	45
CTV	396+135,32	-		-	-
-	-	Tangent/Tangente	36,18	-	-
TCV	396+171,50	-		-	-
PIV	396+211,50	PARABOLE	80,00	Crest/Saillante	80

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	396+251,50	-		-	-
-	-	Tangent/Tangente	91,28	-	-
TCV	396+342,78	-		-	-
PIV	396+382,78	PARABOLE	80,00	Sag/Rentrante	200
CTV	396+422,78	-		-	-
-	-	Tangent/Tangente	109,97	-	-
TCV	396+532,75	-		-	-
PIV	396+592,75	PARABOLE	120,00	Crest/Saillante	95
CTV	396+652,75	-		-	-
-	-	Tangent/Tangente	158,13	-	-
PIV	396+810,89	-		-	-
-	-	Tangent/Tangente	243,47	-	-
PIV	397+054,35	-		-	-
-	-	Tangent/Tangente	43,37	-	-
TCV	397+097,73	-		-	-
PIV	397+117,73	PARABOLE	40,00	Sag/Rentrante	52
CTV	397+137,73	-		-	-
-	-	Tangent/Tangente	280,81	-	-
TCV	397+418,54	-		-	-
PIV	397+453,54	PARABOLE	70,00	Crest/Saillante	83
CTV	397+488,54	-		-	-
-	-	Tangent/Tangente	44,91	-	-
TCV	397+533,44	-		-	-
PIV	397+573,44	PARABOLE	80,00	Sag/Rentrante	125
CTV	397+613,44	-		-	-
-	-	Tangent/Tangente	44,20	-	-
PIV	397+657,64	-		-	-
-	-	Tangent/Tangente	20,68	-	-
TCV	397+678,32	-		-	-
PIV	397+703,32	PARABOLE	50,00	Crest/Saillante	113
CTV	397+728,32	-		-	-
-	-	Tangent/Tangente	151,85	-	-
PIV	397+880,17	-		-	-
-	-	Tangent/Tangente	132,90	-	-
TCV	398+013,07	-		-	-
PIV	398+043,07	PARABOLE	60,00	Crest/Saillante	83
CTV	398+073,07	-		-	-
-	-	Tangent/Tangente	46,14	-	-
TCV	398+119,20	-		-	-
PIV	398+144,20	PARABOLE	50,00	Sag/Rentrante	43
CTV	398+169,20	-		-	-
-	-	Tangent/Tangente	83,11	-	-
TCV	398+252,31	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	398+302,31	PARABOLE	100,00	Sag/Rentrante	75
CTV	398+352,31	-		-	-
-	-	Tangent/Tangente	45,20	-	-
TCV	398+397,51	-		-	-
PIV	398+447,51	PARABOLE	100,00	Crest/Saillante	83
CTV	398+497,51	-		-	-
-	-	Tangent/Tangente	27,73	-	-
TCV	398+525,24	-		-	-
PIV	398+550,24	PARABOLE	50,00	Sag/Rentrante	81
CTV	398+575,24	-		-	-
-	-	Tangent/Tangente	72,62	-	-
PIV	398+647,87	-		-	-
-	-	Tangent/Tangente	57,73	-	-
PIV	398+705,60	-		-	-
-	-	Tangent/Tangente	51,90	-	-
TCV	398+757,50	-		-	-
PIV	398+802,50	PARABOLE	90,00	Crest/Saillante	77
CTV	398+847,50	-		-	-
-	-	Tangent/Tangente	52,25	-	-
TCV	398+899,75	-		-	-
PIV	398+944,75	PARABOLE	90,00	Sag/Rentrante	50
CTV	398+989,75	-		-	-
-	-	Tangent/Tangente	71,83	-	-
TCV	399+061,58	-		-	-
PIV	399+091,58	PARABOLE	60,00	Crest/Saillante	79
CTV	399+121,58	-		-	-
-	-	Tangent/Tangente	24,52	-	-
TCV	399+146,09	-		-	-
PIV	399+176,09	PARABOLE	60,00	Sag/Rentrante	215
CTV	399+206,09	-		-	-
-	-	Tangent/Tangente	280,96	-	-
TCV	399+487,06	-		-	-
PIV	399+537,06	PARABOLE	100,00	Sag/Rentrante	264
CTV	399+587,06	-		-	-
-	-	Tangent/Tangente	46,46	-	-
TCV	399+633,52	-		-	-
PIV	399+653,52	PARABOLE	40,00	Crest/Saillante	155
CTV	399+673,52	-		-	-
-	-	Tangent/Tangente	51,55	-	-
TCV	399+725,07	-		-	-
PIV	399+745,07	PARABOLE	40,00	Sag/Rentrante	266
CTV	399+765,07	-		-	-
-	-	Tangent/Tangente	52,93	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	399+818,00	-		-	-
PIV	399+848,00	PARABOLE	60,00	Crest/Saillante	133
CTV	399+878,00	-		-	-
-	-	Tangent/Tangente	144,00	-	-
-	-	Tangent/Tangente	144,00	-	-
TCV	400+022,50	-		-	-
PIV	400+090,00	PARABOLE	135,00	Sag/Rentrante	57
CTV	400+157,50	-		-	-
-	-	Tangent/Tangente	52,47	-	-
TCV	400+209,97	-		-	-
PIV	400+254,97	PARABOLE	90,00	Crest/Saillante	69
CTV	400+299,97	-		-	-
-	-	Tangent/Tangente	137,81	-	-
TCV	400+437,78	-		-	-
PIV	400+472,78	PARABOLE	70,00	Crest/Saillante	79
CTV	400+507,78	-		-	-
-	-	Tangent/Tangente	46,93	-	-
TCV	400+554,71	-		-	-
PIV	400+622,21	PARABOLE	135,00	Sag/Rentrante	56
CTV	400+689,71	-		-	-
-	-	Tangent/Tangente	41,75	-	-
TCV	400+731,46	-		-	-
PIV	400+771,46	PARABOLE	80,00	Crest/Saillante	75
CTV	400+811,46	-		-	-
-	-	Tangent/Tangente	74,01	-	-
TCV	400+885,47	-		-	-
PIV	400+952,97	PARABOLE	135,00	Crest/Saillante	151
CTV	401+020,47	-		-	-
-	-	Tangent/Tangente	96,09	-	-
TCV	401+116,56	-		-	-
PIV	401+156,56	PARABOLE	80,00	Sag/Rentrante	260
CTV	401+196,56	-		-	-
-	-	Tangent/Tangente	124,33	-	-
TCV	401+320,89	-		-	-
PIV	401+380,89	PARABOLE	120,00	Crest/Saillante	104
CTV	401+440,89	-		-	-
-	-	Tangent/Tangente	1,22	-	-
TCV	401+442,11	-		-	-
PIV	401+532,11	PARABOLE	180,00	Sag/Rentrante	785
CTV	401+622,11	-		-	-
-	-	Tangent/Tangente	634,30	-	-
TCV	402+256,42	-		-	-
PIV	402+296,42	PARABOLE	80,00	Sag/Rentrante	261

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	402+336,42	-		-	-
-	-	Tangent/Tangente	109,38	-	-
TCV	402+445,80	-		-	-
PIV	402+485,80	PARABOLE	80,00	Sag/Rentrante	265
CTV	402+525,80	-		-	-
-	-	Tangent/Tangente	128,72	-	-
TCV	402+654,52	-		-	-
PIV	402+724,52	PARABOLE	140,00	Crest/Saillante	86
CTV	402+794,52	-		-	-
-	-	Tangent/Tangente	101,05	-	-
TCV	402+895,57	-		-	-
PIV	402+940,57	PARABOLE	90,00	Sag/Rentrante	72
CTV	402+985,57	-		-	-
-	-	Tangent/Tangente	126,37	-	-
TCV	403+111,94	-		-	-
PIV	403+166,94	PARABOLE	110,00	Sag/Rentrante	57
CTV	403+221,94	-		-	-
-	-	Tangent/Tangente	36,36	-	-
TCV	403+258,30	-		-	-
PIV	403+348,30	PARABOLE	180,00	Crest/Saillante	71
CTV	403+438,30	-		-	-
-	-	Tangent/Tangente	55,31	-	-
TCV	403+493,61	-		-	-
PIV	403+583,61	PARABOLE	180,00	Sag/Rentrante	59
CTV	403+673,61	-		-	-
-	-	Tangent/Tangente	52,97	-	-
TCV	403+726,58	-		-	-
PIV	403+756,58	PARABOLE	60,00	Crest/Saillante	100
CTV	403+786,58	-		-	-
-	-	Tangent/Tangente	146,87	-	-
TCV	403+933,45	-		-	-
PIV	403+993,45	PARABOLE	120,00	Sag/Rentrante	70
CTV	404+053,45	-		-	-
-	-	Tangent/Tangente	16,81	-	-
TCV	404+070,26	-		-	-
PIV	404+095,26	PARABOLE	50,00	Crest/Saillante	58
CTV	404+120,26	-		-	-
-	-	Tangent/Tangente	109,24	-	-
TCV	404+229,51	-		-	-
PIV	404+284,51	PARABOLE	110,00	Sag/Rentrante	66
CTV	404+339,51	-		-	-
-	-	Tangent/Tangente	60,58	-	-
TCV	404+400,09	-		-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	404+437,59	PARABOLE	75,00	Crest/Saillante	78
CTV	404+475,09	-		-	-
-	-	Tangent/Tangente	183,69	-	-
TCV	404+658,77	-		-	-
PIV	404+708,77	PARABOLE	100,00	Sag/Rentrante	84
CTV	404+758,77	-		-	-
-	-	Tangent/Tangente	37,66	-	-
TCV	404+796,44	-		-	-
PIV	404+846,44	PARABOLE	100,00	Crest/Saillante	75
CTV	404+896,44	-		-	-
-	-	Tangent/Tangente	204,26	-	-
PIV	405+100,69	-		-	-
-	-	Tangent/Tangente	209,88	-	-
PIV	405+310,57	-		-	-
-	-	Tangent/Tangente	91,51	-	-
TCV	405+402,09	-		-	-
PIV	405+467,09	PARABOLE	130,00	Sag/Rentrante	129
CTV	405+532,09	-		-	-
-	-	Tangent/Tangente	0,00	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 21+782.825	-	-	-	-
-	-	Tangent/Tangente	17,01	-	-
TCV	A 21+799.832	-	-	-	-
PIV	A 21+824.834	PARABOLE	50,00	Crest/Saillante	108
CTV	A 21+849.835	-	-	-	-
-	-	Tangent/Tangente	19,47	-	-
TCV	A 21+869.300	-	-	-	-
PIV	A 21+884.253	PARABOLE	29,91	Sag/Rentrante	262
CTV	A 21+899.206	-	-	-	-
-	-	Tangent/Tangente	21,59	-	-
TCV	A 21+920.799	-	-	-	-
PIV	A 21+937.928	PARABOLE	34,26	Sag/Rentrante	259
CTV	A 21+955.057	-	-	-	-
-	-	Tangent/Tangente	6,13	-	-
TCV	A 21+961.184	-	-	-	-
PIV	A 21+979.884	PARABOLE	37,40	Crest/Saillante	145
CTV	A 21+998.584	-	-	-	-
-	-	Tangent/Tangente	30,45	-	-
TCV	A 22+029.035	-	-	-	-
PIV	A 22+059.036	PARABOLE	60,00	Crest/Saillante	159
CTV	A 22+089.036	-	-	-	-
-	-	Tangent/Tangente	272,38	-	-
TCV	A 22+361.420	-	-	-	-
PIV	A 22+394.560	PARABOLE	66,28	Sag/Rentrante	267
CTV	A 22+427.699	-	-	-	-
-	-	Tangent/Tangente	76,57	-	-
TCV	A 22+504.274	-	-	-	-
PIV	A 22+551.038	PARABOLE	93,53	Crest/Saillante	94
CTV	A 22+597.802	-	-	-	-
-	-	Tangent/Tangente	18,65	-	-
TCV	A 22+616.448	-	-	-	-
PIV	A 22+643.949	PARABOLE	55,00	Sag/Rentrante	256
CTV	A 22+671.449	-	-	-	-
-	-	Tangent/Tangente	69,08	-	-
TCV	A 22+740.527	-	-	-	-
PIV	A 22+839.116	PARABOLE	197,18	Sag/Rentrante	107
CTV	A 22+937.704	-	-	-	-
-	-	Tangent/Tangente	13,30	-	-
TCV	A 22+951.004	-	-	-	-
PIV	A 22+968.462	PARABOLE	34,92	Crest/Saillante	154
CTV	A 22+985.920	-	-	-	-
-	-	Tangent/Tangente	22,15	-	-
TCV	A 23+008.073	-	-	-	-



Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 23+023.078	PARABOLE	30,01	Sag/Rentrante	261
CTV	A 23+038.083	-	-	-	-
-	-	Tangent/Tangente	33,47	-	-
TCV	A 23+071.555	-	-	-	-
PIV	A 23+086.546	PARABOLE	29,98	Crest/Saillante	150
CTV	A 23+101.536	-	-	-	-
-	-	Tangent/Tangente	27,87	-	-
TCV	A 23+129.409	-	-	-	-
PIV	A 23+147.339	PARABOLE	35,86	Sag/Rentrante	260
CTV	A 23+165.268	-	-	-	-
-	-	Tangent/Tangente	6,04	-	-
TCV	A 23+171.307	-	-	-	-
PIV	A 23+210.679	PARABOLE	78,74	Crest/Saillante	80
CTV	A 23+250.051	-	-	-	-
-	-	Tangent/Tangente	39,77	-	-
TCV	A 23+289.816	-	-	-	-
PIV	A 23+361.028	PARABOLE	142,43	Sag/Rentrante	69
CTV	A 23+432.241	-	-	-	-
-	-	Tangent/Tangente	50,72	-	-
TCV	A 23+482.959	-	-	-	-
PIV	A 23+501.913	PARABOLE	37,91	Crest/Saillante	72
CTV	A 23+520.866	-	-	-	-
-	-	Tangent/Tangente	15,44	-	-
TCV	A 23+536.307	-	-	-	-
PIV	A 23+554.656	PARABOLE	36,70	Sag/Rentrante	93
CTV	A 23+573.004	-	-	-	-
-	-	Tangent/Tangente	41,27	-	-
TCV	A 23+614.277	-	-	-	-
PIV	A 23+641.831	PARABOLE	55,11	Sag/Rentrante	258
CTV	A 23+669.386	-	-	-	-
-	-	Tangent/Tangente	30,94	-	-
TCV	A 23+700.324	-	-	-	-
PIV	A 23+743.853	PARABOLE	87,06	Crest/Saillante	66
CTV	A 23+787.381	-	-	-	-
-	-	Tangent/Tangente	18,54	-	-
TCV	A 23+805.919	-	-	-	-
PIV	A 23+833.408	PARABOLE	54,98	Sag/Rentrante	70
CTV	A 23+860.896	-	-	-	-
-	-	Tangent/Tangente	2,99	-	-
TCV	A 23+863.883	-	-	-	-
PIV	A 23+921.471	PARABOLE	115,18	Crest/Saillante	171
CTV	A 23+979.059	-	-	-	-
-	-	Tangent/Tangente	20,56	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 23+999.615	-	-	-	-
PIV	A 24+048.652	PARABOLE	98,07	Sag/Rentrante	92
CTV	A 24+097.689	-	-	-	-
-	-	Tangent/Tangente	111,02	-	-
TCV	A 24+208.703	-	-	-	-
PIV	A 24+254.418	PARABOLE	91,43	Crest/Saillante	208
CTV	A 24+300.133	-	-	-	-
-	-	Tangent/Tangente	57,68	-	-
TCV	A 24+357.816	-	-	-	-
PIV	A 24+382.824	PARABOLE	50,01	Crest/Saillante	165
CTV	A 24+407.831	-	-	-	-
-	-	Tangent/Tangente	13,09	-	-
TCV	A 24+420.921	-	-	-	-
PIV	A 24+442.316	PARABOLE	42,79	Sag/Rentrante	262
CTV	A 24+463.712	-	-	-	-
-	-	Tangent/Tangente	128,52	-	-
TCV	A 24+592.234	-	-	-	-
PIV	A 24+662.022	PARABOLE	139,58	Sag/Rentrante	263
CTV	A 24+731.811	-	-	-	-
-	-	Tangent/Tangente	51,66	-	-
TCV	A 24+783.475	-	-	-	-
PIV	A 24+804.801	PARABOLE	42,65	Crest/Saillante	235
CTV	A 24+826.127	-	-	-	-
-	-	Tangent/Tangente	4,10	-	-
TCV	A 24+830.222	-	-	-	-
PIV	A 24+862.784	PARABOLE	65,12	Sag/Rentrante	186
CTV	A 24+895.345	-	-	-	-
-	-	Tangent/Tangente	112,22	-	-
TCV	A 25+007.569	-	-	-	-
PIV	A 25+070.425	PARABOLE	125,71	Crest/Saillante	91
CTV	A 25+133.281	-	-	-	-
-	-	Tangent/Tangente	72,24	-	-
TCV	A 25+205.524	-	-	-	-
PIV	A 25+219.178	PARABOLE	27,31	Sag/Rentrante	262
CTV	A 25+232.833	-	-	-	-
-	-	Tangent/Tangente	9,42	-	-
TCV	A 25+242.255	-	-	-	-
PIV	A 25+271.522	PARABOLE	58,54	Crest/Saillante	
-	-	Tangent/Tangente	46,56	-	-
TCV	A 25+347.351	-	-	-	-
PIV	A 25+371.669	PARABOLE	48,64	Sag/Rentrante	239
CTV	A 25+395.986	-	-	-	-
-	-	Tangent/Tangente	23,81	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 25+419.800	-	-	-	-
PIV	A 25+437.333	PARABOLE	35,07	Crest/Saillante	98
CTV	A 25+454.867	-	-	-	-
-	-	Tangent/Tangente	56,09	-	-
TCV	A 25+510.961	-	-	-	-
PIV	A 25+547.869	PARABOLE	73,82	Sag/Rentrante	107
CTV	A 25+584.776	-	-	-	-
-	-	Tangent/Tangente	10,95	-	-
TCV	A 25+595.727	-	-	-	-
PIV	A 25+634.209	PARABOLE	76,97	Crest/Saillante	202
CTV	A 25+672.692	-	-	-	-
-	-	Tangent/Tangente	168,41	-	-
TCV	A 25+841.098	-	-	-	-
PIV	A 25+882.142	PARABOLE	82,09	Sag/Rentrante	264
CTV	A 25+923.186	-	-	-	-
-	-	Tangent/Tangente	76,89	-	-
TCV	A 26+000.071	-	-	-	-
PIV	A 26+024.000	PARABOLE	47,86	Crest/Saillante	104
CTV	A 26+047.928	-	-	-	-
-	-	Tangent/Tangente	77,16	-	-
TCV	A 26+125.092	-	-	-	-
PIV	A 26+142.041	PARABOLE	33,90	Sag/Rentrante	263
CTV	A 26+158.991	-	-	-	-
-	-	Tangent/Tangente	193,00	-	-
TCV	A 26+351.993	-	-	-	-
PIV	A 26+376.093	PARABOLE	48,20	Sag/Rentrante	103
CTV	A 26+400.193	-	-	-	-
-	-	Tangent/Tangente	21,76	-	-
TCV	A 26+421.955	-	-	-	-
PIV	A 26+451.953	PARABOLE	60,00	Crest/Saillante	97
CTV	A 26+481.951	-	-	-	-
-	-	Tangent/Tangente	37,88	-	-
TCV	A 26+519.835	-	-	-	-
PIV	A 26+543.305	PARABOLE	46,94	Sag/Rentrante	103
CTV	A 26+566.775	-	-	-	-
-	-	Tangent/Tangente	16,10	-	-
TCV	A 26+582.876	-	-	-	-
PIV	A 26+608.535	PARABOLE	51,32	Crest/Saillante	137
CTV	A 26+634.195	-	-	-	-
-	-	Tangent/Tangente	111,86	-	-
TCV	A 26+746.054	-	-	-	-
PIV	A 26+761.597	PARABOLE	31,09	Crest/Saillante	224
CTV	A 26+777.140	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	38,79	-	-
TCV	A 26+815.934	-	-	-	-
PIV	A 26+834.712	PARABOLE	37,56	Sag/Rentrante	266
CTV	A 26+853.490	-	-	-	-
-	-	Tangent/Tangente	14,28	-	-
TCV	A 26+867.771	-	-	-	-
PIV	A 26+919.509	PARABOLE	103,48	Sag/Rentrante	112
CTV	A 26+971.248	-	-	-	-
-	-	Tangent/Tangente	23,47	-	-
TCV	A 26+994.721	-	-	-	-
PIV	A 27+006.517	PARABOLE	23,59	Crest/Saillante	177
CTV	A 27+018.313	-	-	-	-
-	-	Tangent/Tangente	34,77	-	-
TCV	A 27+053.083	-	-	-	-
PIV	A 27+065.591	PARABOLE	25,02	Sag/Rentrante	257
CTV	A 27+078.099	-	-	-	-
-	-	Tangent/Tangente	18,39	-	-
TCV	A 27+096.488	-	-	-	-
PIV	A 27+126.099	PARABOLE	59,22	Crest/Saillante	76
CTV	A 27+155.711	-	-	-	-
-	-	Tangent/Tangente	82,75	-	-
TCV	A 27+238.465	-	-	-	-
PIV	A 27+271.946	PARABOLE	66,96	Sag/Rentrante	85
CTV	A 27+305.428	-	-	-	-
-	-	Tangent/Tangente	46,07	-	-
TCV	A 27+351.501	-	-	-	-
PIV	A 27+371.600	PARABOLE	40,20	Crest/Saillante	135
CTV	A 27+391.699	-	-	-	-
-	-	Tangent/Tangente	43,54	-	-
TCV	A 27+435.234	-	-	-	-
PIV	A 27+480.218	PARABOLE	89,97	Sag/Rentrante	88
CTV	A 27+525.203	-	-	-	-
-	-	Tangent/Tangente	22,70	-	-
TCV	A 27+547.904	-	-	-	-
PIV	A 27+570.535	PARABOLE	45,26	Crest/Saillante	106
CTV	A 27+593.167	-	-	-	-
-	-	Tangent/Tangente	23,22	-	-
TCV	A 27+616.388	-	-	-	-
PIV	A 27+637.363	PARABOLE	41,95	Crest/Saillante	81
CTV	A 27+658.337	-	-	-	-
-	-	Tangent/Tangente	14,83	-	-
TCV	A 27+673.166	-	-	-	-
PIV	A 27+697.572	PARABOLE	48,81	Sag/Rentrante	69

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	A 27+721.978	-	-	-	-
-	-	Tangent/Tangente	15,07	-	-
TCV	A 27+737.051	-	-	-	-
PIV	A 27+746.989	PARABOLE	19,87	Crest/Saillante	224
CTV	A 27+756.926	-	-	-	-
-	-	Tangent/Tangente	8,91	-	-
TCV	A 27+765.831	-	-	-	-
PIV	A 27+788.739	PARABOLE	45,82	Sag/Rentrante	95
CTV	A 27+811.647	-	-	-	-
-	-	Tangent/Tangente	29,00	-	-
TCV	A 27+840.647	-	-	-	-
PIV	A 27+881.853	PARABOLE	82,41	Crest/Saillante	98
CTV	A 27+923.059	-	-	-	-
-	-	Tangent/Tangente	92,15	-	-
TCV	A 28+015.210	-	-	-	-
PIV	A 28+039.473	PARABOLE	48,53	Sag/Rentrante	261
CTV	A 28+063.735	-	-	-	-
-	-	Tangent/Tangente	117,15	-	-
TCV	A 28+180.886	-	-	-	-
PIV	A 28+211.291	PARABOLE	60,81	Crest/Saillante	109
CTV	A 28+241.697	-	-	-	-
-	-	Tangent/Tangente	24,25	-	-
TCV	A 28+265.946	-	-	-	-
PIV	A 28+303.670	PARABOLE	75,45	Sag/Rentrante	103
CTV	A 28+341.394	-	-	-	-
-	-	Tangent/Tangente	123,06	-	-
TCV	A 28+464.455	-	-	-	-
PIV	A 28+481.958	PARABOLE	35,01	Crest/Saillante	157
CTV	A 28+499.461	-	-	-	-
-	-	Tangent/Tangente	166,75	-	-
TCV	A 28+666.213	-	-	-	-
PIV	A 28+692.812	PARABOLE	53,20	Sag/Rentrante	597
CTV	A 28+719.412	-	-	-	-
-	-	Tangent/Tangente	233,16	-	-
TCV	A 28+952.567	-	-	-	-
PIV	A 28+960.887	PARABOLE	16,64	Crest/Saillante	219
CTV	A 28+969.206	-	-	-	-
-	-	Tangent/Tangente	101,18	-	-
TCV	A 29+070.387	-	-	-	-
PIV	A 29+089.801	PARABOLE	38,83	Sag/Rentrante	264
CTV	A 29+109.215	-	-	-	-
-	-	Tangent/Tangente	23,22	-	-
TCV	A 29+132.430	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 29+149.810	PARABOLE	34,76	Crest/Saillante	146
CTV	A 29+167.190	-	-	-	-
-	-	Tangent/Tangente	122,95	-	-
TCV	A 29+290.139	-	-	-	-
PIV	A 29+332.406	PARABOLE	84,53	Crest/Saillante	102
CTV	A 29+374.673	-	-	-	-
-	-	Tangent/Tangente	7,00	-	-
TCV	A 29+381.673	-	-	-	-
PIV	A 29+430.418	PARABOLE	97,49	Sag/Rentrante	64
CTV	A 29+479.163	-	-	-	-
-	-	Tangent/Tangente	46,68	-	-
TCV	A 29+525.845	-	-	-	-
PIV	A 29+571.824	PARABOLE	91,96	Crest/Saillante	112
CTV	A 29+617.803	-	-	-	-
-	-	Tangent/Tangente	37,03	-	-
TCV	A 29+654.832	-	-	-	-
PIV	A 29+676.724	PARABOLE	43,78	Crest/Saillante	211
CTV	A 29+698.616	-	-	-	-
-	-	Tangent/Tangente	42,72	-	-
TCV	A 29+741.337	-	-	-	-
PIV	A 29+783.631	PARABOLE	84,59	Crest/Saillante	126
CTV	A 29+825.925	-	-	-	-
-	-	Tangent/Tangente	25,43	-	-
TCV	A 29+851.355	-	-	-	-
PIV	A 29+908.400	PARABOLE	114,09	Sag/Rentrante	89
CTV	A 29+965.444	-	-	-	-
-	-	Tangent/Tangente	213,37	-	-
TCV	A 30+178.816	-	-	-	-
PIV	A 30+195.136	PARABOLE	32,64	Sag/Rentrante	263
CTV	A 30+211.457	-	-	-	-
-	-	Tangent/Tangente	67,32	-	-
TCV	A 30+278.780	-	-	-	-
PIV	A 30+345.589	PARABOLE	133,62	Crest/Saillante	77
CTV	A 30+412.397	-	-	-	-
-	-	Tangent/Tangente	33,73	-	-
TCV	A 30+446.123	-	-	-	-
PIV	A 30+527.901	PARABOLE	163,56	Sag/Rentrante	51
CTV	A 30+609.678	-	-	-	-
-	-	Tangent/Tangente	20,34	-	-
TCV	A 30+630.017	-	-	-	-
PIV	A 30+659.529	PARABOLE	59,03	Crest/Saillante	113
CTV	A 30+689.042	-	-	-	-
-	-	Tangent/Tangente	106,52	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 30+795.564	-	-	-	-
PIV	A 30+829.279	PARABOLE	67,43	Crest/Saillante	81
CTV	A 30+862.993	-	-	-	-
-	-	Tangent/Tangente	171,00	-	-
TCV	A 31+033.995	-	-	-	-
PIV	A 31+059.749	PARABOLE	51,51	Sag/Rentrante	266
CTV	A 31+085.503	-	-	-	-
-	-	Tangent/Tangente	49,23	-	-
TCV	A 31+134.736	-	-	-	-
PIV	A 31+159.806	PARABOLE	50,14	Crest/Saillante	220
CTV	A 31+184.876	-	-	-	-
-	-	Tangent/Tangente	77,08	-	-
TCV	A 31+261.960	-	-	-	-
PIV	A 31+342.132	PARABOLE	160,34	Sag/Rentrante	204
CTV	A 31+422.304	-	-	-	-
-	-	Tangent/Tangente	17,54	-	-
TCV	A 31+439.842	-	-	-	-
PIV	A 31+472.381	PARABOLE	65,08	Sag/Rentrante	68
CTV	A 31+504.920	-	-	-	-
-	-	Tangent/Tangente	17,12	-	-
TCV	A 31+522.040	-	-	-	-
PIV	A 31+548.193	PARABOLE	52,31	Crest/Saillante	71
CTV	A 31+574.347	-	-	-	-
-	-	Tangent/Tangente	77,38	-	-
TCV	A 31+651.730	-	-	-	-
PIV	A 31+665.006	PARABOLE	26,55	Crest/Saillante	169
CTV	A 31+678.282	-	-	-	-
-	-	Tangent/Tangente	133,71	-	-
TCV	A 31+811.992	-	-	-	-
PIV	A 31+823.750	PARABOLE	23,52	Sag/Rentrante	265
CTV	A 31+835.508	-	-	-	-
-	-	Tangent/Tangente	86,77	-	-
TCV	A 31+922.275	-	-	-	-
PIV	A 31+970.555	PARABOLE	96,56	Crest/Saillante	255
CTV	A 32+018.836	-	-	-	-
-	-	Tangent/Tangente	57,59	-	-
TCV	A 32+076.425	-	-	-	-
PIV	A 32+096.137	PARABOLE	39,43	Sag/Rentrante	265
CTV	A 32+115.850	-	-	-	-
-	-	Tangent/Tangente	217,76	-	-
TCV	A 32+333.611	-	-	-	-
PIV	A 32+375.921	PARABOLE	84,62	Crest/Saillante	239
CTV	A 32+418.230	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	41,30	-	-
TCV	A 32+459.534	-	-	-	-
PIV	A 32+479.819	PARABOLE	40,57	Sag/Rentrante	264
CTV	A 32+500.105	-	-	-	-
-	-	Tangent/Tangente	27,04	-	-
TCV	A 32+527.143	-	-	-	-
PIV	A 32+569.813	PARABOLE	85,34	Crest/Saillante	264
CTV	A 32+612.483	-	-	-	-
-	-	Tangent/Tangente	14,54	-	-
TCV	A 32+627.019	-	-	-	-
PIV	A 32+648.786	PARABOLE	43,53	Sag/Rentrante	262
CTV	A 32+670.552	-	-	-	-
-	-	Tangent/Tangente	49,53	-	-
TCV	A 32+720.077	-	-	-	-
PIV	A 32+762.407	PARABOLE	84,66	Sag/Rentrante	257
CTV	A 32+804.738	-	-	-	-
-	-	Tangent/Tangente	32,27	-	-
TCV	A 32+837.010	-	-	-	-
PIV	A 32+879.485	PARABOLE	84,95	Sag/Rentrante	74
CTV	A 32+921.961	-	-	-	-
-	-	Tangent/Tangente	7,59	-	-
TCV	A 32+929.550	-	-	-	-
PIV	A 32+947.503	PARABOLE	35,91	Crest/Saillante	116
CTV	A 32+965.455	-	-	-	-
-	-	Tangent/Tangente	137,44	-	-
TCV	A 33+102.899	-	-	-	-
PIV	A 33+145.454	PARABOLE	85,11	Crest/Saillante	70
CTV	A 33+188.008	-	-	-	-
-	-	Tangent/Tangente	147,30	-	-
TCV	A 33+335.311	-	-	-	-
PIV	A 33+377.874	PARABOLE	85,13	Sag/Rentrante	113
CTV	A 33+420.437	-	-	-	-
-	-	Tangent/Tangente	84,80	-	-
TCV	A 33+505.233	-	-	-	-
PIV	A 33+593.793	PARABOLE	177,12	Sag/Rentrante	85
CTV	A 33+682.353	-	-	-	-
-	-	Tangent/Tangente	45,85	-	-
TCV	A 33+728.203	-	-	-	-
PIV	A 33+760.801	PARABOLE	65,20	Crest/Saillante	125
CTV	A 33+793.400	-	-	-	-
-	-	Tangent/Tangente	12,54	-	-
TCV	A 33+805.942	-	-	-	-
PIV	A 33+838.738	PARABOLE	65,59	Crest/Saillante	114



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	A 33+871.533	-	-	-	-
-	-	Tangent/Tangente	16,80	-	-
TCV	A 33+888.334	-	-	-	-
PIV	A 33+915.206	PARABOLE	53,75	Crest/Saillante	91
CTV	A 33+942.079	-	-	-	-
-	-	Tangent/Tangente	8,24	-	-
TCV	A 33+950.322	-	-	-	-
PIV	A 34+010.580	PARABOLE	120,52	Sag/Rentrante	108
CTV	A 34+070.838	-	-	-	-
-	-	Tangent/Tangente	10,79	-	-
TCV	A 34+081.629	-	-	-	-
PIV	A 34+109.124	PARABOLE	54,99	Sag/Rentrante	82
CTV	A 34+136.619	-	-	-	-
-	-	Tangent/Tangente	6,14	-	-
TCV	A 34+142.759	-	-	-	-
PIV	A 34+170.348	PARABOLE	55,18	Crest/Saillante	113
CTV	A 34+197.937	-	-	-	-
-	-	Tangent/Tangente	47,69	-	-
TCV	A 34+245.629	-	-	-	-
PIV	A 34+295.548	PARABOLE	99,84	Crest/Saillante	96
CTV	A 34+345.466	-	-	-	-
-	-	Tangent/Tangente	74,60	-	-
TCV	A 34+420.069	-	-	-	-
PIV	A 34+469.971	PARABOLE	99,80	Sag/Rentrante	117
CTV	A 34+519.873	-	-	-	-
-	-	Tangent/Tangente	29,10	-	-
TCV	A 34+548.968	-	-	-	-
PIV	A 34+581.358	PARABOLE	64,78	Crest/Saillante	141
CTV	A 34+613.748	-	-	-	-
-	-	Tangent/Tangente	99,09	-	-
TCV	A 34+712.835	-	-	-	-
PIV	A 34+732.870	PARABOLE	40,07	Crest/Saillante	108
CTV	A 34+752.906	-	-	-	-
-	-	Tangent/Tangente	28,89	-	-
TCV	A 34+781.799	-	-	-	-
PIV	A 34+848.586	PARABOLE	133,57	Sag/Rentrante	94
CTV	A 34+915.372	-	-	-	-
-	-	Tangent/Tangente	75,78	-	-
TCV	A 34+991.150	-	-	-	-
PIV	A 35+033.664	PARABOLE	85,03	Sag/Rentrante	84
CTV	A 35+076.178	-	-	-	-
-	-	Tangent/Tangente	21,55	-	-
TCV	A 35+097.723	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 35+121.730	PARABOLE	48,01	Crest/Saillante	80
CTV	A 35+145.737	-	-	-	-
-	-	Tangent/Tangente	10,92	-	-
TCV	A 35+156.661	-	-	-	-
PIV	A 35+181.872	PARABOLE	50,42	Sag/Rentrante	106
CTV	A 35+207.084	-	-	-	-
-	-	Tangent/Tangente	112,99	-	-
TCV	A 35+320.076	-	-	-	-
PIV	A 35+347.963	PARABOLE	55,78	Crest/Saillante	137
CTV	A 35+375.850	-	-	-	-
-	-	Tangent/Tangente	144,32	-	-
TCV	A 35+520.166	-	-	-	-
PIV	A 35+538.892	PARABOLE	37,45	Sag/Rentrante	267
CTV	A 35+557.617	-	-	-	-
-	-	Tangent/Tangente	224,44	-	-
TCV	A 35+782.056	-	-	-	-
PIV	A 35+824.978	PARABOLE	85,85	Sag/Rentrante	103
CTV	A 35+867.901	-	-	-	-
-	-	Tangent/Tangente	56,86	-	-
TCV	A 35+924.763	-	-	-	-
PIV	A 35+966.689	PARABOLE	83,85	Crest/Saillante	79
CTV	A 36+008.615	-	-	-	-
-	-	Tangent/Tangente	43,92	-	-
TCV	A 36+052.530	-	-	-	-
PIV	A 36+095.154	PARABOLE	85,25	Sag/Rentrante	238
CTV	A 36+137.779	-	-	-	-
-	-	Tangent/Tangente	33,06	-	-
TCV	A 36+170.843	-	-	-	-
PIV	A 36+215.464	PARABOLE	89,24	Sag/Rentrante	266
CTV	A 36+260.085	-	-	-	-
-	-	Tangent/Tangente	67,11	-	-
TCV	A 36+327.193	-	-	-	-
PIV	A 36+369.648	PARABOLE	84,91	Crest/Saillante	99
CTV	A 36+412.103	-	-	-	-
-	-	Tangent/Tangente	29,47	-	-
TCV	A 36+441.574	-	-	-	-
PIV	A 36+479.511	PARABOLE	75,87	Sag/Rentrante	106
CTV	A 36+517.448	-	-	-	-
-	-	Tangent/Tangente	28,63	-	-
TCV	A 36+546.082	-	-	-	-
PIV	A 36+576.070	PARABOLE	59,98	Crest/Saillante	151
CTV	A 36+606.058	-	-	-	-
-	-	Tangent/Tangente	37,57	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 36+643.625	-	-	-	-
PIV	A 36+685.873	PARABOLE	84,50	Sag/Rentrante	263
CTV	A 36+728.121	-	-	-	-
-	-	Tangent/Tangente	46,57	-	-
TCV	A 36+774.689	-	-	-	-
PIV	A 36+815.879	PARABOLE	82,38	Crest/Saillante	288
CTV	A 36+857.070	-	-	-	-
-	-	Tangent/Tangente	92,13	-	-
TCV	A 36+949.199	-	-	-	-
PIV	A 37+000.774	PARABOLE	103,15	Sag/Rentrante	266
CTV	A 37+052.349	-	-	-	-
-	-	Tangent/Tangente	87,00	-	-
TCV	A 37+139.348	-	-	-	-
PIV	A 37+175.771	PARABOLE	72,85	Crest/Saillante	155
CTV	A 37+212.193	-	-	-	-
-	-	Tangent/Tangente	19,78	-	-
TCV	A 37+231.970	-	-	-	-
PIV	A 37+247.082	PARABOLE	30,23	Sag/Rentrante	265
CTV	A 37+262.195	-	-	-	-
-	-	Tangent/Tangente	80,54	-	-
TCV	A 37+342.737	-	-	-	-
PIV	A 37+365.371	PARABOLE	45,27	Crest/Saillante	129
CTV	A 37+388.006	-	-	-	-
-	-	Tangent/Tangente	12,59	-	-
TCV	A 37+400.595	-	-	-	-
PIV	A 37+444.793	PARABOLE	88,40	Sag/Rentrante	90
CTV	A 37+488.990	-	-	-	-
-	-	Tangent/Tangente	31,80	-	-
TCV	A 37+520.794	-	-	-	-
PIV	A 37+536.956	PARABOLE	32,32	Crest/Saillante	223
CTV	A 37+553.117	-	-	-	-
-	-	Tangent/Tangente	119,82	-	-
TCV	A 37+672.939	-	-	-	-
PIV	A 37+703.618	PARABOLE	61,36	Crest/Saillante	212
CTV	A 37+734.297	-	-	-	-
-	-	Tangent/Tangente	31,01	-	-
TCV	A 37+765.307	-	-	-	-
PIV	A 37+795.412	PARABOLE	60,21	Sag/Rentrante	262
CTV	A 37+825.518	-	-	-	-
-	-	Tangent/Tangente	261,49	-	-
TCV	A 38+087.011	-	-	-	-
PIV	A 38+118.209	PARABOLE	62,40	Crest/Saillante	134
CTV	A 38+149.407	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	88,35	-	-
TCV	A 38+237.757	-	-	-	-
PIV	A 38+267.520	PARABOLE	59,53	Sag/Rentrante	265
CTV	A 38+297.283	-	-	-	-
-	-	Tangent/Tangente	27,22	-	-
TCV	A 38+324.507	-	-	-	-
PIV	A 38+334.719	PARABOLE	20,42	Crest/Saillante	403
CTV	A 38+344.931	-	-	-	-
-	-	Tangent/Tangente	132,62	-	-
TCV	A 38+477.553	-	-	-	-
PIV	A 38+492.674	PARABOLE	30,24	Sag/Rentrante	262
CTV	A 38+507.796	-	-	-	-
-	-	Tangent/Tangente	31,89	-	-
TCV	A 38+539.690	-	-	-	-
PIV	A 38+564.263	PARABOLE	49,15	Crest/Saillante	180
CTV	A 38+588.836	-	-	-	-
-	-	Tangent/Tangente	49,77	-	-
TCV	A 38+638.606	-	-	-	-
PIV	A 38+680.755	PARABOLE	84,30	Sag/Rentrante	136
CTV	A 38+722.903	-	-	-	-
-	-	Tangent/Tangente	24,84	-	-
TCV	A 38+747.743	-	-	-	-
PIV	A 38+787.243	PARABOLE	79,00	Crest/Saillante	101
CTV	A 38+826.744	-	-	-	-
-	-	Tangent/Tangente	47,16	-	-
TCV	A 38+873.907	-	-	-	-
PIV	A 38+906.960	PARABOLE	66,11	Crest/Saillante	189
CTV	A 38+940.013	-	-	-	-
-	-	Tangent/Tangente	117,86	-	-
TCV	A 39+057.875	-	-	-	-
PIV	A 39+094.787	PARABOLE	73,83	Sag/Rentrante	265
CTV	A 39+131.700	-	-	-	-
-	-	Tangent/Tangente	36,69	-	-
TCV	A 39+168.394	-	-	-	-
PIV	A 39+188.495	PARABOLE	40,20	Sag/Rentrante	265
CTV	A 39+208.597	-	-	-	-
-	-	Tangent/Tangente	20,18	-	-
TCV	A 39+228.777	-	-	-	-
PIV	A 39+248.737	PARABOLE	39,92	Crest/Saillante	187
CTV	A 39+268.697	-	-	-	-
-	-	Tangent/Tangente	213,05	-	-
TCV	A 39+481.750	-	-	-	-
PIV	A 39+511.908	PARABOLE	60,32	Sag/Rentrante	267

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	A 39+542.067	-	-	-	-
-	-	Tangent/Tangente	7,83	-	-
TCV	A 39+549.893	-	-	-	-
PIV	A 39+599.707	PARABOLE	99,63	Crest/Saillante	334
CTV	A 39+649.520	-	-	-	-
-	-	Tangent/Tangente	34,19	-	-
TCV	A 39+683.707	-	-	-	-
PIV	A 39+806.452	PARABOLE	245,49	Sag/Rentrante	243
CTV	A 39+929.196	-	-	-	-
-	-	Tangent/Tangente	18,91	-	-
TCV	A 39+948.106	-	-	-	-
PIV	A 40+013.170	PARABOLE	130,13	Crest/Saillante	118
CTV	A 40+078.234	-	-	-	-
-	-	Tangent/Tangente	19,86	-	-
TCV	A 40+098.093	-	-	-	-
PIV	A 40+121.385	PARABOLE	46,58	Sag/Rentrante	266
CTV	A 40+144.677	-	-	-	-
-	-	Tangent/Tangente	14,39	-	-
TCV	A 40+159.069	-	-	-	-
PIV	A 40+181.477	PARABOLE	44,82	Crest/Saillante	290
CTV	A 40+203.885	-	-	-	-
-	-	Tangent/Tangente	54,53	-	-
TCV	A 40+258.414	-	-	-	-
PIV	A 40+303.540	PARABOLE	90,25	Sag/Rentrante	438
CTV	A 40+348.666	-	-	-	-
-	-	Tangent/Tangente	103,03	-	-
TCV	A 40+451.698	-	-	-	-
PIV	A 40+471.677	PARABOLE	39,96	Crest/Saillante	263
CTV	A 40+491.656	-	-	-	-
-	-	Tangent/Tangente	15,15	-	-
TCV	A 40+506.808	-	-	-	-
PIV	A 40+553.683	PARABOLE	93,75	Sag/Rentrante	260
CTV	A 40+600.558	-	-	-	-
-	-	Tangent/Tangente	80,37	-	-
TCV	A 40+680.924	-	-	-	-
PIV	A 40+756.253	PARABOLE	150,66	Crest/Saillante	310
CTV	A 40+831.581	-	-	-	-
-	-	Tangent/Tangente	38,55	-	-
TCV	A 40+870.126	-	-	-	-
PIV	A 40+905.158	PARABOLE	70,06	Sag/Rentrante	257
CTV	A 40+940.189	-	-	-	-
-	-	Tangent/Tangente	68,84	-	-
TCV	A 41+009.025	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 41+044.022	PARABOLE	70,00	Crest/Saillante	89
CTV	A 41+079.019	-	-	-	-
-	-	Tangent/Tangente	85,90	-	-
TCV	A 41+164.923	-	-	-	-
PIV	A 41+202.980	PARABOLE	76,11	Sag/Rentrante	264
CTV	A 41+241.037	-	-	-	-
-	-	Tangent/Tangente	95,25	-	-
TCV	A 41+336.285	-	-	-	-
PIV	A 41+388.014	PARABOLE	103,46	Sag/Rentrante	80
CTV	A 41+439.743	-	-	-	-
-	-	Tangent/Tangente	18,73	-	-
TCV	A 41+458.469	-	-	-	-
PIV	A 41+500.347	PARABOLE	83,76	Crest/Saillante	80
CTV	A 41+542.226	-	-	-	-
-	-	Tangent/Tangente	46,79	-	-
TCV	A 41+589.015	-	-	-	-
PIV	A 41+653.573	PARABOLE	129,12	Crest/Saillante	72
CTV	A 41+718.131	-	-	-	-
-	-	Tangent/Tangente	34,99	-	-
TCV	A 41+753.120	-	-	-	-
PIV	A 41+852.504	PARABOLE	198,77	Sag/Rentrante	66
CTV	A 41+951.888	-	-	-	-
-	-	Tangent/Tangente	67,27	-	-
TCV	A 42+019.154	-	-	-	-
PIV	A 42+075.455	PARABOLE	112,60	Crest/Saillante	187
CTV	A 42+131.757	-	-	-	-
-	-	Tangent/Tangente	32,26	-	-
TCV	A 42+164.016	-	-	-	-
PIV	A 42+196.634	PARABOLE	65,24	Crest/Saillante	87
CTV	A 42+229.253	-	-	-	-
-	-	Tangent/Tangente	34,77	-	-
TCV	A 42+264.021	-	-	-	-
PIV	A 42+284.155	PARABOLE	40,27	Sag/Rentrante	51
CTV	A 42+304.289	-	-	-	-
-	-	Tangent/Tangente	26,43	-	-
TCV	A 42+330.717	-	-	-	-
PIV	A 42+340.103	PARABOLE	18,77	Crest/Saillante	182
CTV	A 42+349.489	-	-	-	-
-	-	Tangent/Tangente	21,44	-	-
TCV	A 42+370.928	-	-	-	-
PIV	A 42+394.167	PARABOLE	46,48	Sag/Rentrante	265
CTV	A 42+417.407	-	-	-	-
-	-	Tangent/Tangente	9,78	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 42+427.185	-	-	-	-
PIV	A 42+447.122	PARABOLE	39,87	Crest/Saillante	146
CTV	A 42+467.059	-	-	-	-
-	-	Tangent/Tangente	13,04	-	-
TCV	A 42+480.101	-	-	-	-
PIV	A 42+538.980	PARABOLE	117,76	Sag/Rentrante	141
CTV	A 42+597.859	-	-	-	-
-	-	Tangent/Tangente	157,11	-	-
TCV	A 42+754.973	-	-	-	-
PIV	A 42+804.950	PARABOLE	99,96	Crest/Saillante	358
CTV	A 42+854.928	-	-	-	-
-	-	Tangent/Tangente	153,06	-	-
TCV	A 43+007.986	-	-	-	-
PIV	A 43+032.839	PARABOLE	49,71	Sag/Rentrante	257
CTV	A 43+057.693	-	-	-	-
-	-	Tangent/Tangente	57,68	-	-
TCV	A 43+115.367	-	-	-	-
PIV	A 43+224.224	PARABOLE	217,71	Crest/Saillante	138
CTV	A 43+333.082	-	-	-	-
-	-	Tangent/Tangente	56,61	-	-
TCV	A 43+389.692	-	-	-	-
PIV	A 43+427.191	PARABOLE	75,00	Crest/Saillante	80
CTV	A 43+464.689	-	-	-	-
-	-	Tangent/Tangente	61,02	-	-
TCV	A 43+525.705	-	-	-	-
PIV	A 43+547.688	PARABOLE	43,97	Sag/Rentrante	68
CTV	A 43+569.671	-	-	-	-
-	-	Tangent/Tangente	87,28	-	-
TCV	A 43+656.947	-	-	-	-
PIV	A 43+695.457	PARABOLE	77,02	Sag/Rentrante	265
CTV	A 43+733.966	-	-	-	-
-	-	Tangent/Tangente	17,06	-	-
TCV	A 43+751.026	-	-	-	-
PIV	A 43+774.681	PARABOLE	47,31	Crest/Saillante	259
CTV	A 43+798.337	-	-	-	-
-	-	Tangent/Tangente	38,53	-	-
TCV	A 43+836.868	-	-	-	-
PIV	A 43+889.445	PARABOLE	105,16	Sag/Rentrante	175
CTV	A 43+942.023	-	-	-	-
-	-	Tangent/Tangente	81,65	-	-
TCV	A 44+023.670	-	-	-	-
PIV	A 44+053.733	PARABOLE	60,13	Crest/Saillante	147
CTV	A 44+083.795	-	-	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	185,33	-	-
TCV	A 44+269.123	-	-	-	-
PIV	A 44+390.650	PARABOLE	243,05	Crest/Saillante	201
CTV	A 44+512.177	-	-	-	-
-	-	Tangent/Tangente	18,73	-	-
TCV	A 44+530.905	-	-	-	-
PIV	A 44+557.740	PARABOLE	53,67	Crest/Saillante	181
CTV	A 44+584.576	-	-	-	-
-	-	Tangent/Tangente	19,11	-	-
TCV	A 44+603.682	-	-	-	-
PIV	A 44+643.963	PARABOLE	80,56	Sag/Rentrante	151
CTV	A 44+684.245	-	-	-	-
-	-	Tangent/Tangente	157,48	-	-
TCV	A 44+841.725	-	-	-	-
PIV	A 44+871.973	PARABOLE	60,50	Crest/Saillante	165
CTV	A 44+902.221	-	-	-	-
-	-	Tangent/Tangente	134,31	-	-
TCV	A 45+036.533	-	-	-	-
PIV	A 45+077.123	PARABOLE	81,18	Sag/Rentrante	265
CTV	A 45+117.713	-	-	-	-
-	-	Tangent/Tangente	184,17	-	-
TCV	A 45+301.882	-	-	-	-
PIV	A 45+331.857	PARABOLE	59,95	Sag/Rentrante	260
CTV	A 45+361.832	-	-	-	-
-	-	Tangent/Tangente	81,63	-	-
TCV	A 45+443.465	-	-	-	-
PIV	A 45+503.509	PARABOLE	120,09	Crest/Saillante	90
CTV	A 45+563.552	-	-	-	-
-	-	Tangent/Tangente	88,85	-	-
TCV	A 45+652.405	-	-	-	-
PIV	A 45+707.453	PARABOLE	110,10	Sag/Rentrante	147
CTV	A 45+762.500	-	-	-	-
-	-	Tangent/Tangente	489,54	-	-
TCV	A 46+252.036	-	-	-	-
PIV	A 46+292.029	PARABOLE	79,99	Sag/Rentrante	102
CTV	A 46+332.023	-	-	-	-
-	-	Tangent/Tangente	84,79	-	-
TCV	A 46+416.817	-	-	-	-
PIV	A 46+459.290	PARABOLE	84,95	Crest/Saillante	86
CTV	A 46+501.764	-	-	-	-
-	-	Tangent/Tangente	5,43	-	-
TCV	A 46+507.191	-	-	-	-
PIV	A 46+527.250	PARABOLE	40,12	Sag/Rentrante	262



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	A 46+547.309	-	-	-	-
-	-	Tangent/Tangente	86,98	-	-
TCV	A 46+634.286	-	-	-	-
PIV	A 46+664.313	PARABOLE	60,05	Crest/Saillante	168
CTV	A 46+694.340	-	-	-	-
-	-	Tangent/Tangente	49,86	-	-
TCV	A 46+744.196	-	-	-	-
PIV	A 46+764.381	PARABOLE	40,37	Sag/Rentrante	264
CTV	A 46+784.566	-	-	-	-
-	-	Tangent/Tangente	3,71	-	-
TCV	A 46+788.278	-	-	-	-
PIV	A 46+806.903	PARABOLE	37,25	Crest/Saillante	141
CTV	A 46+825.528	-	-	-	-
-	-	Tangent/Tangente	35,00	-	-
TCV	A 46+860.523	-	-	-	-
PIV	A 46+936.581	PARABOLE	152,12	Sag/Rentrante	125
CTV	A 47+012.639	-	-	-	-
-	-	Tangent/Tangente	89,27	-	-
TCV	A 47+101.913	-	-	-	-
PIV	A 47+121.012	PARABOLE	38,20	Crest/Saillante	103
CTV	A 47+140.111	-	-	-	-
-	-	Tangent/Tangente	51,59	-	-
TCV	A 47+191.702	-	-	-	-
PIV	A 47+211.656	PARABOLE	39,91	Sag/Rentrante	265
CTV	A 47+231.611	-	-	-	-
-	-	Tangent/Tangente	185,96	-	-
TCV	A 47+417.573	-	-	-	-
PIV	A 47+447.563	PARABOLE	59,98	Crest/Saillante	249
CTV	A 47+477.552	-	-	-	-
-	-	Tangent/Tangente	103,26	-	-
TCV	A 47+580.811	-	-	-	-
PIV	A 47+602.548	PARABOLE	43,47	Sag/Rentrante	266
CTV	A 47+624.284	-	-	-	-
-	-	Tangent/Tangente	16,22	-	-
TCV	A 47+640.507	-	-	-	-
PIV	A 47+655.474	PARABOLE	29,93	Crest/Saillante	165
CTV	A 47+670.440	-	-	-	-
-	-	Tangent/Tangente	26,27	-	-
TCV	A 47+696.712	-	-	-	-
PIV	A 47+726.770	PARABOLE	60,12	Sag/Rentrante	265
CTV	A 47+756.828	-	-	-	-
-	-	Tangent/Tangente	110,28	-	-
TCV	A 47+867.111	-	-	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 47+901.276	PARABOLE	68,33	Sag/Rentrante	261
CTV	A 47+935.441	-	-	-	-
-	-	Tangent/Tangente	94,05	-	-
TCV	A 48+029.495	-	-	-	-
PIV	A 48+094.816	PARABOLE	130,64	Crest/Saillante	85
CTV	A 48+160.136	-	-	-	-
-	-	Tangent/Tangente	108,76	-	-
TCV	A 48+268.893	-	-	-	-
PIV	A 48+316.410	PARABOLE	95,03	Sag/Rentrante	84
CTV	A 48+363.926	-	-	-	-
-	-	Tangent/Tangente	173,79	-	-
TCV	A 48+537.712	-	-	-	-
PIV	A 48+575.087	PARABOLE	74,75	Sag/Rentrante	265
CTV	A 48+612.462	-	-	-	-
-	-	Tangent/Tangente	10,75	-	-
TCV	A 48+623.216	-	-	-	-
PIV	A 48+648.175	PARABOLE	49,92	Crest/Saillante	140
CTV	A 48+673.135	-	-	-	-
-	-	Tangent/Tangente	31,71	-	-
TCV	A 48+704.846	-	-	-	-
PIV	A 48+724.859	PARABOLE	40,03	Sag/Rentrante	266
CTV	A 48+744.872	-	-	-	-
-	-	Tangent/Tangente	88,15	-	-
TCV	A 48+833.018	-	-	-	-
PIV	A 48+856.933	PARABOLE	47,83	Sag/Rentrante	261
CTV	A 48+880.848	-	-	-	-
-	-	Tangent/Tangente	104,31	-	-
TCV	A 48+985.154	-	-	-	-
PIV	A 49+053.330	PARABOLE	136,35	Crest/Saillante	140
CTV	A 49+121.505	-	-	-	-
-	-	Tangent/Tangente	22,43	-	-
TCV	A 49+143.932	-	-	-	-
PIV	A 49+195.905	PARABOLE	103,95	Crest/Saillante	66
CTV	A 49+247.878	-	-	-	-
-	-	Tangent/Tangente	51,90	-	-
TCV	A 49+299.775	-	-	-	-
PIV	A 49+327.251	PARABOLE	54,95	Sag/Rentrante	48
CTV	A 49+354.728	-	-	-	-
-	-	Tangent/Tangente	60,00	-	-
TCV	A 49+414.723	-	-	-	-
PIV	A 49+444.783	PARABOLE	60,12	Sag/Rentrante	257
CTV	A 49+474.843	-	-	-	-
-	-	Tangent/Tangente	64,19	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 49+539.033	-	-	-	-
PIV	A 49+596.488	PARABOLE	114,91	Sag/Rentrante	222
CTV	A 49+653.942	-	-	-	-
-	-	Tangent/Tangente	10,30	-	-
TCV	A 49+664.242	-	-	-	-
PIV	A 49+691.707	PARABOLE	54,93	Crest/Saillante	247
CTV	A 49+719.172	-	-	-	-
-	-	Tangent/Tangente	122,25	-	-
TCV	A 49+841.425	-	-	-	-
PIV	A 49+875.465	PARABOLE	68,08	Sag/Rentrante	266
CTV	A 49+909.505	-	-	-	-
-	-	Tangent/Tangente	24,53	-	-
TCV	A 49+934.037	-	-	-	-
PIV	A 49+954.806	PARABOLE	41,54	Crest/Saillante	221
CTV	A 49+975.575	-	-	-	-
-	-	Tangent/Tangente	8,32	-	-
TCV	A 49+983.897	-	-	-	-
PIV	A 49+998.920	PARABOLE	30,05	Sag/Rentrante	265
CTV	A 50+013.943	-	-	-	-
-	-	Tangent/Tangente	39,55	-	-
TCV	A 50+053.496	-	-	-	-
PIV	A 50+078.502	PARABOLE	50,01	Crest/Saillante	167
CTV	A 50+103.509	-	-	-	-
-	-	Tangent/Tangente	181,33	-	-
TCV	A 50+284.837	-	-	-	-
PIV	A 50+324.885	PARABOLE	80,10	Sag/Rentrante	267
CTV	A 50+364.934	-	-	-	-
-	-	Tangent/Tangente	145,67	-	-
TCV	A 50+510.601	-	-	-	-
PIV	A 50+540.652	PARABOLE	60,10	Sag/Rentrante	263
CTV	A 50+570.702	-	-	-	-
-	-	Tangent/Tangente	66,14	-	-
TCV	A 50+636.841	-	-	-	-
PIV	A 50+661.856	PARABOLE	50,03	Sag/Rentrante	261
CTV	A 50+686.870	-	-	-	-
-	-	Tangent/Tangente	74,86	-	-
TCV	A 50+761.727	-	-	-	-
PIV	A 50+791.800	PARABOLE	60,15	Crest/Saillante	107
CTV	A 50+821.873	-	-	-	-
-	-	Tangent/Tangente	218,17	-	-
TCV	A 51+040.045	-	-	-	-
PIV	A 51+070.051	PARABOLE	60,01	Sag/Rentrante	266
CTV	A 51+100.057	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	29,63	-	-
TCV	A 51+129.691	-	-	-	-
PIV	A 51+159.677	PARABOLE	59,97	Crest/Saillante	344
CTV	A 51+189.663	-	-	-	-
-	-	Tangent/Tangente	66,03	-	-
TCV	A 51+255.693	-	-	-	-
PIV	A 51+351.017	PARABOLE	190,65	Sag/Rentrante	265
CTV	A 51+446.341	-	-	-	-
-	-	Tangent/Tangente	39,61	-	-
TCV	A 51+485.948	-	-	-	-
PIV	A 51+553.344	PARABOLE	134,79	Crest/Saillante	105
CTV	A 51+620.740	-	-	-	-
-	-	Tangent/Tangente	49,12	-	-
TCV	A 51+669.859	-	-	-	-
PIV	A 51+736.879	PARABOLE	134,04	Sag/Rentrante	71
CTV	A 51+803.900	-	-	-	-
-	-	Tangent/Tangente	36,91	-	-
TCV	A 51+840.808	-	-	-	-
PIV	A 51+876.046	PARABOLE	70,48	Crest/Saillante	176
CTV	A 51+911.284	-	-	-	-
-	-	Tangent/Tangente	113,22	-	-
TCV	A 52+024.506	-	-	-	-
PIV	A 52+046.348	PARABOLE	43,68	Crest/Saillante	128
CTV	A 52+068.190	-	-	-	-
-	-	Tangent/Tangente	173,25	-	-
TCV	A 52+241.436	-	-	-	-
PIV	A 52+271.519	PARABOLE	60,17	Sag/Rentrante	170
CTV	A 52+301.602	-	-	-	-
-	-	Tangent/Tangente	21,85	-	-
TCV	A 52+323.452	-	-	-	-
PIV	A 52+345.224	PARABOLE	43,54	Crest/Saillante	128
CTV	A 52+366.995	-	-	-	-
-	-	Tangent/Tangente	55,80	-	-
TCV	A 52+422.798	-	-	-	-
PIV	A 52+442.438	PARABOLE	39,28	Sag/Rentrante	261
CTV	A 52+462.077	-	-	-	-
-	-	Tangent/Tangente	153,35	-	-
TCV	A 52+615.429	-	-	-	-
PIV	A 52+644.646	PARABOLE	58,43	Sag/Rentrante	257
CTV	A 52+673.863	-	-	-	-
-	-	Tangent/Tangente	31,70	-	-
TCV	A 52+705.562	-	-	-	-
PIV	A 52+744.009	PARABOLE	76,90	Crest/Saillante	168

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	A 52+782.457	-	-	-	-
-	-	Tangent/Tangente	60,18	-	-
TCV	A 52+842.639	-	-	-	-
PIV	A 52+877.651	PARABOLE	70,02	Crest/Saillante	102
CTV	A 52+912.662	-	-	-	-
-	-	Tangent/Tangente	222,26	-	-
TCV	A 53+134.921	-	-	-	-
PIV	A 53+151.116	PARABOLE	32,39	Crest/Saillante	83
CTV	A 53+167.312	-	-	-	-
-	-	Tangent/Tangente	73,35	-	-
TCV	A 53+240.658	-	-	-	-
PIV	A 53+280.238	PARABOLE	79,16	Sag/Rentrante	57
CTV	A 53+319.819	-	-	-	-
-	-	Tangent/Tangente	68,18	-	-
TCV	A 53+388.004	-	-	-	-
PIV	A 53+406.012	PARABOLE	36,02	Sag/Rentrante	262
CTV	A 53+424.021	-	-	-	-
-	-	Tangent/Tangente	35,51	-	-
TCV	A 53+459.533	-	-	-	-
PIV	A 53+479.490	PARABOLE	39,91	Crest/Saillante	152
CTV	A 53+499.447	-	-	-	-
-	-	Tangent/Tangente	27,95	-	-
TCV	A 53+527.393	-	-	-	-
PIV	A 53+547.198	PARABOLE	39,61	Sag/Rentrante	264
CTV	A 53+567.003	-	-	-	-
-	-	Tangent/Tangente	177,78	-	-
TCV	A 53+744.785	-	-	-	-
PIV	A 53+767.623	PARABOLE	45,68	Crest/Saillante	119
CTV	A 53+790.462	-	-	-	-
-	-	Tangent/Tangente	68,67	-	-
TCV	A 53+859.127	-	-	-	-
PIV	A 53+894.247	PARABOLE	70,24	Sag/Rentrante	265
CTV	A 53+929.366	-	-	-	-
-	-	Tangent/Tangente	129,38	-	-
TCV	A 54+058.745	-	-	-	-
PIV	A 54+088.767	PARABOLE	60,04	Crest/Saillante	141
CTV	A 54+118.789	-	-	-	-
-	-	Tangent/Tangente	56,23	-	-
TCV	A 54+175.015	-	-	-	-
PIV	A 54+195.507	PARABOLE	40,99	Sag/Rentrante	264
CTV	A 54+216.000	-	-	-	-
-	-	Tangent/Tangente	10,67	-	-
TCV	A 54+226.671	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 54+246.687	PARABOLE	40,03	Crest/Saillante	261
CTV	A 54+266.703	-	-	-	-
-	-	Tangent/Tangente	40,73	-	-
TCV	A 54+307.433	-	-	-	-
PIV	A 54+332.423	PARABOLE	49,98	Crest/Saillante	241
CTV	A 54+357.414	-	-	-	-
-	-	Tangent/Tangente	103,67	-	-
TCV	A 54+461.083	-	-	-	-
PIV	A 54+582.322	PARABOLE	242,48	Sag/Rentrante	132
CTV	A 54+703.562	-	-	-	-
-	-	Tangent/Tangente	53,79	-	-
TCV	A 54+757.356	-	-	-	-
PIV	A 54+793.069	PARABOLE	71,43	Crest/Saillante	118
CTV	A 54+828.782	-	-	-	-
-	-	Tangent/Tangente	44,54	-	-
TCV	A 54+873.320	-	-	-	-
PIV	A 54+955.828	PARABOLE	165,02	Sag/Rentrante	191
CTV	A 55+038.336	-	-	-	-
-	-	Tangent/Tangente	109,05	-	-
TCV	A 55+147.385	-	-	-	-
PIV	A 55+197.364	PARABOLE	99,96	Crest/Saillante	407
CTV	A 55+247.344	-	-	-	-
-	-	Tangent/Tangente	96,63	-	-
TCV	A 55+343.972	-	-	-	-
PIV	A 55+391.633	PARABOLE	95,32	Sag/Rentrante	254
CTV	A 55+439.293	-	-	-	-
-	-	Tangent/Tangente	17,83	-	-
TCV	A 55+457.121	-	-	-	-
PIV	A 55+482.136	PARABOLE	50,03	Crest/Saillante	77
CTV	A 55+507.151	-	-	-	-
-	-	Tangent/Tangente	42,80	-	-
TCV	A 55+549.947	-	-	-	-
PIV	A 55+584.939	PARABOLE	69,99	Sag/Rentrante	266
CTV	A 55+619.931	-	-	-	-
-	-	Tangent/Tangente	90,57	-	-
TCV	A 55+710.505	-	-	-	-
PIV	A 55+735.480	PARABOLE	49,95	Sag/Rentrante	264
CTV	A 55+760.455	-	-	-	-
-	-	Tangent/Tangente	46,35	-	-
TCV	A 55+806.808	-	-	-	-
PIV	A 55+846.869	PARABOLE	80,12	Crest/Saillante	266
CTV	A 55+886.931	-	-	-	-
-	-	Tangent/Tangente	65,20	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 55+952.126	-	-	-	-
PIV	A 55+977.266	PARABOLE	50,28	Sag/Rentrante	264
CTV	A 56+002.405	-	-	-	-
-	-	Tangent/Tangente	15,54	-	-
TCV	A 56+017.944	-	-	-	-
PIV	A 56+042.881	PARABOLE	49,87	Crest/Saillante	200
CTV	A 56+067.817	-	-	-	-
-	-	Tangent/Tangente	230,93	-	-
TCV	A 56+298.746	-	-	-	-
PIV	A 56+336.045	PARABOLE	74,60	Sag/Rentrante	95
CTV	A 56+373.345	-	-	-	-
-	-	Tangent/Tangente	34,19	-	-
TCV	A 56+407.537	-	-	-	-
PIV	A 56+423.396	PARABOLE	31,72	Sag/Rentrante	42
CTV	A 56+439.255	-	-	-	-
-	-	Tangent/Tangente	30,50	-	-
TCV	A 56+469.750	-	-	-	-
PIV	A 56+499.958	PARABOLE	60,42	Crest/Saillante	60
CTV	A 56+530.165	-	-	-	-
-	-	Tangent/Tangente	12,84	-	-
TCV	A 56+543.003	-	-	-	-
PIV	A 56+567.402	PARABOLE	48,80	Sag/Rentrante	265
CTV	A 56+591.800	-	-	-	-
-	-	Tangent/Tangente	26,18	-	-
TCV	A 56+617.984	-	-	-	-
PIV	A 56+646.405	PARABOLE	56,84	Crest/Saillante	197
CTV	A 56+674.825	-	-	-	-
-	-	Tangent/Tangente	13,23	-	-
TCV	A 56+688.050	-	-	-	-
PIV	A 56+716.313	PARABOLE	56,53	Crest/Saillante	93
CTV	A 56+744.576	-	-	-	-
-	-	Tangent/Tangente	27,20	-	-
TCV	A 56+771.772	-	-	-	-
PIV	A 56+802.883	PARABOLE	62,22	Sag/Rentrante	239
CTV	A 56+833.993	-	-	-	-
-	-	Tangent/Tangente	73,96	-	-
TCV	A 56+907.952	-	-	-	-
PIV	A 56+937.578	PARABOLE	59,25	Sag/Rentrante	48
CTV	A 56+967.204	-	-	-	-
-	-	Tangent/Tangente	11,17	-	-
TCV	A 56+978.369	-	-	-	-
PIV	A 57+020.557	PARABOLE	84,38	Crest/Saillante	71
CTV	A 57+062.744	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	33,96	-	-
TCV	A 57+096.707	-	-	-	-
PIV	A 57+141.699	PARABOLE	89,99	Sag/Rentrante	85
CTV	A 57+186.692	-	-	-	-
-	-	Tangent/Tangente	208,25	-	-
TCV	A 57+394.944	-	-	-	-
PIV	A 57+419.613	PARABOLE	49,34	Crest/Saillante	202
CTV	A 57+444.282	-	-	-	-
-	-	Tangent/Tangente	11,85	-	-
TCV	A 57+456.126	-	-	-	-
PIV	A 57+476.223	PARABOLE	40,19	Sag/Rentrante	265
CTV	A 57+496.320	-	-	-	-
-	-	Tangent/Tangente	92,34	-	-
TCV	A 57+588.657	-	-	-	-
PIV	A 57+670.769	PARABOLE	164,22	Sag/Rentrante	88
CTV	A 57+752.881	-	-	-	-
-	-	Tangent/Tangente	115,94	-	-
TCV	A 57+868.818	-	-	-	-
PIV	A 57+951.183	PARABOLE	164,73	Crest/Saillante	75
CTV	A 58+033.548	-	-	-	-
-	-	Tangent/Tangente	53,19	-	-
TCV	A 58+086.736	-	-	-	-
PIV	A 58+138.690	PARABOLE	103,91	Sag/Rentrante	79
CTV	A 58+190.643	-	-	-	-
-	-	Tangent/Tangente	132,62	-	-
TCV	A 58+323.259	-	-	-	-
PIV	A 58+359.375	PARABOLE	72,23	Sag/Rentrante	110
CTV	A 58+395.492	-	-	-	-
-	-	Tangent/Tangente	137,78	-	-
TCV	A 58+533.275	-	-	-	-
PIV	A 58+555.243	PARABOLE	43,94	Crest/Saillante	80
CTV	A 58+577.210	-	-	-	-
-	-	Tangent/Tangente	41,50	-	-
TCV	A 58+618.707	-	-	-	-
PIV	A 58+633.731	PARABOLE	30,05	Sag/Rentrante	261
CTV	A 58+648.756	-	-	-	-
-	-	Tangent/Tangente	74,14	-	-
TCV	A 58+722.899	-	-	-	-
PIV	A 58+782.994	PARABOLE	120,19	Sag/Rentrante	97
CTV	A 58+843.089	-	-	-	-
-	-	Tangent/Tangente	39,75	-	-
TCV	A 58+882.843	-	-	-	-
PIV	A 58+897.364	PARABOLE	29,04	Crest/Saillante	155



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	A 58+911.885	-	-	-	-
-	-	Tangent/Tangente	16,76	-	-
TCV	A 58+928.645	-	-	-	-
PIV	A 58+943.730	PARABOLE	30,17	Sag/Rentrante	260
CTV	A 58+958.814	-	-	-	-
-	-	Tangent/Tangente	31,42	-	-
TCV	A 58+990.238	-	-	-	-
PIV	A 59+020.282	PARABOLE	60,09	Crest/Saillante	89
CTV	A 59+050.326	-	-	-	-
-	-	Tangent/Tangente	47,53	-	-
TCV	A 59+097.858	-	-	-	-
PIV	A 59+117.906	PARABOLE	40,10	Sag/Rentrante	263
CTV	A 59+137.955	-	-	-	-
-	-	Tangent/Tangente	257,63	-	-
TCV	A 59+395.581	-	-	-	-
PIV	A 59+410.651	PARABOLE	30,14	Sag/Rentrante	265
CTV	A 59+425.721	-	-	-	-
-	-	Tangent/Tangente	37,36	-	-
TCV	A 59+463.083	-	-	-	-
PIV	A 59+488.075	PARABOLE	49,98	Crest/Saillante	148
CTV	A 59+513.066	-	-	-	-
-	-	Tangent/Tangente	84,79	-	-
TCV	A 59+597.854	-	-	-	-
PIV	A 59+655.970	PARABOLE	116,23	Sag/Rentrante	76
CTV	A 59+714.087	-	-	-	-
-	-	Tangent/Tangente	29,00	-	-
TCV	A 59+743.083	-	-	-	-
PIV	A 59+763.128	PARABOLE	40,09	Crest/Saillante	127
CTV	A 59+783.173	-	-	-	-
-	-	Tangent/Tangente	141,17	-	-
TCV	A 59+924.345	-	-	-	-
PIV	A 59+944.436	PARABOLE	40,18	Crest/Saillante	231
CTV	A 59+964.527	-	-	-	-
-	-	Tangent/Tangente	79,28	-	-
TCV	A 60+043.811	-	-	-	-
PIV	A 60+073.964	PARABOLE	60,31	Sag/Rentrante	264
CTV	A 60+104.116	-	-	-	-
-	-	Tangent/Tangente	63,93	-	-
TCV	A 60+168.047	-	-	-	-
PIV	A 60+207.147	PARABOLE	78,20	Crest/Saillante	117
CTV	A 60+246.246	-	-	-	-
-	-	Tangent/Tangente	213,96	-	-
TCV	A 60+460.204	-	-	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 60+504.078	PARABOLE	87,75	Sag/Rentrante	264
CTV	A 60+547.952	-	-	-	-
-	-	Tangent/Tangente	45,87	-	-
TCV	A 60+593.823	-	-	-	-
PIV	A 60+633.836	PARABOLE	80,03	Crest/Saillante	309
CTV	A 60+673.849	-	-	-	-
-	-	Tangent/Tangente	38,34	-	-
TCV	A 60+712.189	-	-	-	-
PIV	A 60+739.952	PARABOLE	55,53	Sag/Rentrante	266
CTV	A 60+767.716	-	-	-	-
-	-	Tangent/Tangente	49,98	-	-
TCV	A 60+817.698	-	-	-	-
PIV	A 60+857.669	PARABOLE	79,94	Crest/Saillante	111
CTV	A 60+897.640	-	-	-	-
-	-	Tangent/Tangente	5,06	-	-
TCV	A 60+902.701	-	-	-	-
PIV	A 60+944.067	PARABOLE	82,73	Sag/Rentrante	95
CTV	A 60+985.433	-	-	-	-
-	-	Tangent/Tangente	201,07	-	-
TCV	A 61+186.506	-	-	-	-
PIV	A 61+212.072	PARABOLE	51,13	Crest/Saillante	155
CTV	A 61+237.637	-	-	-	-
-	-	Tangent/Tangente	150,01	-	-
TCV	A 61+387.648	-	-	-	-
PIV	A 61+436.892	PARABOLE	98,49	Crest/Saillante	154
CTV	A 61+486.136	-	-	-	-
-	-	Tangent/Tangente	48,04	-	-
TCV	A 61+534.176	-	-	-	-
PIV	A 61+581.923	PARABOLE	95,50	Sag/Rentrante	106
CTV	A 61+629.671	-	-	-	-
-	-	Tangent/Tangente	221,85	-	-
TCV	A 61+851.518	-	-	-	-
PIV	A 61+866.546	PARABOLE	30,06	Sag/Rentrante	264
CTV	A 61+881.574	-	-	-	-
-	-	Tangent/Tangente	34,24	-	-
TCV	A 61+915.815	-	-	-	-
PIV	A 62+004.688	PARABOLE	177,75	Crest/Saillante	89
CTV	A 62+093.560	-	-	-	-
-	-	Tangent/Tangente	96,26	-	-
TCV	A 62+189.824	-	-	-	-
PIV	A 62+219.073	PARABOLE	58,50	Sag/Rentrante	250
CTV	A 62+248.323	-	-	-	-
-	-	Tangent/Tangente	195,27	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 62+443.594	-	-	-	-
PIV	A 62+468.327	PARABOLE	49,47	Sag/Rentrante	76
CTV	A 62+493.060	-	-	-	-
-	-	Tangent/Tangente	15,02	-	-
TCV	A 62+508.084	-	-	-	-
PIV	A 62+530.915	PARABOLE	45,66	Crest/Saillante	114
CTV	A 62+553.747	-	-	-	-
-	-	Tangent/Tangente	11,59	-	-
TCV	A 62+565.333	-	-	-	-
PIV	A 62+652.217	PARABOLE	173,77	Sag/Rentrante	90
CTV	A 62+739.101	-	-	-	-
-	-	Tangent/Tangente	21,26	-	-
TCV	A 62+760.361	-	-	-	-
PIV	A 62+795.377	PARABOLE	70,03	Crest/Saillante	125
CTV	A 62+830.393	-	-	-	-
-	-	Tangent/Tangente	14,25	-	-
TCV	A 62+844.643	-	-	-	-
PIV	A 62+864.670	PARABOLE	40,05	Sag/Rentrante	265
CTV	A 62+884.697	-	-	-	-
-	-	Tangent/Tangente	44,33	-	-
TCV	A 62+929.024	-	-	-	-
PIV	A 62+954.067	PARABOLE	50,09	Crest/Saillante	261
CTV	A 62+979.111	-	-	-	-
-	-	Tangent/Tangente	24,45	-	-
TCV	A 63+003.562	-	-	-	-
PIV	A 63+018.649	PARABOLE	30,18	Sag/Rentrante	265
CTV	A 63+033.737	-	-	-	-
-	-	Tangent/Tangente	109,32	-	-
TCV	A 63+143.061	-	-	-	-
PIV	A 63+168.065	PARABOLE	50,01	Crest/Saillante	147
CTV	A 63+193.068	-	-	-	-
-	-	Tangent/Tangente	34,81	-	-
TCV	A 63+227.873	-	-	-	-
PIV	A 63+252.952	PARABOLE	50,16	Sag/Rentrante	266
CTV	A 63+278.032	-	-	-	-
-	-	Tangent/Tangente	44,29	-	-
TCV	A 63+322.322	-	-	-	-
PIV	A 63+352.380	PARABOLE	60,12	Crest/Saillante	211
CTV	A 63+382.439	-	-	-	-
-	-	Tangent/Tangente	59,88	-	-
TCV	A 63+442.314	-	-	-	-
PIV	A 63+475.619	PARABOLE	66,61	Crest/Saillante	180
CTV	A 63+508.924	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	26,37	-	-
TCV	A 63+535.289	-	-	-	-
PIV	A 63+550.315	PARABOLE	30,05	Crest/Saillante	225
CTV	A 63+565.341	-	-	-	-
-	-	Tangent/Tangente	30,46	-	-
TCV	A 63+595.806	-	-	-	-
PIV	A 63+620.839	PARABOLE	50,07	Sag/Rentrante	261
CTV	A 63+645.873	-	-	-	-
-	-	Tangent/Tangente	28,85	-	-
TCV	A 63+674.719	-	-	-	-
PIV	A 63+708.641	PARABOLE	67,84	Sag/Rentrante	67
CTV	A 63+742.562	-	-	-	-
-	-	Tangent/Tangente	102,44	-	-
TCV	A 63+845.002	-	-	-	-
PIV	A 63+870.079	PARABOLE	50,15	Crest/Saillante	220
CTV	A 63+895.156	-	-	-	-
-	-	Tangent/Tangente	77,74	-	-
TCV	A 63+972.895	-	-	-	-
PIV	A 63+997.827	PARABOLE	49,86	Crest/Saillante	500
CTV	A 64+022.758	-	-	-	-
-	-	Tangent/Tangente	15,39	-	-
TCV	A 64+038.146	-	-	-	-
PIV	A 64+063.157	PARABOLE	50,02	Sag/Rentrante	257
CTV	A 64+088.169	-	-	-	-
-	-	Tangent/Tangente	50,43	-	-
TCV	A 64+138.602	-	-	-	-
PIV	A 64+168.936	PARABOLE	60,67	Crest/Saillante	58
CTV	A 64+199.270	-	-	-	-
-	-	Tangent/Tangente	54,70	-	-
TCV	A 64+253.968	-	-	-	-
PIV	A 64+290.764	PARABOLE	73,59	Sag/Rentrante	52
CTV	A 64+327.561	-	-	-	-
-	-	Tangent/Tangente	44,44	-	-
TCV	A 64+371.996	-	-	-	-
PIV	A 64+412.041	PARABOLE	80,09	Sag/Rentrante	174
CTV	A 64+452.086	-	-	-	-
-	-	Tangent/Tangente	83,25	-	-
TCV	A 64+535.333	-	-	-	-
PIV	A 64+556.010	PARABOLE	41,35	Crest/Saillante	88
CTV	A 64+576.686	-	-	-	-
-	-	Tangent/Tangente	22,44	-	-
TCV	A 64+599.126	-	-	-	-
PIV	A 64+629.120	PARABOLE	59,99	Sag/Rentrante	80

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	A 64+659.115	-	-	-	-
-	-	Tangent/Tangente	35,36	-	-
TCV	A 64+694.479	-	-	-	-
PIV	A 64+718.652	PARABOLE	48,35	Crest/Saillante	163
CTV	A 64+742.825	-	-	-	-
-	-	Tangent/Tangente	28,62	-	-
TCV	A 64+771.449	-	-	-	-
PIV	A 64+787.388	PARABOLE	31,88	Sag/Rentrante	261
CTV	A 64+803.327	-	-	-	-
-	-	Tangent/Tangente	11,22	-	-
TCV	A 64+814.547	-	-	-	-
PIV	A 64+834.593	PARABOLE	40,09	Crest/Saillante	151
CTV	A 64+854.638	-	-	-	-
-	-	Tangent/Tangente	28,76	-	-
TCV	A 64+883.402	-	-	-	-
PIV	A 64+904.191	PARABOLE	41,58	Crest/Saillante	99
CTV	A 64+924.981	-	-	-	-
-	-	Tangent/Tangente	20,28	-	-
TCV	A 64+945.264	-	-	-	-
PIV	A 64+987.863	PARABOLE	85,20	Sag/Rentrante	282
CTV	A 65+030.462	-	-	-	-
-	-	Tangent/Tangente	27,57	-	-
TCV	A 65+058.030	-	-	-	-
PIV	A 65+081.754	PARABOLE	47,45	Sag/Rentrante	265
CTV	A 65+105.478	-	-	-	-
-	-	Tangent/Tangente	68,96	-	-
TCV	A 65+174.437	-	-	-	-
PIV	A 65+199.386	PARABOLE	49,90	Crest/Saillante	319
CTV	A 65+224.335	-	-	-	-
-	-	Tangent/Tangente	8,37	-	-
TCV	A 65+232.700	-	-	-	-
PIV	A 65+285.196	PARABOLE	104,99	Sag/Rentrante	72
CTV	A 65+337.692	-	-	-	-
-	-	Tangent/Tangente	77,90	-	-
TCV	A 65+415.590	-	-	-	-
PIV	A 65+490.799	PARABOLE	150,42	Crest/Saillante	77
CTV	A 65+566.008	-	-	-	-
-	-	Tangent/Tangente	5,98	-	-
TCV	A 65+571.992	-	-	-	-
PIV	A 65+643.110	PARABOLE	142,24	Sag/Rentrante	96
CTV	A 65+714.228	-	-	-	-
-	-	Tangent/Tangente	30,53	-	-
TCV	A 65+744.761	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 65+758.500	PARABOLE	27,48	Crest/Saillante	196
CTV	A 65+772.239	-	-	-	-
-	-	Tangent/Tangente	8,79	-	-
TCV	A 65+781.028	-	-	-	-
PIV	A 65+796.898	PARABOLE	31,74	Sag/Rentrante	265
CTV	A 65+812.769	-	-	-	-
-	-	Tangent/Tangente	42,24	-	-
TCV	A 65+855.006	-	-	-	-
PIV	A 65+870.803	PARABOLE	31,59	Crest/Saillante	278
CTV	A 65+886.599	-	-	-	-
-	-	Tangent/Tangente	6,73	-	-
TCV	A 65+893.329	-	-	-	-
PIV	A 65+908.366	PARABOLE	30,07	Sag/Rentrante	263
CTV	A 65+923.402	-	-	-	-
-	-	Tangent/Tangente	19,33	-	-
TCV	A 65+942.730	-	-	-	-
PIV	A 65+975.480	PARABOLE	65,50	Crest/Saillante	194
CTV	A 66+008.230	-	-	-	-
-	-	Tangent/Tangente	104,21	-	-
TCV	A 66+112.444	-	-	-	-
PIV	A 66+137.445	PARABOLE	50,00	Sag/Rentrante	260
CTV	A 66+162.445	-	-	-	-
-	-	Tangent/Tangente	16,85	-	-
TCV	A 66+179.292	-	-	-	-
PIV	A 66+204.293	PARABOLE	50,00	Crest/Saillante	210
CTV	A 66+229.295	-	-	-	-
-	-	Tangent/Tangente	18,03	-	-
TCV	A 66+247.325	-	-	-	-
PIV	A 66+274.003	PARABOLE	53,36	Crest/Saillante	195
CTV	A 66+300.681	-	-	-	-
-	-	Tangent/Tangente	107,12	-	-
TCV	A 66+407.798	-	-	-	-
PIV	A 66+432.812	PARABOLE	50,03	Crest/Saillante	269
CTV	A 66+457.826	-	-	-	-
-	-	Tangent/Tangente	126,81	-	-
TCV	A 66+584.638	-	-	-	-
PIV	A 66+624.868	PARABOLE	80,46	Crest/Saillante	135
CTV	A 66+665.099	-	-	-	-
-	-	Tangent/Tangente	50,46	-	-
TCV	A 66+715.560	-	-	-	-
PIV	A 66+760.542	PARABOLE	89,96	Sag/Rentrante	262
CTV	A 66+805.524	-	-	-	-
-	-	Tangent/Tangente	128,07	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 66+933.590	-	-	-	-
PIV	A 66+958.622	PARABOLE	50,07	Sag/Rentrante	267
CTV	A 66+983.655	-	-	-	-
-	-	Tangent/Tangente	26,07	-	-
TCV	A 67+009.724	-	-	-	-
PIV	A 67+029.717	PARABOLE	39,99	Crest/Saillante	215
CTV	A 67+049.711	-	-	-	-
-	-	Tangent/Tangente	9,62	-	-
TCV	A 67+059.331	-	-	-	-
PIV	A 67+087.213	PARABOLE	55,77	Sag/Rentrante	264
CTV	A 67+115.096	-	-	-	-
-	-	Tangent/Tangente	23,75	-	-
TCV	A 67+138.843	-	-	-	-
PIV	A 67+163.869	PARABOLE	50,05	Sag/Rentrante	261
CTV	A 67+188.895	-	-	-	-
-	-	Tangent/Tangente	44,71	-	-
TCV	A 67+233.606	-	-	-	-
PIV	A 67+258.612	PARABOLE	50,01	Crest/Saillante	333
CTV	A 67+283.619	-	-	-	-
-	-	Tangent/Tangente	12,60	-	-
TCV	A 67+296.215	-	-	-	-
PIV	A 67+330.019	PARABOLE	67,61	Sag/Rentrante	52
CTV	A 67+363.822	-	-	-	-
-	-	Tangent/Tangente	112,68	-	-
TCV	A 67+476.501	-	-	-	-
PIV	A 67+505.241	PARABOLE	57,48	Sag/Rentrante	241
CTV	A 67+533.982	-	-	-	-
-	-	Tangent/Tangente	84,56	-	-
TCV	A 67+618.537	-	-	-	-
PIV	A 67+723.617	PARABOLE	210,16	Crest/Saillante	70
CTV	A 67+828.697	-	-	-	-
-	-	Tangent/Tangente	43,52	-	-
TCV	A 67+872.219	-	-	-	-
PIV	A 67+916.390	PARABOLE	88,34	Sag/Rentrante	51
CTV	A 67+960.561	-	-	-	-
-	-	Tangent/Tangente	11,23	-	-
TCV	A 67+971.788	-	-	-	-
PIV	A 68+019.188	PARABOLE	94,80	Crest/Saillante	87
CTV	A 68+066.587	-	-	-	-
-	-	Tangent/Tangente	71,80	-	-
TCV	A 68+138.388	-	-	-	-
PIV	A 68+178.318	PARABOLE	79,86	Sag/Rentrante	85
CTV	A 68+218.249	-	-	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	147,81	-	-
TCV	A 68+366.059	-	-	-	-
PIV	A 68+385.889	PARABOLE	39,66	Sag/Rentrante	266
CTV	A 68+405.719	-	-	-	-
-	-	Tangent/Tangente	7,07	-	-
TCV	A 68+412.787	-	-	-	-
PIV	A 68+436.981	PARABOLE	48,39	Crest/Saillante	130
CTV	A 68+461.174	-	-	-	-
-	-	Tangent/Tangente	64,89	-	-
TCV	A 68+526.066	-	-	-	-
PIV	A 68+545.119	PARABOLE	38,10	Sag/Rentrante	262
CTV	A 68+564.171	-	-	-	-
-	-	Tangent/Tangente	12,25	-	-
TCV	A 68+576.415	-	-	-	-
PIV	A 68+601.465	PARABOLE	50,10	Crest/Saillante	214
CTV	A 68+626.515	-	-	-	-
-	-	Tangent/Tangente	38,05	-	-
TCV	A 68+664.567	-	-	-	-
PIV	A 68+689.589	PARABOLE	50,05	Sag/Rentrante	264
CTV	A 68+714.612	-	-	-	-
-	-	Tangent/Tangente	110,44	-	-
TCV	A 68+825.055	-	-	-	-
PIV	A 68+865.057	PARABOLE	80,01	Sag/Rentrante	267
CTV	A 68+905.060	-	-	-	-
-	-	Tangent/Tangente	70,66	-	-
TCV	A 68+975.721	-	-	-	-
PIV	A 69+011.662	PARABOLE	71,88	Sag/Rentrante	264
CTV	A 69+047.603	-	-	-	-
-	-	Tangent/Tangente	25,79	-	-
TCV	A 69+073.390	-	-	-	-
PIV	A 69+088.424	PARABOLE	30,07	Crest/Saillante	317
CTV	A 69+103.457	-	-	-	-
-	-	Tangent/Tangente	19,05	-	-
TCV	A 69+122.508	-	-	-	-
PIV	A 69+137.716	PARABOLE	30,41	Sag/Rentrante	263
CTV	A 69+152.923	-	-	-	-
-	-	Tangent/Tangente	8,31	-	-
TCV	A 69+161.236	-	-	-	-
PIV	A 69+178.026	PARABOLE	33,58	Crest/Saillante	133
CTV	A 69+194.816	-	-	-	-
-	-	Tangent/Tangente	43,44	-	-
TCV	A 69+238.260	-	-	-	-
PIV	A 69+263.289	PARABOLE	50,06	Sag/Rentrante	264



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	A 69+288.318	-	-	-	-
-	-	Tangent/Tangente	57,14	-	-
TCV	A 69+345.459	-	-	-	-
PIV	A 69+385.492	PARABOLE	80,07	Crest/Saillante	110
CTV	A 69+425.525	-	-	-	-
-	-	Tangent/Tangente	40,46	-	-
TCV	A 69+465.988	-	-	-	-
PIV	A 69+510.925	PARABOLE	89,88	Crest/Saillante	97
CTV	A 69+555.863	-	-	-	-
-	-	Tangent/Tangente	17,46	-	-
TCV	A 69+573.325	-	-	-	-
PIV	A 69+622.067	PARABOLE	97,49	Sag/Rentrante	77
CTV	A 69+670.810	-	-	-	-
-	-	Tangent/Tangente	76,98	-	-
TCV	A 69+747.794	-	-	-	-
PIV	A 69+803.907	PARABOLE	112,23	Sag/Rentrante	265
CTV	A 69+860.020	-	-	-	-
-	-	Tangent/Tangente	22,33	-	-
TCV	A 69+882.354	-	-	-	-
PIV	A 69+950.172	PARABOLE	135,64	Sag/Rentrante	264
CTV	A 70+017.990	-	-	-	-
-	-	Tangent/Tangente	53,67	-	-
TCV	A 70+071.658	-	-	-	-
PIV	A 70+094.142	PARABOLE	44,97	Sag/Rentrante	261
CTV	A 70+116.626	-	-	-	-
-	-	Tangent/Tangente	114,48	-	-
TCV	A 70+231.102	-	-	-	-
PIV	A 70+256.197	PARABOLE	50,19	Sag/Rentrante	259
CTV	A 70+281.293	-	-	-	-
-	-	Tangent/Tangente	218,43	-	-
TCV	A 70+499.718	-	-	-	-
PIV	A 70+544.783	PARABOLE	90,13	Crest/Saillante	156
CTV	A 70+589.848	-	-	-	-
-	-	Tangent/Tangente	114,89	-	-
TCV	A 70+704.735	-	-	-	-
PIV	A 70+730.558	PARABOLE	51,65	Crest/Saillante	181
CTV	A 70+756.382	-	-	-	-
-	-	Tangent/Tangente	28,85	-	-
TCV	A 70+785.232	-	-	-	-
PIV	A 70+814.650	PARABOLE	58,84	Crest/Saillante	235
CTV	A 70+844.068	-	-	-	-
-	-	Tangent/Tangente	23,48	-	-
TCV	A 70+867.544	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	A 70+891.807	PARABOLE	48,53	Sag/Rentrante	267
CTV	A 70+916.070	-	-	-	-
-	-	Tangent/Tangente	141,38	-	-
TCV	A 71+057.450	-	-	-	-
PIV	A 71+079.216	PARABOLE	43,53	Sag/Rentrante	265
CTV	A 71+100.982	-	-	-	-
-	-	Tangent/Tangente	32,25	-	-
TCV	A 71+133.230	-	-	-	-
PIV	A 71+158.372	PARABOLE	50,28	Crest/Saillante	369
CTV	A 71+183.514	-	-	-	-
-	-	Tangent/Tangente	112,54	-	-
TCV	A 71+296.054	-	-	-	-
PIV	A 71+319.709	PARABOLE	47,31	Crest/Saillante	316
CTV	A 71+343.364	-	-	-	-
-	-	Tangent/Tangente	21,18	-	-
TCV	A 71+364.545	-	-	-	-
PIV	A 71+423.490	PARABOLE	117,89	Sag/Rentrante	166
CTV	A 71+482.435	-	-	-	-
-	-	Tangent/Tangente	13,63	-	-
TCV	A 71+496.059	-	-	-	-
PIV	A 71+521.130	PARABOLE	50,14	Crest/Saillante	275
CTV	A 71+546.201	-	-	-	-
-	-	Tangent/Tangente	33,96	-	-
TCV	A 71+580.159	-	-	-	-
PIV	A 71+600.054	PARABOLE	39,79	Sag/Rentrante	257
CTV	A 71+619.948	-	-	-	-
-	-	Tangent/Tangente	25,67	-	-
TCV	A 71+645.620	-	-	-	-
PIV	A 71+665.764	PARABOLE	40,29	Crest/Saillante	177
CTV	A 71+685.908	-	-	-	-
-	-	Tangent/Tangente	32,53	-	-
TCV	A 71+718.441	-	-	-	-
PIV	A 71+742.344	PARABOLE	47,81	Crest/Saillante	148
CTV	A 71+766.247	-	-	-	-
-	-	Tangent/Tangente	15,00	-	-
TCV	A 71+781.242	-	-	-	-
PIV	A 71+806.180	PARABOLE	49,88	Sag/Rentrante	261
CTV	A 71+831.118	-	-	-	-
-	-	Tangent/Tangente	12,51	-	-
TCV	A 71+843.626	-	-	-	-
PIV	A 71+893.361	PARABOLE	99,47	Crest/Saillante	79
CTV	A 71+943.096	-	-	-	-
-	-	Tangent/Tangente	56,21	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	A 71+999.306	-	-	-	-
PIV	A 72+048.110	PARABOLE	97,61	Sag/Rentrante	73
CTV	A 72+096.915	-	-	-	-
-	-	Tangent/Tangente	27,32	-	-
TCV	A 72+124.237	-	-	-	-
PIV	A 72+145.687	PARABOLE	42,90	Sag/Rentrante	113
CTV	A 72+167.137	-	-	-	-
-	-	Tangent/Tangente	21,52	-	-
END	A 72+188.658	-	-	-	-
START	71+937.600	-	-	-	-
-	-	Tangent/Tangente	81,30	-	-
TCV	72+018.897	-	-	-	-
PIV	72+044.655	PARABOLE	51,52	Sag/Rentrante	64
CTV	72+070.413	-	-	-	-
-	-	Tangent/Tangente	55,12	-	-
TCV	72+125.530	-	-	-	-
PIV	72+148.544	PARABOLE	46,03	Sag/Rentrante	70
CTV	72+171.558	-	-	-	-
-	-	Tangent/Tangente	11,97	-	-
TCV	72+183.524	-	-	-	-
PIV	72+215.994	PARABOLE	64,94	Crest/Saillante	76
CTV	72+248.464	-	-	-	-
-	-	Tangent/Tangente	30,29	-	-
TCV	72+278.752	-	-	-	-
PIV	72+352.220	PARABOLE	146,94	Sag/Rentrante	261
CTV	72+425.688	-	-	-	-
-	-	Tangent/Tangente	15,02	-	-
TCV	72+440.707	-	-	-	-
PIV	72+470.707	PARABOLE	60,00	Crest/Saillante	140
CTV	72+500.707	-	-	-	-
-	-	Tangent/Tangente	80,34	-	-
TCV	72+581.046	-	-	-	-
PIV	72+603.352	PARABOLE	44,61	Crest/Saillante	180
CTV	72+625.658	-	-	-	-
-	-	Tangent/Tangente	62,51	-	-
TCV	72+688.168	-	-	-	-
PIV	72+738.471	PARABOLE	100,61	Sag/Rentrante	133
CTV	72+788.773	-	-	-	-
-	-	Tangent/Tangente	4,40	-	-
TCV	72+793.169	-	-	-	-
PIV	72+834.000	PARABOLE	81,66	Crest/Saillante	208
CTV	72+874.830	-	-	-	-
-	-	Tangent/Tangente	53,48	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	72+928.312	-	-	-	-
PIV	72+961.978	PARABOLE	67,33	Sag/Rentrante	55
CTV	72+995.643	-	-	-	-
-	-	Tangent/Tangente	24,65	-	-
TCV	73+020.297	-	-	-	-
PIV	73+037.097	PARABOLE	33,60	Crest/Saillante	111
CTV	73+053.896	-	-	-	-
-	-	Tangent/Tangente	66,69	-	-
TCV	73+120.590	-	-	-	-
PIV	73+137.287	PARABOLE	33,39	Crest/Saillante	320
CTV	73+153.983	-	-	-	-
-	-	Tangent/Tangente	35,64	-	-
TCV	73+189.626	-	-	-	-
PIV	73+228.377	PARABOLE	77,50	Sag/Rentrante	261
CTV	73+267.127	-	-	-	-
-	-	Tangent/Tangente	56,72	-	-
TCV	73+323.846	-	-	-	-
PIV	73+378.711	PARABOLE	109,73	Crest/Saillante	114
CTV	73+433.576	-	-	-	-
-	-	Tangent/Tangente	32,78	-	-
TCV	73+466.360	-	-	-	-
PIV	73+519.147	PARABOLE	105,58	Crest/Saillante	192
CTV	73+571.935	-	-	-	-
-	-	Tangent/Tangente	30,55	-	-
TCV	73+602.487	-	-	-	-
PIV	73+632.487	PARABOLE	60,00	Crest/Saillante	107
CTV	73+662.487	-	-	-	-
-	-	Tangent/Tangente	104,61	-	-
TCV	73+767.097	-	-	-	-
PIV	73+811.316	PARABOLE	88,44	Sag/Rentrante	75
CTV	73+855.534	-	-	-	-
-	-	Tangent/Tangente	35,22	-	-
TCV	73+890.759	-	-	-	-
PIV	73+913.967	PARABOLE	46,42	Crest/Saillante	267
CTV	73+937.174	-	-	-	-
-	-	Tangent/Tangente	9,13	-	-
TCV	73+946.305	-	-	-	-
PIV	73+980.508	PARABOLE	68,41	Sag/Rentrante	265
CTV	74+014.711	-	-	-	-
-	-	Tangent/Tangente	35,91	-	-
TCV	74+050.618	-	-	-	-
PIV	74+085.546	PARABOLE	69,86	Crest/Saillante	145
CTV	74+120.474	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	14,60	-	-
TCV	74+135.071	-	-	-	-
PIV	74+185.850	PARABOLE	101,56	Sag/Rentrante	250
CTV	74+236.629	-	-	-	-
-	-	Tangent/Tangente	18,30	-	-
TCV	74+254.933	-	-	-	-
PIV	74+277.051	PARABOLE	44,24	-	186
CTV	74+299.169	-	-	-	-
-	-	Tangent/Tangente	32,20	-	-
TCV	74+331.368	-	-	-	-
PIV	74+356.641	PARABOLE	50,55	-	266
CTV	74+381.915	-	-	-	-
-	-	Tangent/Tangente	38,67	-	-
TCV	74+420.580	-	-	-	-
PIV	74+446.991	PARABOLE	52,82	-	146
CTV	74+473.402	-	-	-	-
-	-	Tangent/Tangente	28,58	-	-
TCV	74+501.984	-	-	-	-
PIV	74+581.519	PARABOLE	159,07	-	149
CTV	74+661.055	-	-	-	-
-	-	Tangent/Tangente	16,72	-	-
TCV	74+677.770	-	-	-	-
PIV	74+746.399	PARABOLE	137,26	-	183
CTV	74+815.028	-	-	-	-
-	-	Tangent/Tangente	27,45	-	-
TCV	74+842.481	-	-	-	-
PIV	74+909.582	PARABOLE	134,20	-	149
CTV	74+976.684	-	-	-	-
-	-	Tangent/Tangente	30,54	-	-
TCV	75+007.220	-	-	-	-
PIV	75+037.220	PARABOLE	60,00	-	265
CTV	75+067.220	-	-	-	-
-	-	Tangent/Tangente	139,93	-	-
TCV	75+207.149	-	-	-	-
PIV	75+248.226	PARABOLE	82,15	-	264
CTV	75+289.304	-	-	-	-
-	-	Tangent/Tangente	52,72	-	-
TCV	75+342.024	-	-	-	-
PIV	75+372.024	PARABOLE	60,00	-	261
CTV	75+402.024	-	-	-	-
-	-	Tangent/Tangente	44,41	-	-
TCV	75+446.435	-	-	-	-
PIV	75+508.008	PARABOLE	123,15	-	142

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	75+569.582	-	-		-
-	-	Tangent/Tangente	145,20		-
TCV	75+714.778	-	-		-
PIV	75+757.343	PARABOLE	85,13		132
CTV	75+799.907	-	-		-
-	-	Tangent/Tangente	32,37		-
TCV	75+832.276	-	-		-
PIV	75+858.774	PARABOLE	53,00		87
CTV	75+885.273	-	-		-
-	-	Tangent/Tangente	85,10		-
TCV	75+970.367	-	-		-
PIV	76+000.367	PARABOLE	60,00		199
CTV	76+030.367	-	-		-
-	-	Tangent/Tangente	69,97		-
TCV	76+100.332	-	-		-
PIV	76+163.720	PARABOLE	126,78		116
CTV	76+227.107	-	-		-
-	-	Tangent/Tangente	85,97		-
TCV	76+313.076	-	-		-
PIV	76+371.791	PARABOLE	117,43		78
CTV	76+430.505	-	-		-
-	-	Tangent/Tangente	174,62		-
TCV	76+605.121	-	-		-
PIV	76+685.121	PARABOLE	160,00		267
CTV	76+765.121	-	-		-
-	-	Tangent/Tangente	48,04		-
TCV	76+813.157	-	-		-
PIV	76+843.157	PARABOLE	60,00		165
CTV	76+873.157	-	-		-
-	-	Tangent/Tangente	46,69		-
TCV	76+919.843	-	-		-
PIV	76+968.910	PARABOLE	98,13		76
CTV	77+017.977	-	-		-
-	-	Tangent/Tangente	25,00		-
TCV	77+042.975	-	-		-
PIV	77+063.287	PARABOLE	40,62		132
CTV	77+083.599	-	-		-
-	-	Tangent/Tangente	42,41		-
TCV	77+126.013	-	-		-
PIV	77+150.156	PARABOLE	48,29		132
CTV	77+174.300	-	-		-
-	-	Tangent/Tangente	39,06		-
TCV	77+213.359	-	-		-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	77+229.950	PARABOLE	33,18		266
CTV	77+246.541	-	-		-
-	-	Tangent/Tangente	6,79		-
TCV	77+253.333	-	-		-
PIV	77+290.080	PARABOLE	73,49		87
CTV	77+326.828	-	-		-
-	-	Tangent/Tangente	24,36		-
TCV	77+351.186	-	-		-
PIV	77+385.242	PARABOLE	68,11		75
CTV	77+419.298	-	-		-
-	-	Tangent/Tangente	45,81		-
TCV	77+465.104	-	-		-
PIV	77+495.104	PARABOLE	60,00		266
CTV	77+525.104	-	-		-
-	-	Tangent/Tangente	105,05		-
TCV	77+630.150	-	-		-
PIV	77+651.843	PARABOLE	43,39		148
CTV	77+673.535	-	-		-
-	-	Tangent/Tangente	12,77		-
TCV	77+686.302	-	-		-
PIV	77+740.490	PARABOLE	108,38		136
CTV	77+794.679	-	-		-
-	-	Tangent/Tangente	10,79		-
TCV	77+805.470	-	-		-
PIV	77+835.470	PARABOLE	60,00		261
CTV	77+865.470	-	-		-
-	-	Tangent/Tangente	26,08		-
TCV	77+891.545	-	-		-
PIV	77+915.017	PARABOLE	46,94		254
CTV	77+938.489	-	-		-
-	-	Tangent/Tangente	17,57		-
TCV	77+956.062	-	-		-
PIV	77+985.497	PARABOLE	58,87		88
CTV	78+014.932	-	-		-
-	-	Tangent/Tangente	69,99		-
TCV	78+084.918	-	-		-
PIV	78+113.433	PARABOLE	57,03		130
CTV	78+141.948	-	-		-
-	-	Tangent/Tangente	40,20		-
TCV	78+182.145	-	-		-
PIV	78+197.966	PARABOLE	31,64		263
CTV	78+213.788	-	-		-
-	-	Tangent/Tangente	175,05		-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	78+388.838	-	-		-
PIV	78+438.123	PARABOLE	98,57		266
CTV	78+487.408	-	-		-
-	-	Tangent/Tangente	42,93		-
TCV	78+530.339	-	-		-
PIV	78+565.945	PARABOLE	71,21		180
CTV	78+601.551	-	-		-
-	-	Tangent/Tangente	129,52		-
TCV	78+731.072	-	-		-
PIV	78+805.213	PARABOLE	148,28		105
CTV	78+879.354	-	-		-
-	-	Tangent/Tangente	248,71		-
TCV	79+128.064	-	-		-
PIV	79+167.525	PARABOLE	78,92		262
CTV	79+206.987	-	-		-
-	-	Tangent/Tangente	120,26		-
TCV	79+327.248	-	-		-
PIV	79+405.604	PARABOLE	156,71		246
CTV	79+483.960	-	-		-
-	-	Tangent/Tangente	156,43		-
TCV	79+640.392	-	-		-
PIV	79+699.384	PARABOLE	117,98		95
CTV	79+758.376	-	-		-
-	-	Tangent/Tangente	106,72		-
TCV	79+865.094	-	-		-
PIV	79+935.597	PARABOLE	141,01		86
CTV	80+006.100	-	-		-
-	-	Tangent/Tangente	18,11		-
TCV	80+024.212	-	-		-
PIV	80+054.212	PARABOLE	60,00		265
CTV	80+084.212	-	-		-
-	-	Tangent/Tangente	14,97		-
TCV	80+099.183	-	-		-
PIV	80+173.998	PARABOLE	149,63		111
CTV	80+248.812	-	-		-
-	-	Tangent/Tangente	49,69		-
TCV	80+298.499	-	-		-
PIV	80+328.499	PARABOLE	60,00		259
CTV	80+358.499	-	-		-
-	-	Tangent/Tangente	30,43		-
TCV	80+388.927	-	-		-
PIV	80+415.375	PARABOLE	52,90		189
CTV	80+441.824	-	-		-



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	27,80		-
TCV	80+469.628	-	-		-
PIV	80+494.543	PARABOLE	49,83		76
CTV	80+519.458	-	-		-
-	-	Tangent/Tangente	35,34		-
TCV	80+554.795	-	-		-
PIV	80+586.759	PARABOLE	63,93		45
CTV	80+618.722	-	-		-
-	-	Tangent/Tangente	72,53		-
TCV	80+691.247	-	-		-
PIV	80+708.415	PARABOLE	34,34		203
CTV	80+725.583	-	-		-
-	-	Tangent/Tangente	78,28		-
TCV	80+803.860	-	-		-
PIV	80+842.320	PARABOLE	76,92		262
CTV	80+880.780	-	-		-
-	-	Tangent/Tangente	66,91		-
TCV	80+947.694	-	-		-
PIV	80+993.798	PARABOLE	92,21		259
CTV	81+039.902	-	-		-
-	-	Tangent/Tangente	87,60		-
TCV	81+127.499	-	-		-
PIV	81+165.311	PARABOLE	75,62		105
CTV	81+203.123	-	-		-
-	-	Tangent/Tangente	112,45		-
TCV	81+315.576	-	-		-
PIV	81+376.212	PARABOLE	121,27		265
CTV	81+436.848	-	-		-
-	-	Tangent/Tangente	31,30		-
TCV	81+468.149	-	-		-
PIV	81+473.726	PARABOLE	11,15		202
CTV	81+479.302	-	-		-
-	-	Tangent/Tangente	27,44		-
TCV	81+506.738	-	-		-
PIV	81+530.988	PARABOLE	48,50		264
CTV	81+555.238	-	-		-
-	-	Tangent/Tangente	39,31		-
TCV	81+594.547	-	-		-
PIV	81+602.076	PARABOLE	15,06		218
CTV	81+609.605	-	-		-
-	-	Tangent/Tangente	10,41		-
TCV	81+620.014	-	-		-
PIV	81+633.487	PARABOLE	26,95		262

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	81+646.960	-	-		-
-	-	Tangent/Tangente	97,31		-
TCV	81+744.271	-	-		-
PIV	81+774.271	PARABOLE	60,00		274
CTV	81+804.271	-	-		-
-	-	Tangent/Tangente	38,22		-
TCV	81+842.491	-	-		-
PIV	81+890.403	PARABOLE	95,83		237
CTV	81+938.316	-	-		-
-	-	Tangent/Tangente	71,58		-
TCV	82+009.893	-	-		-
PIV	82+081.625	PARABOLE	143,47		162
CTV	82+153.358	-	-		-
-	-	Tangent/Tangente	148,88		-
TCV	82+302.232	-	-		-
PIV	82+352.305	PARABOLE	100,15		156
CTV	82+402.378	-	-		-
-	-	Tangent/Tangente	191,32		-
TCV	82+593.696	-	-		-
PIV	82+623.696	PARABOLE	60,00		264
CTV	82+653.696	-	-		-
-	-	Tangent/Tangente	47,73		-
TCV	82+701.424	-	-		-
PIV	82+731.424	PARABOLE	60,00		262
CTV	82+761.424	-	-		-
-	-	Tangent/Tangente	31,38		-
TCV	82+792.804	-	-		-
PIV	82+830.404	PARABOLE	75,20		116
CTV	82+868.005	-	-		-
-	-	Tangent/Tangente	118,83		-
TCV	82+986.834	-	-		-
PIV	83+128.698	PARABOLE	283,73		288
CTV	83+270.563	-	-		-
-	-	Tangent/Tangente	15,90		-
TCV	83+286.465	-	-		-
PIV	83+301.474	PARABOLE	30,02		259
CTV	83+316.483	-	-		-
-	-	Tangent/Tangente	14,97		-
TCV	83+331.451	-	-		-
PIV	83+366.319	PARABOLE	69,74		111
CTV	83+401.187	-	-		-
-	-	Tangent/Tangente	54,44		-
TCV	83+455.625	-	-		-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	83+485.625	PARABOLE	60,00		265
CTV	83+515.625	-	-		-
-	-	Tangent/Tangente	32,30		-
TCV	83+547.924	-	-		-
PIV	83+563.181	PARABOLE	30,51		265
CTV	83+578.437	-	-		-
-	-	Tangent/Tangente	51,44		-
TCV	83+629.872	-	-		-
PIV	83+661.910	PARABOLE	64,08		263
CTV	83+693.947	-	-		-
-	-	Tangent/Tangente	104,87		-
TCV	83+798.814	-	-		-
PIV	83+825.270	PARABOLE	52,91		260
CTV	83+851.725	-	-		-
-	-	Tangent/Tangente	54,16		-
TCV	83+905.880	-	-		-
PIV	83+935.880	PARABOLE	60,00		210
CTV	83+965.880	-	-		-
-	-	Tangent/Tangente	40,92		-
TCV	84+006.804	-	-		-
PIV	84+036.804	PARABOLE	60,00		260
CTV	84+066.804	-	-		-
-	-	Tangent/Tangente	13,01		-
TCV	84+079.816	-	-		-
PIV	84+111.697	PARABOLE	63,76		133
CTV	84+143.577	-	-		-
-	-	Tangent/Tangente	29,74		-
TCV	84+173.316	-	-		-
PIV	84+194.014	PARABOLE	41,40		261
CTV	84+214.711	-	-		-
-	-	Tangent/Tangente	45,72		-
TCV	84+260.432	-	-		-
PIV	84+290.432	PARABOLE	60,00		128
CTV	84+320.432	-	-		-
-	-	Tangent/Tangente	62,00		-
TCV	84+382.428	-	-		-
PIV	84+437.901	PARABOLE	110,95		90
CTV	84+493.374	-	-		-
-	-	Tangent/Tangente	13,22		-
TCV	84+506.589	-	-		-
PIV	84+536.589	PARABOLE	60,00		122
CTV	84+566.589	-	-		-
-	-	Tangent/Tangente	20,00		-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	84+586.587	-	-		-
PIV	84+616.587	PARABOLE	60,00		113
CTV	84+646.587	-	-		-
-	-	Tangent/Tangente	103,12		-
TCV	84+749.708	-	-		-
PIV	84+779.708	PARABOLE	60,00		112
CTV	84+809.708	-	-		-
-	-	Tangent/Tangente	20,43		-
TCV	84+830.135	-	-		-
PIV	84+913.253	PARABOLE	166,24		100
CTV	84+996.370	-	-		-
-	-	Tangent/Tangente	10,16		-
TCV	85+006.531	-	-		-
PIV	85+027.928	PARABOLE	42,79		615
CTV	85+049.325	-	-		-
-	-	Tangent/Tangente	39,20		-
TCV	85+088.524	-	-		-
PIV	85+109.450	PARABOLE	41,85		264
CTV	85+130.376	-	-		-
-	-	Tangent/Tangente	87,97		-
TCV	85+218.349	-	-		-
PIV	85+294.890	PARABOLE	153,08		131
CTV	85+371.431	-	-		-
-	-	Tangent/Tangente	45,29		-
TCV	85+416.718	-	-		-
PIV	85+493.040	PARABOLE	152,64		264
CTV	85+569.362	-	-		-
-	-	Tangent/Tangente	40,23		-
TCV	85+609.591	-	-		-
PIV	85+642.315	PARABOLE	65,45		105
CTV	85+675.040	-	-		-
-	-	Tangent/Tangente	6,47		-
TCV	85+681.508	-	-		-
PIV	85+696.636	PARABOLE	30,26		261
CTV	85+711.764	-	-		-
-	-	Tangent/Tangente	27,59		-
TCV	85+739.355	-	-		-
PIV	85+763.550	PARABOLE	48,39		100
CTV	85+787.745	-	-		-
-	-	Tangent/Tangente	109,92		-
TCV	85+897.662	-	-		-
PIV	85+943.194	PARABOLE	91,06		67
CTV	85+988.726	-	-		-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	21,22		-
TCV	86+009.950	-	-		-
PIV	86+053.003	PARABOLE	86,11		261
CTV	86+096.056	-	-		-
-	-	Tangent/Tangente	41,44		-
TCV	86+137.500	-	-		-
PIV	86+161.075	PARABOLE	47,15		119
CTV	86+184.651	-	-		-
-	-	Tangent/Tangente	32,12		-
TCV	86+216.766	-	-		-
PIV	86+292.493	PARABOLE	151,46		99
CTV	86+368.221	-	-		-
-	-	Tangent/Tangente	71,12		-
TCV	86+439.339	-	-		-
PIV	86+476.858	PARABOLE	75,04		73
CTV	86+514.377	-	-		-
-	-	Tangent/Tangente	121,78		-
TCV	86+636.157	-	-		-
PIV	86+666.157	PARABOLE	60,00		175
CTV	86+696.157	-	-		-
-	-	Tangent/Tangente	20,44		-
TCV	86+716.601	-	-		-
PIV	86+755.336	PARABOLE	77,47		157
CTV	86+794.071	-	-		-
-	-	Tangent/Tangente	19,40		-
TCV	86+813.475	-	-		-
PIV	86+843.475	PARABOLE	60,00		264
CTV	86+873.475	-	-		-
-	-	Tangent/Tangente	40,50		-
TCV	86+913.976	-	-		-
PIV	86+934.029	PARABOLE	40,11		262
CTV	86+954.082	-	-		-
-	-	Tangent/Tangente	20,32		-
TCV	86+974.401	-	-		-
PIV	87+002.425	PARABOLE	56,05		144
CTV	87+030.449	-	-		-
-	-	Tangent/Tangente	24,64		-
TCV	87+055.091	-	-		-
PIV	87+085.091	PARABOLE	60,00		264
CTV	87+115.091	-	-		-
-	-	Tangent/Tangente	46,07		-
TCV	87+161.164	-	-		-
PIV	87+178.119	PARABOLE	33,91		138

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	87+195.074	-	-		-
-	-	Tangent/Tangente	26,92		-
TCV	87+221.997	-	-		-
PIV	87+248.825	PARABOLE	53,66		115
CTV	87+275.653	-	-		-
-	-	Tangent/Tangente	32,83		-
TCV	87+308.487	-	-		-
PIV	87+338.487	PARABOLE	60,00		258
CTV	87+368.487	-	-		-
-	-	Tangent/Tangente	8,78		-
TCV	87+377.268	-	-		-
PIV	87+407.268	PARABOLE	60,00		169
CTV	87+437.268	-	-		-
-	-	Tangent/Tangente	42,82		-
TCV	87+480.089	-	-		-
PIV	87+529.052	PARABOLE	97,93		181
CTV	87+578.016	-	-		-
-	-	Tangent/Tangente	92,50		-
TCV	87+670.513	-	-		-
PIV	87+706.157	PARABOLE	71,29		86
CTV	87+741.802	-	-		-
-	-	Tangent/Tangente	25,31		-
TCV	87+767.115	-	-		-
PIV	87+785.360	PARABOLE	36,49		114
CTV	87+803.606	-	-		-
-	-	Tangent/Tangente	35,00		-
TCV	87+838.610	-	-		-
PIV	87+927.931	PARABOLE	178,64		291
CTV	88+017.252	-	-		-
-	-	Tangent/Tangente	3,66		-
TCV	88+020.915	-	-		-
PIV	88+044.557	PARABOLE	47,28		175
CTV	88+068.198	-	-		-
-	-	Tangent/Tangente	6,01		-
TCV	88+074.212	-	-		-
PIV	88+088.790	PARABOLE	29,16		264
CTV	88+103.368	-	-		-
-	-	Tangent/Tangente	22,76		-
TCV	88+126.123	-	-		-
PIV	88+140.455	PARABOLE	28,66		375
CTV	88+154.787	-	-		-
-	-	Tangent/Tangente	15,11		-
TCV	88+169.900	-	-		-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	88+199.900	PARABOLE	60,00		266
CTV	88+229.900	-	-		-
-	-	Tangent/Tangente	195,51		-
TCV	88+425.409	-	-		-
PIV	88+448.887	PARABOLE	46,96		366
CTV	88+472.365	-	-		-
-	-	Tangent/Tangente	113,01		-
TCV	88+585.370	-	-		-
PIV	88+641.305	PARABOLE	111,87		266
CTV	88+697.239	-	-		-
-	-	Tangent/Tangente	98,38		-
TCV	88+795.616	-	-		-
PIV	88+810.146	PARABOLE	29,06		266
CTV	88+824.675	-	-		-
-	-	Tangent/Tangente	9,19		-
TCV	88+833.867	-	-		-
PIV	88+858.119	PARABOLE	48,50		265
CTV	88+882.371	-	-		-
-	-	Tangent/Tangente	21,13		-
TCV	88+903.503	-	-		-
PIV	88+928.590	PARABOLE	50,18		186
CTV	88+953.678	-	-		-
-	-	Tangent/Tangente	14,55		-
TCV	88+968.224	-	-		-
PIV	89+007.906	PARABOLE	79,37		264
CTV	89+047.589	-	-		-
-	-	Tangent/Tangente	31,01		-
TCV	89+078.594	-	-		-
PIV	89+108.594	PARABOLE	60,00		177
CTV	89+138.594	-	-		-
-	-	Tangent/Tangente	12,04		-
TCV	89+150.632	-	-		-
PIV	89+188.404	PARABOLE	75,55		263
CTV	89+226.177	-	-		-
-	-	Tangent/Tangente	28,90		-
TCV	89+255.075	-	-		-
PIV	89+285.075	PARABOLE	60,00		185
CTV	89+315.075	-	-		-
-	-	Tangent/Tangente	205,59		-
TCV	89+520.665	-	-		-
PIV	89+560.922	PARABOLE	80,51		266
CTV	89+601.178	-	-		-
-	-	Tangent/Tangente	74,22		-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	89+675.394	-	-		-
PIV	89+694.229	PARABOLE	37,67		264
CTV	89+713.064	-	-		-
-	-	Tangent/Tangente	8,95		-
TCV	89+722.011	-	-		-
PIV	89+743.035	PARABOLE	42,05		171
CTV	89+764.059	-	-		-
-	-	Tangent/Tangente	35,45		-
TCV	89+799.507	-	-		-
PIV	89+817.843	PARABOLE	36,67		264
CTV	89+836.178	-	-		-
-	-	Tangent/Tangente	20,31		-
TCV	89+856.491	-	-		-
PIV	89+873.008	PARABOLE	33,03		171
CTV	89+889.525	-	-		-
-	-	Tangent/Tangente	141,83		-
TCV	90+031.357	-	-		-
PIV	90+077.589	PARABOLE	92,46		63
CTV	90+123.820	-	-		-
-	-	Tangent/Tangente	24,55		-
TCV	90+148.374	-	-		-
PIV	90+185.641	PARABOLE	74,54		114
CTV	90+222.909	-	-		-
-	-	Tangent/Tangente	9,81		-
TCV	90+232.723	-	-		-
PIV	90+257.118	PARABOLE	48,79		161
CTV	90+281.514	-	-		-
-	-	Tangent/Tangente	62,34		-
TCV	90+343.849	-	-		-
PIV	90+373.849	PARABOLE	60,00		153
CTV	90+403.849	-	-		-
-	-	Tangent/Tangente	16,95		-
TCV	90+420.800	-	-		-
PIV	90+450.800	PARABOLE	60,00		264
CTV	90+480.800	-	-		-
-	-	Tangent/Tangente	16,73		-
TCV	90+497.526	-	-		-
PIV	90+527.526	PARABOLE	60,00		199
CTV	90+557.526	-	-		-
-	-	Tangent/Tangente	36,48		-
TCV	90+594.008	-	-		-
PIV	90+612.379	PARABOLE	36,74		264
CTV	90+630.750	-	-		-



Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	31,68		-
TCV	90+662.431	-	-		-
PIV	90+685.165	PARABOLE	45,47		183
CTV	90+707.898	-	-		-
-	-	Tangent/Tangente	36,46		-
TCV	90+744.362	-	-		-
PIV	90+757.610	PARABOLE	26,50		265
CTV	90+770.858	-	-		-
-	-	Tangent/Tangente	62,47		-
TCV	90+833.324	-	-		-
PIV	90+877.567	PARABOLE	88,49		109
CTV	90+921.809	-	-		-
-	-	Tangent/Tangente	54,61		-
TCV	90+976.415	-	-		-
PIV	91+000.302	PARABOLE	47,77		122
CTV	91+024.189	-	-		-
-	-	Tangent/Tangente	27,30		-
TCV	91+051.486	-	-		-
PIV	91+096.145	PARABOLE	89,32		99
CTV	91+140.805	-	-		-
-	-	Tangent/Tangente	82,49		-
TCV	91+223.298	-	-		-
PIV	91+253.298	PARABOLE	60,00		265
CTV	91+283.298	-	-		-
-	-	Tangent/Tangente	90,32		-
TCV	91+373.618	-	-		-
PIV	91+403.618	PARABOLE	60,00		266
CTV	91+433.618	-	-		-
-	-	Tangent/Tangente	55,62		-
TCV	91+489.239	-	-		-
PIV	91+523.432	PARABOLE	68,39		89
CTV	91+557.625	-	-		-
-	-	Tangent/Tangente	142,87		-
TCV	91+700.497	-	-		-
PIV	91+730.497	PARABOLE	60,00		90
CTV	91+760.497	-	-		-
-	-	Tangent/Tangente	63,17		-
TCV	91+823.671	-	-		-
PIV	91+853.671	PARABOLE	60,00		101
CTV	91+883.671	-	-		-
-	-	Tangent/Tangente	27,44		-
TCV	91+911.115	-	-		-
PIV	91+924.328	PARABOLE	26,43		258

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	91+937.541	-	-		-
-	-	Tangent/Tangente	121,44		-
TCV	92+058.983	-	-		-
PIV	92+088.983	PARABOLE	60,00		139
CTV	92+118.983	-	-		-
-	-	Tangent/Tangente	57,53		-
TCV	92+176.511	-	-		-
PIV	92+207.519	PARABOLE	62,02		191
CTV	92+238.527	-	-		-
-	-	Tangent/Tangente	49,21		-
TCV	92+287.740	-	-		-
PIV	92+336.339	PARABOLE	97,20		60
CTV	92+384.938	-	-		-
-	-	Tangent/Tangente	5,40		-
TCV	92+390.341	-	-		-
PIV	92+406.192	PARABOLE	31,70		187
CTV	92+422.042	-	-		-
-	-	Tangent/Tangente	108,07		-
TCV	92+530.116	-	-		-
PIV	92+566.170	PARABOLE	72,11		306
CTV	92+602.223	-	-		-
-	-	Tangent/Tangente	47,54		-
TCV	92+649.758	-	-		-
PIV	92+669.796	PARABOLE	40,08		263
CTV	92+689.835	-	-		-
-	-	Tangent/Tangente	27,90		-
TCV	92+717.736	-	-		-
PIV	92+747.736	PARABOLE	60,00		164
CTV	92+777.736	-	-		-
-	-	Tangent/Tangente	17,69		-
TCV	92+795.426	-	-		-
PIV	92+815.399	PARABOLE	39,95		162
CTV	92+835.372	-	-		-
-	-	Tangent/Tangente	8,03		-
TCV	92+843.397	-	-		-
PIV	92+976.842	PARABOLE	266,89		265
CTV	93+110.287	-	-		-
-	-	Tangent/Tangente	13,81		-
TCV	93+124.100	-	-		-
PIV	93+137.487	PARABOLE	26,77		244
CTV	93+150.874	-	-		-
-	-	Tangent/Tangente	23,07		-
TCV	93+173.948	-	-		-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	93+191.074	PARABOLE	34,25		265
CTV	93+208.199	-	-		-
-	-	Tangent/Tangente	54,08		-
TCV	93+262.276	-	-		-
PIV	93+287.626	PARABOLE	50,70		264
CTV	93+312.976	-	-		-
-	-	Tangent/Tangente	10,10		-
TCV	93+323.072	-	-		-
PIV	93+392.131	PARABOLE	138,12		133
CTV	93+461.190	-	-		-
-	-	Tangent/Tangente	50,38		-
TCV	93+511.571	-	-		-
PIV	93+536.338	PARABOLE	49,53		265
CTV	93+561.105	-	-		-
-	-	Tangent/Tangente	23,01		-
TCV	93+584.118	-	-		-
PIV	93+606.032	PARABOLE	43,83		121
CTV	93+627.946	-	-		-
-	-	Tangent/Tangente	24,11		-
TCV	93+652.058	-	-		-
PIV	93+671.382	PARABOLE	38,65		84
CTV	93+690.705	-	-		-
-	-	Tangent/Tangente	18,49		-
TCV	93+709.198	-	-		-
PIV	93+727.443	PARABOLE	36,49		263
CTV	93+745.689	-	-		-
-	-	Tangent/Tangente	20,73		-
TCV	93+766.417	-	-		-
PIV	93+779.054	PARABOLE	25,27		142
CTV	93+791.691	-	-		-
-	-	Tangent/Tangente	33,89		-
TCV	93+825.580	-	-		-
PIV	93+839.621	PARABOLE	28,08		265
CTV	93+853.661	-	-		-
-	-	Tangent/Tangente	57,91		-
TCV	93+911.573	-	-		-
PIV	93+939.007	PARABOLE	54,87		51
CTV	93+966.441	-	-		-
-	-	Tangent/Tangente	90,35		-
TCV	94+056.795	-	-		-
PIV	94+104.408	PARABOLE	95,23		97
CTV	94+152.021	-	-		-
-	-	Tangent/Tangente	55,46		-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	94+207.484	-	-		-
PIV	94+257.905	PARABOLE	100,84		99
CTV	94+308.325	-	-		-
-	-	Tangent/Tangente	20,14		-
TCV	94+328.465	-	-		-
PIV	94+358.465	PARABOLE	60,00		69
CTV	94+388.465	-	-		-
-	-	Tangent/Tangente	17,33		-
TCV	94+405.790	-	-		-
PIV	94+435.790	PARABOLE	60,00		164
CTV	94+465.790	-	-		-
-	-	Tangent/Tangente	63,41		-
TCV	94+529.200	-	-		-
PIV	94+559.200	PARABOLE	60,00		135
CTV	94+589.200	-	-		-
-	-	Tangent/Tangente	42,48		-
TCV	94+631.676	-	-		-
PIV	94+648.585	PARABOLE	33,82		158
CTV	94+665.494	-	-		-
-	-	Tangent/Tangente	52,76		-
TCV	94+718.254	-	-		-
PIV	94+750.838	PARABOLE	65,17		261
CTV	94+783.422	-	-		-
-	-	Tangent/Tangente	44,58		-
TCV	94+827.998	-	-		-
PIV	94+857.998	PARABOLE	60,00		109
CTV	94+887.998	-	-		-
-	-	Tangent/Tangente	11,67		-
TCV	94+899.670	-	-		-
PIV	94+918.515	PARABOLE	37,69		52
CTV	94+937.361	-	-		-
-	-	Tangent/Tangente	20,83		-
TCV	94+958.193	-	-		-
PIV	94+972.082	PARABOLE	27,78		104
CTV	94+985.971	-	-		-
-	-	Tangent/Tangente	72,82		-
PIV	95+058.787	-	-		-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	6+666.666	-	-	-	
-	-	Tangent/Tangente	69,9	-	
TCV	6+669.937	-	-	-	
PIV	6+682.937	PARABOLE	26,6	Crest/Saillante	97
CTV	6+695.937	-	-	-	
-	-	Tangent/Tangente	8,3	-	
TCV	6+164.286	-	-	-	
PIV	6+141.975	PARABOLE	75,4	Sag/Rentrante	84
CTV	6+179.676	-	-	-	
-	-	Tangent/Tangente	14,6	-	
TCV	6+193.675	-	-	-	
PIV	6+221.665	PARABOLE	54,7	Crest/Saillante	146
CTV	6+248.334	-	-	-	
-	-	Tangent/Tangente	52,6	-	
TCV	6+366.337	-	-	-	
PIV	6+324.669	PARABOLE	48,7	Sag/Rentrante	265
CTV	6+349.661	-	-	-	
-	-	Tangent/Tangente	19,3	-	
TCV	6+368.255	-	-	-	
PIV	6+466.666	PARABOLE	63,5	Crest/Saillante	199
CTV	6+431.745	-	-	-	
-	-	Tangent/Tangente	31,3	-	
TCV	6+463.614	-	-	-	
PIV	6+516.572	PARABOLE	95,1	Sag/Rentrante	266
CTV	6+558.136	-	-	-	
-	-	Tangent/Tangente	366,9	-	
TCV	6+865.669	-	-	-	
PIV	6+956.666	PARABOLE	169,9	Crest/Saillante	243
CTV	1+634.931	-	-	-	
-	-	Tangent/Tangente	362,9	-	
TCV	1+397.856	-	-	-	
PIV	1+436.672	PARABOLE	76,4	Sag/Rentrante	54
CTV	1+474.288	-	-	-	
-	-	Tangent/Tangente	16,2	-	
TCV	1+484.448	-	-	-	
PIV	1+563.758	PARABOLE	158,6	Crest/Saillante	86
CTV	1+643.668	-	-	-	
-	-	Tangent/Tangente	29,1	-	
TCV	1+672.214	-	-	-	
PIV	1+689.288	PARABOLE	34,1	Sag/Rentrante	261
CTV	1+766.361	-	-	-	
-	-	Tangent/Tangente	12,9	-	
TCV	1+719.218	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	1+746.152	PARABOLE	41,9	Crest/Saillante	75
CTV	1+761.687	-	-	-	
-	-	Tangent/Tangente	21,7	-	
TCV	1+782.766	-	-	-	
PIV	1+823.296	PARABOLE	81,1	Sag/Rentrante	56
CTV	1+863.826	-	-	-	
-	-	Tangent/Tangente	293,1	-	
TCV	2+156.926	-	-	-	
PIV	2+181.568	PARABOLE	49,3	Crest/Saillante	269
CTV	2+266.215	-	-	-	
-	-	Tangent/Tangente	8,6	-	
TCV	2+214.861	-	-	-	
PIV	2+252.196	PARABOLE	74,8	Sag/Rentrante	266
CTV	2+289.579	-	-	-	
-	-	Tangent/Tangente	37,3	-	
TCV	2+326.881	-	-	-	
PIV	2+346.896	PARABOLE	46,6	Crest/Saillante	217
CTV	2+366.911	-	-	-	
-	-	Tangent/Tangente	13,4	-	
TCV	2+386.264	-	-	-	
PIV	2+418.321	PARABOLE	76,1	Sag/Rentrante	266
CTV	2+456.378	-	-	-	
-	-	Tangent/Tangente	88,2	-	
TCV	2+544.584	-	-	-	
PIV	2+662.581	PARABOLE	116,6	Crest/Saillante	176
CTV	2+666.579	-	-	-	
-	-	Tangent/Tangente	12,3	-	
TCV	2+672.885	-	-	-	
PIV	2+723.662	PARABOLE	166,4	Sag/Rentrante	266
CTV	2+773.238	-	-	-	
-	-	Tangent/Tangente	113,6	-	
TCV	2+886.872	-	-	-	
PIV	2+926.281	PARABOLE	66,8	Crest/Saillante	241
CTV	2+953.696	-	-	-	
-	-	Tangent/Tangente	633,7	-	
TCV	3+587.423	-	-	-	
PIV	3+616.455	PARABOLE	46,1	Crest/Saillante	186
CTV	3+633.487	-	-	-	
-	-	Tangent/Tangente	17,6	-	
TCV	3+656.474	-	-	-	
PIV	3+698.857	PARABOLE	96,8	Sag/Rentrante	263
CTV	3+747.246	-	-	-	
-	-	Tangent/Tangente	27,9	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	3+775.123	-	-	-	
PIV	3+868.725	PARABOLE	67,2	Crest/Saillante	241
CTV	3+842.326	-	-	-	
-	-	Tangent/Tangente	16,6	-	
TCV	3+858.312	-	-	-	
PIV	4+166.666	PARABOLE	483,4	Sag/Rentrante	267
CTV	4+341.688	-	-	-	
-	-	Tangent/Tangente	33,5	-	
TCV	4+375.232	-	-	-	
PIV	4+436.527	PARABOLE	116,6	Crest/Saillante	569
CTV	4+485.822	-	-	-	
-	-	Tangent/Tangente	884,8	-	
TCV	5+376.592	-	-	-	
PIV	5+466.962	PARABOLE	66,6	Sag/Rentrante	266
CTV	5+431.211	-	-	-	
-	-	Tangent/Tangente	39,7	-	
TCV	5+476.962	-	-	-	
PIV	5+566.962	PARABOLE	66,6	Crest/Saillante	175
CTV	5+536.962	-	-	-	
-	-	Tangent/Tangente	15,6	-	
TCV	5+545.962	-	-	-	
PIV	5+575.962	PARABOLE	66,6	Sag/Rentrante	266
CTV	5+665.962	-	-	-	
-	-	Tangent/Tangente	31,1	-	
PIV	5+636.997	-	-	-	
-	-	Tangent/Tangente	31,1	-	
TCV	5+637.666	-	-	-	
PIV	5+656.666	PARABOLE	26,6	Crest/Saillante	172
CTV	5+663.666	-	-	-	
-	-	Tangent/Tangente	7,6	-	
TCV	5+669.982	-	-	-	
PIV	5+677.566	PARABOLE	15,6	Sag/Rentrante	266
CTV	5+685.618	-	-	-	
-	-	Tangent/Tangente	265,3	-	
TCV	5+956.363	-	-	-	
PIV	6+656.965	PARABOLE	261,1	Sag/Rentrante	266
CTV	6+151.446	-	-	-	
TCV	6+182.968	-	-	-	
PIV	6+282.968	PARABOLE	266,6	Crest/Saillante	242
CTV	6+382.968	-	-	-	
-	-	Tangent/Tangente	8,6	-	
TCV	6+396.965	-	-	-	
PIV	6+456.965	PARABOLE	126,6	Sag/Rentrante	266

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
CTV	6+516.965	-	-	-	
-	-	Tangent/Tangente	246,1	-	
PIV	6+756.968	-	-	-	
-	-	Tangent/Tangente	56,1	-	
TCV	6+861.671	-	-	-	
PIV	6+961.671	PARABOLE	266,6	Crest/Saillante	265
CTV	7+661.671	-	-	-	
-	-	Tangent/Tangente	154,8	-	
TCV	7+155.965	-	-	-	
PIV	7+266.965	PARABOLE	96,6	Sag/Rentrante	265
CTV	7+245.965	-	-	-	
-	-	Tangent/Tangente	9,5	-	
TCV	7+255.436	-	-	-	
PIV	7+266.636	PARABOLE	22,4	Crest/Saillante	193
CTV	7+277.836	-	-	-	
-	-	Tangent/Tangente	132,9	-	
TCV	7+416.756	-	-	-	
PIV	7+435.965	PARABOLE	56,3	Sag/Rentrante	54
CTV	7+461.666	-	-	-	
-	-	Tangent/Tangente	34,4	-	
TCV	7+495.467	-	-	-	
PIV	7+543.756	PARABOLE	96,6	Crest/Saillante	166
CTV	7+592.644	-	-	-	
-	-	Tangent/Tangente	2,6	-	
TCV	7+594.659	-	-	-	
PIV	7+624.786	PARABOLE	66,3	Crest/Saillante	115
CTV	7+654.914	-	-	-	
-	-	Tangent/Tangente	32,1	-	
TCV	7+687.657	-	-	-	
PIV	7+728.557	PARABOLE	83,6	Sag/Rentrante	183
CTV	7+776.656	-	-	-	
-	-	Tangent/Tangente	18,6	-	
TCV	7+788.633	-	-	-	
PIV	7+811.741	PARABOLE	47,4	Crest/Saillante	167
CTV	7+835.449	-	-	-	
-	-	Tangent/Tangente	161,4	-	
TCV	7+936.827	-	-	-	
PIV	7+969.554	PARABOLE	65,5	Sag/Rentrante	71
CTV	8+662.282	-	-	-	
-	-	Tangent/Tangente	21,4	-	
TCV	8+623.674	-	-	-	
PIV	8+656.653	PARABOLE	66,6	Crest/Saillante	166
CTV	8+689.632	-	-	-	



Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	84,5	-	
TCV	8+174.122	-	-	-	
PIV	8+266.963	PARABOLE	53,6	Sag/Rentrante	482
CTV	8+227.683	-	-	-	
-	-	Tangent/Tangente	8,5	-	
TCV	8+236.269	-	-	-	
PIV	8+266.667	PARABOLE	59,7	Crest/Saillante	154
CTV	8+295.926	-	-	-	
-	-	Tangent/Tangente	186,1	-	
TCV	8+476.669	-	-	-	
PIV	8+489.336	PARABOLE	26,6	Sag/Rentrante	266
CTV	8+562.656	-	-	-	
-	-	Tangent/Tangente	68,3	-	
TCV	8+576.965	-	-	-	
PIV	8+656.965	PARABOLE	166,6	Crest/Saillante	186
CTV	8+736.965	-	-	-	
-	-	Tangent/Tangente	26,6	-	
TCV	8+756.965	-	-	-	
PIV	8+856.965	PARABOLE	266,6	Sag/Rentrante	266
CTV	8+956.965	-	-	-	
-	-	Tangent/Tangente	25,6	-	
TCV	8+975.965	-	-	-	
PIV	9+666.965	PARABOLE	56,6	Sag/Rentrante	266
CTV	9+625.965	-	-	-	
-	-	Tangent/Tangente	33,1	-	
TCV	9+659.619	-	-	-	
PIV	9+691.519	PARABOLE	65,6	Crest/Saillante	255
CTV	9+124.619	-	-	-	
-	-	Tangent/Tangente	21,9	-	
TCV	9+145.965	-	-	-	
PIV	9+216.965	PARABOLE	136,6	Sag/Rentrante	263
CTV	9+275.965	-	-	-	
-	-	Tangent/Tangente	54,6	-	
TCV	9+329.961	-	-	-	
PIV	9+386.965	PARABOLE	162,6	Sag/Rentrante	186
CTV	9+431.968	-	-	-	
-	-	Tangent/Tangente	7,7	-	
TCV	9+439.622	-	-	-	
PIV	9+536.676	PARABOLE	182,1	Crest/Saillante	96
CTV	9+621.729	-	-	-	
-	-	Tangent/Tangente	19,3	-	
TCV	9+646.983	-	-	-	
PIV	9+716.983	PARABOLE	146,6	Sag/Rentrante	79

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	9+786.983	-	-	-	
-	-	Tangent/Tangente	163,1	-	
TCV	9+944.633	-	-	-	
PIV	16+656.983	PARABOLE	213,9	Crest/Saillante	117
CTV	16+157.933	-	-	-	
-	-	Tangent/Tangente	328,1	-	
TCV	16+485.983	-	-	-	
PIV	16+556.983	PARABOLE	136,6	Sag/Rentrante	265
CTV	16+615.983	-	-	-	
-	-	Tangent/Tangente	54,6	-	
PIV	16+615.983	-	-	-	
-	-	Tangent/Tangente	78,7	-	
TCV	16+694.713	-	-	-	
PIV	16+759.713	PARABOLE	136,6	Sag/Rentrante	262
CTV	16+824.713	-	-	-	
-	-	Tangent/Tangente	86,3	-	
TCV	16+965.666	-	-	-	
PIV	16+976.666	PARABOLE	136,6	Crest/Saillante	149
CTV	11+635.666	-	-	-	
-	-	Tangent/Tangente	2,5	-	
TCV	11+637.566	-	-	-	
PIV	11+667.566	PARABOLE	66,6	Sag/Rentrante	264
CTV	11+697.566	-	-	-	
-	-	Tangent/Tangente	37,1	-	
TCV	11+134.645	-	-	-	
PIV	11+263.395	PARABOLE	137,5	Crest/Saillante	163
CTV	11+272.145	-	-	-	
-	-	Tangent/Tangente	73,3	-	
TCV	11+345.456	-	-	-	
PIV	11+377.956	PARABOLE	65,6	Sag/Rentrante	265
CTV	11+416.456	-	-	-	
-	-	Tangent/Tangente	9,9	-	
TCV	11+426.376	-	-	-	
PIV	11+452.876	PARABOLE	65,6	Crest/Saillante	197
CTV	11+485.376	-	-	-	
-	-	Tangent/Tangente	7,5	-	
TCV	11+492.871	-	-	-	
PIV	11+512.871	PARABOLE	46,6	Sag/Rentrante	265
CTV	11+532.871	-	-	-	
-	-	Tangent/Tangente	55,6	-	
TCV	11+587.876	-	-	-	
PIV	11+652.876	PARABOLE	136,6	Sag/Rentrante	266
CTV	11+717.876	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	112,4	-	
TCV	11+836.244	-	-	-	
PIV	11+868.194	PARABOLE	75,9	Crest/Saillante	154
CTV	11+966.144	-	-	-	
-	-	Tangent/Tangente	31,2	-	
TCV	11+937.364	-	-	-	
PIV	11+977.364	PARABOLE	86,6	Sag/Rentrante	263
CTV	12+617.364	-	-	-	
-	-	Tangent/Tangente	145,6	-	
TCV	12+162.876	-	-	-	
PIV	12+262.876	PARABOLE	86,6	Sag/Rentrante	259
CTV	12+242.876	-	-	-	
-	-	Tangent/Tangente	39,2	-	
TCV	12+282.683	-	-	-	
PIV	12+348.656	PARABOLE	133,1	Crest/Saillante	92
CTV	12+415.229	-	-	-	
-	-	Tangent/Tangente	76,6	-	
TCV	12+485.854	-	-	-	
PIV	12+515.854	PARABOLE	66,6	Sag/Rentrante	261
CTV	12+545.854	-	-	-	
-	-	Tangent/Tangente	33,1	-	
TCV	12+578.934	-	-	-	
PIV	12+595.854	PARABOLE	33,8	Sag/Rentrante	263
CTV	12+612.775	-	-	-	
-	-	Tangent/Tangente	32,9	-	
TCV	12+645.684	-	-	-	
PIV	12+665.854	PARABOLE	46,3	Crest/Saillante	228
CTV	12+686.624	-	-	-	
-	-	Tangent/Tangente	199,3	-	
TCV	12+885.318	-	-	-	
PIV	12+926.661	PARABOLE	82,6	Sag/Rentrante	81
CTV	12+967.883	-	-	-	
-	-	Tangent/Tangente	31,4	-	
TCV	12+999.253	-	-	-	
PIV	13+624.797	PARABOLE	51,1	Crest/Saillante	126
CTV	13+656.342	-	-	-	
-	-	Tangent/Tangente	135,7	-	
TCV	13+186.672	-	-	-	
PIV	13+251.778	PARABOLE	131,4	Crest/Saillante	193
CTV	13+317.484	-	-	-	
-	-	Tangent/Tangente	28,6	-	
TCV	13+346.647	-	-	-	
PIV	13+472.936	PARABOLE	253,8	Sag/Rentrante	132

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
CTV	13+599.825	-	-	-	
-	-	Tangent/Tangente	46,5	-	
TCV	13+646.288	-	-	-	
PIV	13+683.646	PARABOLE	73,5	Crest/Saillante	142
CTV	13+719.792	-	-	-	
-	-	Tangent/Tangente	12,4	-	
TCV	13+732.214	-	-	-	
PIV	13+746.336	PARABOLE	28,2	Sag/Rentrante	262
CTV	13+766.457	-	-	-	
-	-	Tangent/Tangente	168,7	-	
TCV	13+869.194	-	-	-	
PIV	13+961.768	PARABOLE	65,1	Crest/Saillante	151
CTV	13+934.342	-	-	-	
-	-	Tangent/Tangente	57,3	-	
TCV	13+991.663	-	-	-	
PIV	14+668.626	PARABOLE	32,7	Sag/Rentrante	262
CTV	14+624.396	-	-	-	
-	-	Tangent/Tangente	8,6	-	
TCV	14+632.994	-	-	-	
PIV	14+656.865	PARABOLE	35,6	Crest/Saillante	143
CTV	14+668.616	-	-	-	
-	-	Tangent/Tangente	113,1	-	
TCV	14+181.753	-	-	-	
PIV	14+241.899	PARABOLE	126,3	Sag/Rentrante	265
CTV	14+362.644	-	-	-	
-	-	Tangent/Tangente	45,9	-	
TCV	14+347.979	-	-	-	
PIV	14+395.864	PARABOLE	95,8	Crest/Saillante	151
CTV	14+443.749	-	-	-	
-	-	Tangent/Tangente	29,4	-	
TCV	14+473.158	-	-	-	
PIV	14+526.993	PARABOLE	95,7	Sag/Rentrante	165
CTV	14+568.828	-	-	-	
-	-	Tangent/Tangente	53,9	-	
TCV	14+622.749	-	-	-	
PIV	14+676.993	PARABOLE	96,5	Crest/Saillante	126
CTV	14+719.237	-	-	-	
-	-	Tangent/Tangente	63,6	-	
TCV	14+782.846	-	-	-	
PIV	14+797.551	PARABOLE	29,4	Sag/Rentrante	264
CTV	14+812.257	-	-	-	
-	-	Tangent/Tangente	25,9	-	
TCV	14+838.186	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	14+876.993	PARABOLE	65,6	Crest/Saillante	146
CTV	14+963.861	-	-	-	
-	-	Tangent/Tangente	18,3	-	
TCV	14+922.664	-	-	-	
PIV	14+958.316	PARABOLE	72,5	Sag/Rentrante	264
CTV	14+994.568	-	-	-	
-	-	Tangent/Tangente	15,6	-	
TCV	15+616.214	-	-	-	
PIV	15+682.343	PARABOLE	144,3	Crest/Saillante	129
CTV	15+154.471	-	-	-	
-	-	Tangent/Tangente	163,9	-	
TCV	15+258.337	-	-	-	
PIV	15+297.259	PARABOLE	77,8	Sag/Rentrante	265
CTV	15+336.186	-	-	-	
-	-	Tangent/Tangente	15,5	-	
TCV	15+351.718	-	-	-	
PIV	15+369.478	PARABOLE	35,5	Crest/Saillante	157
CTV	15+387.239	-	-	-	
-	-	Tangent/Tangente	4,8	-	
TCV	15+392.663	-	-	-	
PIV	15+496.489	PARABOLE	197,6	Sag/Rentrante	265
CTV	15+588.975	-	-	-	
-	-	Tangent/Tangente	83,7	-	
PIV	15+666.666	-	-	-	
-	-	Tangent/Tangente	72,7	-	
TCV	15+672.721	-	-	-	
PIV	15+766.664	PARABOLE	54,6	Sag/Rentrante	263
CTV	15+727.288	-	-	-	
-	-	Tangent/Tangente	14,7	-	
TCV	15+741.979	-	-	-	
PIV	15+762.718	PARABOLE	41,5	Crest/Saillante	133
CTV	15+783.458	-	-	-	
-	-	Tangent/Tangente	26,8	-	
TCV	15+816.277	-	-	-	
PIV	15+894.167	PARABOLE	167,7	Sag/Rentrante	264
CTV	15+977.937	-	-	-	
-	-	Tangent/Tangente	141,4	-	
TCV	16+119.366	-	-	-	
PIV	16+168.486	PARABOLE	98,3	Crest/Saillante	113
CTV	16+217.613	-	-	-	
-	-	Tangent/Tangente	33,2	-	
TCV	16+256.853	-	-	-	
PIV	16+316.853	PARABOLE	126,6	Crest/Saillante	167

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	16+376.853	-	-	-	
-	-	Tangent/Tangente	12,4	-	
TCV	16+383.296	-	-	-	
PIV	16+461.328	PARABOLE	156,1	Sag/Rentrante	89
CTV	16+539.366	-	-	-	
-	-	Tangent/Tangente	51,3	-	
TCV	16+596.714	-	-	-	
PIV	16+655.714	PARABOLE	136,6	Sag/Rentrante	265
CTV	16+726.714	-	-	-	
-	-	Tangent/Tangente	446,6	-	
TCV	17+166.749	-	-	-	
PIV	17+192.426	PARABOLE	63,3	Crest/Saillante	94
CTV	17+224.691	-	-	-	
-	-	Tangent/Tangente	4,6	-	
TCV	17+228.648	-	-	-	
PIV	17+273.525	PARABOLE	89,8	Sag/Rentrante	88
CTV	17+318.462	-	-	-	
-	-	Tangent/Tangente	47,2	-	
TCV	17+365.626	-	-	-	
PIV	17+465.626	PARABOLE	266,6	Crest/Saillante	167
CTV	17+565.626	-	-	-	
-	-	Tangent/Tangente	61,9	-	
TCV	17+627.514	-	-	-	
PIV	17+657.514	PARABOLE	66,6	Sag/Rentrante	265
CTV	17+687.514	-	-	-	
-	-	Tangent/Tangente	67,1	-	
TCV	17+754.572	-	-	-	
PIV	17+834.572	PARABOLE	166,6	Crest/Saillante	217
CTV	17+914.572	-	-	-	
-	-	Tangent/Tangente	36,3	-	
TCV	17+956.892	-	-	-	
PIV	17+976.892	PARABOLE	46,6	Sag/Rentrante	265
CTV	17+996.892	-	-	-	
-	-	Tangent/Tangente	248,1	-	
TCV	18+238.989	-	-	-	
PIV	18+363.989	PARABOLE	136,6	Sag/Rentrante	227
CTV	18+368.989	-	-	-	
-	-	Tangent/Tangente	86,6	-	
TCV	18+448.992	-	-	-	
PIV	18+568.992	PARABOLE	126,6	Crest/Saillante	141
CTV	18+568.992	-	-	-	
-	-	Tangent/Tangente	86,9	-	
TCV	18+655.892	-	-	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
PIV	18+695.892	PARABOLE	86,6	Crest/Saillante	227
CTV	18+735.892	-	-	-	
-	-	Tangent/Tangente	36,6	-	
TCV	18+765.883	-	-	-	
PIV	18+796.927	PARABOLE	56,1	Sag/Rentrante	264
CTV	18+815.976	-	-	-	
-	-	Tangent/Tangente	13,7	-	
TCV	18+829.642	-	-	-	
PIV	18+855.892	PARABOLE	52,5	Crest/Saillante	216
CTV	18+882.142	-	-	-	
-	-	Tangent/Tangente	33,8	-	
TCV	18+915.892	-	-	-	
PIV	18+975.892	PARABOLE	126,6	Crest/Saillante	259
CTV	19+635.892	-	-	-	
-	-	Tangent/Tangente	26,6	-	
TCV	19+655.892	-	-	-	
PIV	19+695.892	PARABOLE	86,6	Sag/Rentrante	264
CTV	19+135.892	-	-	-	
-	-	Tangent/Tangente	5,6	-	
TCV	19+146.892	-	-	-	
PIV	19+175.892	PARABOLE	76,6	Crest/Saillante	176
CTV	19+216.892	-	-	-	
-	-	Tangent/Tangente	563,2	-	
TCV	19+774.679	-	-	-	
PIV	19+849.388	PARABOLE	156,6	Crest/Saillante	252
CTV	19+924.698	-	-	-	
-	-	Tangent/Tangente	75,3	-	
END	26+666.666	-	-	-	
START	19+925.666	-	-	-	
-	-	Tangent/Tangente	76,9	-	
TCV	26+661.969	-	-	-	
PIV	26+624.591	PARABOLE	45,4	Crest/Saillante	177
CTV	26+647.273	-	-	-	
-	-	Tangent/Tangente	39,6	-	
TCV	26+686.823	-	-	-	
PIV	26+146.167	PARABOLE	166,6	Sag/Rentrante	169
CTV	26+193.391	-	-	-	
-	-	Tangent/Tangente	11,6	-	
TCV	26+264.418	-	-	-	
PIV	26+246.576	PARABOLE	72,3	Crest/Saillante	128
CTV	26+276.734	-	-	-	
-	-	Tangent/Tangente	162,4	-	
TCV	26+379.113	-	-	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
PIV	26+565.196	PARABOLE	372,2	Sag/Rentrante	536
CTV	26+751.267	-	-	-	
-	-	Tangent/Tangente	147,1	-	
TCV	26+898.376	-	-	-	
PIV	26+989.668	PARABOLE	181,3	Crest/Saillante	136
CTV	21+679.646	-	-	-	
-	-	Tangent/Tangente	44,6	-	
TCV	21+123.666	-	-	-	
PIV	21+177.726	PARABOLE	168,1	Crest/Saillante	166
CTV	21+231.781	-	-	-	
-	-	Tangent/Tangente	16,4	-	
TCV	21+242.225	-	-	-	
PIV	21+367.225	PARABOLE	136,6	Sag/Rentrante	78
CTV	21+372.225	-	-	-	
-	-	Tangent/Tangente	112,1	-	
TCV	21+484.339	-	-	-	
PIV	21+534.339	PARABOLE	166,6	Sag/Rentrante	263
CTV	21+584.339	-	-	-	
-	-	Tangent/Tangente	46,4	-	
TCV	21+636.711	-	-	-	
PIV	21+651.176	PARABOLE	46,9	Crest/Saillante	134
CTV	21+671.629	-	-	-	
-	-	Tangent/Tangente	8,8	-	
TCV	21+686.461	-	-	-	
PIV	21+763.773	PARABOLE	46,7	Sag/Rentrante	76
CTV	21+727.146	-	-	-	
-	-	Tangent/Tangente	38,1	-	
TCV	21+765.221	-	-	-	
PIV	21+816.166	PARABOLE	161,8	Crest/Saillante	94
CTV	21+866.979	-	-	-	
-	-	Tangent/Tangente	36,7	-	
TCV	21+963.639	-	-	-	
PIV	21+953.639	PARABOLE	166,6	Sag/Rentrante	78
CTV	22+663.639	-	-	-	
-	-	Tangent/Tangente	16,4	-	
TCV	22+626.667	-	-	-	
PIV	22+659.731	PARABOLE	79,4	Crest/Saillante	96
CTV	22+699.455	-	-	-	
-	-	Tangent/Tangente	56,6	-	
TCV	22+155.431	-	-	-	
PIV	22+217.685	PARABOLE	124,5	Sag/Rentrante	684
CTV	22+279.939	-	-	-	
-	-	Tangent/Tangente	12,6	-	



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	22+291.956	-	-	-	
PIV	22+339.777	PARABOLE	95,6	Crest/Saillante	225
CTV	22+387.597	-	-	-	
-	-	Tangent/Tangente	89,9	-	
TCV	22+477.517	-	-	-	
PIV	22+497.517	PARABOLE	46,6	Sag/Rentrante	264
CTV	22+517.517	-	-	-	
-	-	Tangent/Tangente	44,3	-	
TCV	22+561.794	-	-	-	
PIV	22+616.296	PARABOLE	97,6	Crest/Saillante	92
CTV	22+658.786	-	-	-	
-	-	Tangent/Tangente	38,6	-	
TCV	22+697.371	-	-	-	
PIV	22+719.391	PARABOLE	44,6	Sag/Rentrante	258
CTV	22+741.416	-	-	-	
-	-	Tangent/Tangente	56,4	-	
TCV	22+797.826	-	-	-	
PIV	22+847.826	PARABOLE	166,6	Sag/Rentrante	265
CTV	22+897.826	-	-	-	
-	-	Tangent/Tangente	166,6	-	
TCV	22+997.861	-	-	-	
PIV	23+661.664	PARABOLE	126,4	Sag/Rentrante	261
CTV	23+124.267	-	-	-	
-	-	Tangent/Tangente	36,9	-	
TCV	23+155.167	-	-	-	
PIV	23+175.641	PARABOLE	39,9	Crest/Saillante	166
CTV	23+194.976	-	-	-	
-	-	Tangent/Tangente	12,5	-	
TCV	23+267.563	-	-	-	
PIV	23+268.387	PARABOLE	121,8	Sag/Rentrante	268
CTV	23+329.271	-	-	-	
-	-	Tangent/Tangente	11,7	-	
TCV	23+346.929	-	-	-	
PIV	23+396.929	PARABOLE	166,6	Crest/Saillante	142
CTV	23+446.929	-	-	-	
-	-	Tangent/Tangente	25,8	-	
TCV	23+466.682	-	-	-	
PIV	23+516.688	PARABOLE	98,8	Sag/Rentrante	265
CTV	23+565.494	-	-	-	
-	-	Tangent/Tangente	45,1	-	
TCV	23+616.557	-	-	-	
PIV	23+666.697	PARABOLE	99,1	Crest/Saillante	132
CTV	23+769.637	-	-	-	

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	158,5	-	
TCV	23+868.142	-	-	-	
PIV	23+969.854	PARABOLE	83,4	Crest/Saillante	238
CTV	23+951.566	-	-	-	
-	-	Tangent/Tangente	42,2	-	
TCV	23+993.863	-	-	-	
PIV	24+657.242	PARABOLE	126,9	Sag/Rentrante	113
CTV	24+126.681	-	-	-	
-	-	Tangent/Tangente	36,1	-	
TCV	24+156.766	-	-	-	
PIV	24+176.766	PARABOLE	46,6	Crest/Saillante	266
CTV	24+196.766	-	-	-	
-	-	Tangent/Tangente	23,1	-	
TCV	24+219.845	-	-	-	
PIV	24+271.678	PARABOLE	162,5	Sag/Rentrante	261
CTV	24+322.311	-	-	-	
-	-	Tangent/Tangente	152,6	-	
TCV	24+474.295	-	-	-	
PIV	24+519.293	PARABOLE	96,6	Crest/Saillante	174
CTV	24+564.291	-	-	-	
-	-	Tangent/Tangente	67,2	-	
TCV	24+631.519	-	-	-	
PIV	24+686.969	PARABOLE	98,9	Crest/Saillante	198
CTV	24+736.426	-	-	-	
-	-	Tangent/Tangente	133,5	-	
TCV	24+863.887	-	-	-	
PIV	24+898.887	PARABOLE	76,6	Sag/Rentrante	86
CTV	24+933.887	-	-	-	
-	-	Tangent/Tangente	47,8	-	
TCV	24+981.657	-	-	-	
PIV	25+614.142	PARABOLE	65,6	Crest/Saillante	165
CTV	25+646.627	-	-	-	
-	-	Tangent/Tangente	262,2	-	
TCV	25+248.869	-	-	-	
PIV	25+279.876	PARABOLE	62,1	Crest/Saillante	94
CTV	25+316.942	-	-	-	
-	-	Tangent/Tangente	39,1	-	
PIV	25+356.666	-	-	-	
-	-	Tangent/Tangente	97,4	-	
TCV	25+468.374	-	-	-	
PIV	25+453.846	PARABOLE	96,9	Sag/Rentrante	73
CTV	25+499.365	-	-	-	
-	-	Tangent/Tangente	75,4	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	25+574.729	-	-	-	
PIV	25+594.729	PARABOLE	46,6	Sag/Rentrante	261
CTV	25+614.729	-	-	-	
-	-	Tangent/Tangente	15,3	-	
TCV	25+636.674	-	-	-	
PIV	25+659.268	PARABOLE	58,3	Crest/Saillante	158
CTV	25+688.341	-	-	-	
-	-	Tangent/Tangente	138,5	-	
TCV	25+826.835	-	-	-	
PIV	25+847.355	PARABOLE	41,6	Sag/Rentrante	261
CTV	25+867.875	-	-	-	
-	-	Tangent/Tangente	18,3	-	
TCV	25+886.137	-	-	-	
PIV	25+923.768	PARABOLE	75,1	Crest/Saillante	129
CTV	25+961.279	-	-	-	
-	-	Tangent/Tangente	16,8	-	
TCV	25+978.669	-	-	-	
PIV	25+995.347	PARABOLE	34,6	Sag/Rentrante	264
CTV	26+612.625	-	-	-	
-	-	Tangent/Tangente	51,9	-	
TCV	26+664.521	-	-	-	
PIV	26+121.236	PARABOLE	113,4	Crest/Saillante	148
CTV	26+177.952	-	-	-	
-	-	Tangent/Tangente	21,6	-	
TCV	26+198.936	-	-	-	
PIV	26+226.236	PARABOLE	54,6	Crest/Saillante	114
CTV	26+253.536	-	-	-	
-	-	Tangent/Tangente	13,6	-	
TCV	26+266.534	-	-	-	
PIV	26+296.236	PARABOLE	59,4	Sag/Rentrante	258
CTV	26+325.939	-	-	-	
-	-	Tangent/Tangente	66,6	-	
TCV	26+391.941	-	-	-	
PIV	26+486.942	PARABOLE	196,6	Sag/Rentrante	92
CTV	26+581.943	-	-	-	
-	-	Tangent/Tangente	85,9	-	
TCV	26+667.793	-	-	-	
PIV	26+711.136	PARABOLE	86,7	Crest/Saillante	84
CTV	26+754.479	-	-	-	
-	-	Tangent/Tangente	36,6	-	
TCV	26+796.442	-	-	-	
PIV	26+835.442	PARABOLE	96,6	Sag/Rentrante	95
CTV	26+886.442	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	46,6	-	
TCV	26+926.442	-	-	-	
PIV	26+966.442	PARABOLE	86,6	Crest/Saillante	245
CTV	27+666.442	-	-	-	
-	-	Tangent/Tangente	19,6	-	
TCV	27+626.628	-	-	-	
PIV	27+655.442	PARABOLE	76,8	Crest/Saillante	184
CTV	27+696.856	-	-	-	
-	-	Tangent/Tangente	156,3	-	
TCV	27+247.168	-	-	-	
PIV	27+334.186	PARABOLE	174,6	Crest/Saillante	166
CTV	27+421.264	-	-	-	
-	-	Tangent/Tangente	149,2	-	
TCV	27+576.447	-	-	-	
PIV	27+637.267	PARABOLE	133,6	Sag/Rentrante	79
CTV	27+764.687	-	-	-	
-	-	Tangent/Tangente	74,9	-	
TCV	27+779.615	-	-	-	
PIV	27+824.615	PARABOLE	96,6	Crest/Saillante	86
CTV	27+869.615	-	-	-	
-	-	Tangent/Tangente	8,2	-	
TCV	27+877.227	-	-	-	
PIV	27+969.727	PARABOLE	65,6	Sag/Rentrante	91
CTV	27+942.227	-	-	-	
-	-	Tangent/Tangente	163,2	-	
TCV	28+645.426	-	-	-	
PIV	28+685.426	PARABOLE	86,6	Sag/Rentrante	265
CTV	28+125.426	-	-	-	
-	-	Tangent/Tangente	17,6	-	
TCV	28+142.388	-	-	-	
PIV	28+176.989	PARABOLE	57,2	Crest/Saillante	116
CTV	28+199.596	-	-	-	
-	-	Tangent/Tangente	41,4	-	
TCV	28+246.997	-	-	-	
PIV	28+286.997	PARABOLE	86,6	Sag/Rentrante	263
CTV	28+326.997	-	-	-	
-	-	Tangent/Tangente	114,9	-	
TCV	28+435.934	-	-	-	
PIV	28+473.366	PARABOLE	74,9	Sag/Rentrante	264
CTV	28+516.798	-	-	-	
-	-	Tangent/Tangente	157,9	-	
TCV	28+668.673	-	-	-	
PIV	28+721.666	PARABOLE	164,7	Sag/Rentrante	258

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	28+773.327	-	-	-	
-	-	Tangent/Tangente	8,9	-	
TCV	28+782.197	-	-	-	
PIV	28+834.728	PARABOLE	165,1	Crest/Saillante	78
CTV	28+887.259	-	-	-	
-	-	Tangent/Tangente	42,5	-	
TCV	28+929.789	-	-	-	
PIV	28+984.417	PARABOLE	169,3	Sag/Rentrante	156
CTV	29+639.646	-	-	-	
-	-	Tangent/Tangente	158,2	-	
TCV	29+197.227	-	-	-	
PIV	29+242.441	PARABOLE	96,4	Sag/Rentrante	265
CTV	29+287.654	-	-	-	
-	-	Tangent/Tangente	89,8	-	
TCV	29+377.441	-	-	-	
PIV	29+392.441	PARABOLE	36,6	Sag/Rentrante	266
CTV	29+467.441	-	-	-	
-	-	Tangent/Tangente	17,8	-	
TCV	29+425.191	-	-	-	
PIV	29+442.441	PARABOLE	34,5	Crest/Saillante	252
CTV	29+459.691	-	-	-	
-	-	Tangent/Tangente	213,4	-	
TCV	29+673.118	-	-	-	
PIV	29+698.118	PARABOLE	56,6	Sag/Rentrante	266
CTV	29+723.118	-	-	-	
-	-	Tangent/Tangente	19,6	-	
TCV	29+742.738	-	-	-	
PIV	29+764.553	PARABOLE	43,6	Crest/Saillante	136
CTV	29+786.369	-	-	-	
-	-	Tangent/Tangente	8,5	-	
TCV	29+794.823	-	-	-	
PIV	29+845.449	PARABOLE	161,3	Sag/Rentrante	77
CTV	29+896.675	-	-	-	
-	-	Tangent/Tangente	5,8	-	
TCV	29+961.921	-	-	-	
PIV	29+929.641	PARABOLE	55,4	Crest/Saillante	161
CTV	29+957.361	-	-	-	
-	-	Tangent/Tangente	54,4	-	
TCV	36+611.777	-	-	-	
PIV	36+647.756	PARABOLE	72,6	Sag/Rentrante	266
CTV	36+683.736	-	-	-	
-	-	Tangent/Tangente	241,8	-	
TCV	36+325.486	-	-	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
PIV	36+347.756	PARABOLE	44,5	Crest/Saillante	226
CTV	36+376.627	-	-	-	
-	-	Tangent/Tangente	16,8	-	
TCV	36+386.834	-	-	-	
PIV	36+422.756	PARABOLE	83,8	Sag/Rentrante	265
CTV	36+464.678	-	-	-	
-	-	Tangent/Tangente	86,7	-	
-	-	Tangent/Tangente	45,4	-	
TCV	36+545.352	-	-	-	
PIV	36+562.836	PARABOLE	35,6	Crest/Saillante	216
CTV	36+586.368	-	-	-	
-	-	Tangent/Tangente	35,7	-	
TCV	36+616.662	-	-	-	
PIV	36+666.835	PARABOLE	89,7	Sag/Rentrante	265
CTV	36+765.669	-	-	-	
-	-	Tangent/Tangente	188,3	-	
TCV	36+894.662	-	-	-	
PIV	36+948.543	PARABOLE	169,1	Sag/Rentrante	91
CTV	31+663.684	-	-	-	
-	-	Tangent/Tangente	51,4	-	
TCV	31+654.516	-	-	-	
PIV	31+143.356	PARABOLE	177,7	Crest/Saillante	93
CTV	31+232.185	-	-	-	
-	-	Tangent/Tangente	55,4	-	
TCV	31+287.579	-	-	-	
PIV	31+356.767	PARABOLE	138,4	Sag/Rentrante	79
CTV	31+425.956	-	-	-	
-	-	Tangent/Tangente	36,4	-	
TCV	31+462.318	-	-	-	
PIV	31+528.652	PARABOLE	132,7	Crest/Saillante	97
CTV	31+594.985	-	-	-	
-	-	Tangent/Tangente	6,3	-	
TCV	31+661.311	-	-	-	
PIV	31+613.566	PARABOLE	24,4	Sag/Rentrante	266
CTV	31+625.761	-	-	-	
-	-	Tangent/Tangente	33,9	-	
TCV	31+659.586	-	-	-	
PIV	31+684.782	PARABOLE	56,4	Crest/Saillante	173
CTV	31+769.983	-	-	-	
-	-	Tangent/Tangente	36,1	-	
TCV	31+746.688	-	-	-	
PIV	31+863.986	PARABOLE	127,8	Sag/Rentrante	62
CTV	31+867.884	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	37,8	-	
TCV	31+965.766	-	-	-	
PIV	31+935.763	PARABOLE	66,1	Crest/Saillante	67
CTV	31+965.826	-	-	-	
-	-	Tangent/Tangente	131,7	-	
TCV	32+697.474	-	-	-	
PIV	32+132.354	PARABOLE	69,8	Sag/Rentrante	67
CTV	32+167.234	-	-	-	
-	-	Tangent/Tangente	58,5	-	
TCV	32+225.786	-	-	-	
PIV	32+278.628	PARABOLE	165,7	Crest/Saillante	86
CTV	32+331.475	-	-	-	
-	-	Tangent/Tangente	23,5	-	
TCV	32+354.956	-	-	-	
PIV	32+373.823	PARABOLE	37,7	Sag/Rentrante	265
CTV	32+392.696	-	-	-	
-	-	Tangent/Tangente	87,5	-	
TCV	32+486.215	-	-	-	
PIV	32+533.466	PARABOLE	166,4	Crest/Saillante	117
CTV	32+586.585	-	-	-	
-	-	Tangent/Tangente	38,6	-	
TCV	32+625.146	-	-	-	
PIV	32+671.766	PARABOLE	93,3	Sag/Rentrante	95
CTV	32+718.391	-	-	-	
-	-	Tangent/Tangente	19,9	-	
TCV	32+738.314	-	-	-	
PIV	32+767.319	PARABOLE	58,6	Crest/Saillante	113
CTV	32+796.325	-	-	-	
-	-	Tangent/Tangente	63,9	-	
TCV	32+866.223	-	-	-	
PIV	32+963.638	PARABOLE	85,6	Sag/Rentrante	92
CTV	32+945.854	-	-	-	
-	-	Tangent/Tangente	35,1	-	
TCV	32+986.992	-	-	-	
PIV	33+615.287	PARABOLE	68,6	Crest/Saillante	96
CTV	33+649.582	-	-	-	
-	-	Tangent/Tangente	97,6	-	
TCV	33+146.532	-	-	-	
PIV	33+197.854	PARABOLE	162,6	Sag/Rentrante	67
CTV	33+249.175	-	-	-	
-	-	Tangent/Tangente	13,4	-	
TCV	33+262.564	-	-	-	
PIV	33+359.588	PARABOLE	194,6	Crest/Saillante	95

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	33+456.612	-	-	-	
-	-	Tangent/Tangente	34,2	-	
TCV	33+496.856	-	-	-	
PIV	33+519.587	PARABOLE	57,5	Sag/Rentrante	61
CTV	33+548.319	-	-	-	
-	-	Tangent/Tangente	166,5	-	
TCV	33+768.861	-	-	-	
PIV	33+753.722	PARABOLE	89,8	Sag/Rentrante	75
CTV	33+798.644	-	-	-	
-	-	Tangent/Tangente	37,9	-	
TCV	33+836.515	-	-	-	
PIV	33+893.944	PARABOLE	114,9	Crest/Saillante	166
CTV	33+951.372	-	-	-	
-	-	Tangent/Tangente	134,4	-	
TCV	34+685.868	-	-	-	
PIV	34+169.218	PARABOLE	166,8	Crest/Saillante	91
CTV	34+252.628	-	-	-	
-	-	Tangent/Tangente	39,6	-	
TCV	34+292.256	-	-	-	
PIV	34+326.141	PARABOLE	67,8	Sag/Rentrante	76
CTV	34+366.626	-	-	-	
-	-	Tangent/Tangente	183,1	-	
TCV	34+543.696	-	-	-	
PIV	34+571.568	PARABOLE	56,9	Crest/Saillante	234
CTV	34+666.646	-	-	-	
-	-	Tangent/Tangente	134,5	-	
TCV	34+734.516	-	-	-	
PIV	34+842.142	PARABOLE	215,3	Crest/Saillante	95
CTV	34+949.774	-	-	-	
-	-	Tangent/Tangente	23,2	-	
TCV	34+972.975	-	-	-	
PIV	35+658.366	PARABOLE	176,8	Sag/Rentrante	72
CTV	35+143.746	-	-	-	
-	-	Tangent/Tangente	96,8	-	
TCV	35+246.588	-	-	-	
PIV	35+262.699	PARABOLE	43,6	Crest/Saillante	185
CTV	35+283.611	-	-	-	
-	-	Tangent/Tangente	66,4	-	
TCV	35+344.632	-	-	-	
PIV	35+387.485	PARABOLE	86,9	Crest/Saillante	162
CTV	35+436.938	-	-	-	
-	-	Tangent/Tangente	43,9	-	
TCV	35+474.818	-	-	-	



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	35+565.496	PARABOLE	61,3	Sag/Rentrante	74
CTV	35+536.162	-	-	-	
-	-	Tangent/Tangente	92,3	-	
TCV	35+628.486	-	-	-	
PIV	35+675.336	PARABOLE	93,7	Sag/Rentrante	266
CTV	35+722.186	-	-	-	
-	-	Tangent/Tangente	41,7	-	
TCV	35+763.926	-	-	-	
PIV	35+785.594	PARABOLE	43,3	Crest/Saillante	111
CTV	35+867.261	-	-	-	
-	-	Tangent/Tangente	22,3	-	
PIV	35+829.546	-	-	-	
-	-	Tangent/Tangente	22,3	-	
TCV	35+829.546	-	-	-	
PIV	35+964.546	PARABOLE	156,6	Sag/Rentrante	87
CTV	35+979.546	-	-	-	
-	-	Tangent/Tangente	56,8	-	
TCV	36+636.351	-	-	-	
PIV	36+146.351	PARABOLE	226,6	Crest/Saillante	88
CTV	36+256.351	-	-	-	
-	-	Tangent/Tangente	59,1	-	
TCV	36+369.459	-	-	-	
PIV	36+374.459	PARABOLE	136,6	Crest/Saillante	179
CTV	36+439.459	-	-	-	
-	-	Tangent/Tangente	11,4	-	
TCV	36+456.859	-	-	-	
PIV	36+515.859	PARABOLE	136,6	Sag/Rentrante	157
CTV	36+586.859	-	-	-	
-	-	Tangent/Tangente	87,8	-	
TCV	36+668.617	-	-	-	
PIV	36+718.617	PARABOLE	166,6	Sag/Rentrante	71
CTV	36+768.617	-	-	-	
-	-	Tangent/Tangente	31,4	-	
TCV	36+866.622	-	-	-	
PIV	36+895.622	PARABOLE	196,6	Crest/Saillante	92
CTV	36+996.622	-	-	-	
-	-	Tangent/Tangente	23,9	-	
TCV	37+613.967	-	-	-	
PIV	37+693.967	PARABOLE	166,6	Sag/Rentrante	91
CTV	37+173.967	-	-	-	
-	-	Tangent/Tangente	87,6	-	
TCV	37+266.995	-	-	-	
PIV	37+296.995	PARABOLE	66,6	Sag/Rentrante	264

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	37+326.995	-	-	-	
-	-	Tangent/Tangente	16,4	-	
TCV	37+337.367	-	-	-	
PIV	37+391.616	PARABOLE	167,3	Crest/Saillante	134
CTV	37+444.664	-	-	-	
-	-	Tangent/Tangente	2,4	-	
TCV	37+447.627	-	-	-	
PIV	37+512.627	PARABOLE	136,6	Sag/Rentrante	162
CTV	37+577.627	-	-	-	
-	-	Tangent/Tangente	454,1	-	
TCV	38+631.169	-	-	-	
PIV	38+176.677	PARABOLE	279,1	Crest/Saillante	112
CTV	38+316.245	-	-	-	
-	-	Tangent/Tangente	66,5	-	
TCV	38+376.782	-	-	-	
PIV	38+493.362	PARABOLE	233,2	Sag/Rentrante	99
CTV	38+669.942	-	-	-	
-	-	Tangent/Tangente	336,3	-	
TCV	38+946.286	-	-	-	
PIV	39+132.697	PARABOLE	383,6	Crest/Saillante	116
CTV	39+323.969	-	-	-	
-	-	Tangent/Tangente	162,2	-	
TCV	39+486.153	-	-	-	
PIV	39+579.325	PARABOLE	186,3	Sag/Rentrante	163
CTV	39+672.497	-	-	-	
-	-	Tangent/Tangente	8,5	-	
TCV	39+681.636	-	-	-	
PIV	39+759.322	PARABOLE	156,6	Crest/Saillante	256
CTV	39+837.669	-	-	-	
-	-	Tangent/Tangente	255,7	-	
PIV	46+693.329	-	-	-	
-	-	Tangent/Tangente	93,3	-	
TCV	46+693.329	-	-	-	
PIV	46+133.167	PARABOLE	79,6	Sag/Rentrante	266
CTV	46+172.886	-	-	-	
-	-	Tangent/Tangente	261,6	-	
TCV	46+374.453	-	-	-	
PIV	46+479.346	PARABOLE	269,8	Crest/Saillante	122
CTV	46+584.227	-	-	-	
-	-	Tangent/Tangente	76,2	-	
TCV	46+654.454	-	-	-	
PIV	46+764.454	PARABOLE	166,6	Sag/Rentrante	354
CTV	46+754.454	-	-	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	111,5	-	
TCV	46+865.946	-	-	-	
PIV	46+936.946	PARABOLE	136,6	Sag/Rentrante	264
CTV	46+995.946	-	-	-	
-	-	Tangent/Tangente	116,9	-	
TCV	41+112.849	-	-	-	
PIV	41+142.849	PARABOLE	66,6	Crest/Saillante	166
CTV	41+172.849	-	-	-	
-	-	Tangent/Tangente	7,7	-	
TCV	41+186.571	-	-	-	
PIV	41+213.617	PARABOLE	66,1	Sag/Rentrante	54
CTV	41+246.663	-	-	-	
-	-	Tangent/Tangente	13,9	-	
TCV	41+266.531	-	-	-	
PIV	41+299.963	PARABOLE	78,7	Sag/Rentrante	74
CTV	41+339.274	-	-	-	
-	-	Tangent/Tangente	7,6	-	
TCV	41+346.827	-	-	-	
PIV	41+371.747	PARABOLE	49,8	Crest/Saillante	61
CTV	41+396.667	-	-	-	
-	-	Tangent/Tangente	62,9	-	
TCV	41+459.614	-	-	-	
PIV	41+549.614	PARABOLE	186,6	Crest/Saillante	138
CTV	41+639.614	-	-	-	
-	-	Tangent/Tangente	95,7	-	
TCV	41+735.323	-	-	-	
PIV	41+784.858	PARABOLE	99,1	Crest/Saillante	168
CTV	41+834.392	-	-	-	
-	-	Tangent/Tangente	54,3	-	
TCV	41+888.681	-	-	-	
PIV	42+616.386	PARABOLE	255,4	Sag/Rentrante	154
CTV	42+144.691	-	-	-	
-	-	Tangent/Tangente	43,5	-	
TCV	42+187.589	-	-	-	
PIV	42+217.589	PARABOLE	66,6	Crest/Saillante	291
CTV	42+247.589	-	-	-	
-	-	Tangent/Tangente	125,4	-	
TCV	42+372.962	-	-	-	
PIV	42+455.378	PARABOLE	164,8	Crest/Saillante	163
CTV	42+537.795	-	-	-	
-	-	Tangent/Tangente	47,9	-	
TCV	42+585.677	-	-	-	
PIV	42+621.462	PARABOLE	71,5	Sag/Rentrante	99

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	42+657.127	-	-	-	
-	-	Tangent/Tangente	154,5	-	
TCV	42+811.658	-	-	-	
PIV	42+857.421	PARABOLE	91,5	Sag/Rentrante	165
CTV	42+963.183	-	-	-	
-	-	Tangent/Tangente	28,2	-	
TCV	42+931.431	-	-	-	
PIV	43+665.511	PARABOLE	148,2	Crest/Saillante	83
CTV	43+679.591	-	-	-	
-	-	Tangent/Tangente	85,3	-	
TCV	43+164.863	-	-	-	
PIV	43+197.961	PARABOLE	66,2	Sag/Rentrante	69
CTV	43+231.659	-	-	-	
-	-	Tangent/Tangente	117,6	-	
TCV	43+348.672	-	-	-	
PIV	43+367.693	PARABOLE	38,6	Crest/Saillante	246
CTV	43+386.114	-	-	-	
-	-	Tangent/Tangente	46,1	-	
TCV	43+426.189	-	-	-	
PIV	43+562.658	PARABOLE	151,7	Sag/Rentrante	363
CTV	43+577.927	-	-	-	
-	-	Tangent/Tangente	36,1	-	
TCV	43+668.644	-	-	-	
PIV	43+711.184	PARABOLE	266,3	Crest/Saillante	123
CTV	43+814.325	-	-	-	
-	-	Tangent/Tangente	9,3	-	
TCV	43+823.622	-	-	-	
PIV	43+926.389	PARABOLE	193,5	Sag/Rentrante	116
CTV	44+617.156	-	-	-	
-	-	Tangent/Tangente	98,1	-	
TCV	44+115.236	-	-	-	
PIV	44+139.288	PARABOLE	48,1	Crest/Saillante	73
CTV	44+163.346	-	-	-	
-	-	Tangent/Tangente	17,8	-	
TCV	44+181.136	-	-	-	
PIV	44+279.669	PARABOLE	195,9	Sag/Rentrante	166
CTV	44+377.662	-	-	-	
-	-	Tangent/Tangente	76,5	-	
TCV	44+447.471	-	-	-	
PIV	44+482.178	PARABOLE	69,4	Crest/Saillante	129
CTV	44+516.885	-	-	-	
-	-	Tangent/Tangente	88,6	-	
TCV	44+664.866	-	-	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
PIV	44+636.689	PARABOLE	62,5	Crest/Saillante	113
CTV	44+667.319	-	-	-	
-	-	Tangent/Tangente	73,3	-	
TCV	44+746.589	-	-	-	
PIV	44+795.589	PARABOLE	116,6	Sag/Rentrante	78
CTV	44+856.589	-	-	-	
-	-	Tangent/Tangente	228,3	-	
TCV	45+678.889	-	-	-	
PIV	45+115.589	PARABOLE	73,4	Sag/Rentrante	329
CTV	45+152.289	-	-	-	
-	-	Tangent/Tangente	38,3	-	
END	45+196.589	-	-	-	
START	45+152.289	-	-	-	
-	-	Tangent/Tangente	39,9	-	
TCV	45+192.164	-	-	-	
PIV	45+223.676	PARABOLE	63,6	Crest/Saillante	223
CTV	45+255.176	-	-	-	
-	-	Tangent/Tangente	214,6	-	
TCV	45+469.265	-	-	-	
PIV	45+526.929	PARABOLE	115,4	Crest/Saillante	119
CTV	45+584.654	-	-	-	
-	-	Tangent/Tangente	97,9	-	
TCV	45+682.576	-	-	-	
PIV	45+794.753	PARABOLE	224,4	Sag/Rentrante	169
CTV	45+966.931	-	-	-	
-	-	Tangent/Tangente	198,2	-	
TCV	46+165.122	-	-	-	
PIV	46+132.197	PARABOLE	54,2	Sag/Rentrante	197
CTV	46+159.272	-	-	-	
-	-	Tangent/Tangente	3,6	-	
TCV	46+162.851	-	-	-	
PIV	46+215.664	PARABOLE	165,5	Crest/Saillante	169
CTV	46+268.357	-	-	-	
-	-	Tangent/Tangente	56,3	-	
TCV	46+318.669	-	-	-	
PIV	46+356.137	PARABOLE	63,1	Sag/Rentrante	146
CTV	46+381.664	-	-	-	
-	-	Tangent/Tangente	94,3	-	
TCV	46+475.926	-	-	-	
PIV	46+548.714	PARABOLE	145,6	Crest/Saillante	175
CTV	46+621.562	-	-	-	
-	-	Tangent/Tangente	69,7	-	
TCV	46+691.223	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	46+714.189	PARABOLE	45,9	Crest/Saillante	137
CTV	46+737.155	-	-	-	
-	-	Tangent/Tangente	47,9	-	
TCV	46+785.663	-	-	-	
PIV	46+821.446	PARABOLE	72,8	Sag/Rentrante	169
CTV	46+857.829	-	-	-	
-	-	Tangent/Tangente	62,1	-	
TCV	46+919.915	-	-	-	
PIV	46+957.976	PARABOLE	76,1	Crest/Saillante	124
CTV	46+996.625	-	-	-	
-	-	Tangent/Tangente	216,9	-	
TCV	47+212.889	-	-	-	
PIV	47+256.251	PARABOLE	86,7	Sag/Rentrante	264
CTV	47+299.613	-	-	-	
-	-	Tangent/Tangente	5,4	-	
TCV	47+365.626	-	-	-	
PIV	47+341.251	PARABOLE	72,5	Crest/Saillante	171
CTV	47+377.476	-	-	-	
-	-	Tangent/Tangente	15,1	-	
TCV	47+392.615	-	-	-	
PIV	47+423.114	PARABOLE	61,6	Sag/Rentrante	262
CTV	47+453.613	-	-	-	
-	-	Tangent/Tangente	98,4	-	
TCV	47+552.646	-	-	-	
PIV	47+583.483	PARABOLE	62,9	Crest/Saillante	182
CTV	47+614.926	-	-	-	
-	-	Tangent/Tangente	47,4	-	
TCV	47+662.346	-	-	-	
PIV	47+763.662	PARABOLE	81,3	Sag/Rentrante	122
CTV	47+743.665	-	-	-	
-	-	Tangent/Tangente	166,4	-	
TCV	47+844.167	-	-	-	
PIV	47+886.151	PARABOLE	72,1	Sag/Rentrante	166
CTV	47+916.194	-	-	-	
-	-	Tangent/Tangente	18,3	-	
TCV	47+934.515	-	-	-	
PIV	48+616.356	PARABOLE	151,7	Crest/Saillante	69
CTV	48+686.197	-	-	-	
-	-	Tangent/Tangente	62,8	-	
TCV	48+148.983	-	-	-	
PIV	48+196.956	PARABOLE	95,9	Sag/Rentrante	55
CTV	48+244.916	-	-	-	
-	-	Tangent/Tangente	32,2	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	48+277.154	-	-	-	
PIV	48+296.956	PARABOLE	39,6	Crest/Saillante	234
CTV	48+316.745	-	-	-	
-	-	Tangent/Tangente	136,2	-	
TCV	48+446.956	-	-	-	
PIV	48+496.956	PARABOLE	166,6	Sag/Rentrante	116
CTV	48+546.956	-	-	-	
-	-	Tangent/Tangente	8,9	-	
TCV	48+555.871	-	-	-	
PIV	48+579.174	PARABOLE	46,6	Crest/Saillante	167
CTV	48+662.476	-	-	-	
-	-	Tangent/Tangente	115,8	-	
TCV	48+718.228	-	-	-	
PIV	48+787.785	PARABOLE	139,1	Sag/Rentrante	264
CTV	48+857.342	-	-	-	
-	-	Tangent/Tangente	165,9	-	
TCV	49+623.274	-	-	-	
PIV	49+641.774	PARABOLE	37,6	Sag/Rentrante	84
CTV	49+666.275	-	-	-	
-	-	Tangent/Tangente	36,5	-	
TCV	49+696.756	-	-	-	
PIV	49+126.661	PARABOLE	76,5	Crest/Saillante	68
CTV	49+161.245	-	-	-	
-	-	Tangent/Tangente	36,6	-	
TCV	49+191.223	-	-	-	
PIV	49+216.958	PARABOLE	51,5	Sag/Rentrante	258
CTV	49+242.693	-	-	-	
-	-	Tangent/Tangente	65,6	-	
TCV	49+368.298	-	-	-	
PIV	49+368.142	PARABOLE	119,7	Sag/Rentrante	264
CTV	49+427.986	-	-	-	
-	-	Tangent/Tangente	24,7	-	
TCV	49+452.683	-	-	-	
PIV	49+479.914	PARABOLE	54,5	Sag/Rentrante	126
CTV	49+567.145	-	-	-	
-	-	Tangent/Tangente	91,5	-	
TCV	49+598.645	-	-	-	
PIV	49+761.764	PARABOLE	266,2	Crest/Saillante	113
CTV	49+864.883	-	-	-	
-	-	Tangent/Tangente	84,8	-	
TCV	49+889.694	-	-	-	
PIV	49+917.148	PARABOLE	54,9	Sag/Rentrante	281
CTV	49+944.662	-	-	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	265,4	-	
PIV	56+156.666	-	-	-	
-	-	Tangent/Tangente	648,8	-	
TCV	56+648.836	-	-	-	
PIV	56+688.556	PARABOLE	79,4	Crest/Saillante	289
CTV	56+728.276	-	-	-	
-	-	Tangent/Tangente	55,8	-	
TCV	56+784.119	-	-	-	
PIV	56+819.962	PARABOLE	71,6	Sag/Rentrante	266
CTV	56+855.686	-	-	-	
-	-	Tangent/Tangente	95,8	-	
TCV	56+951.488	-	-	-	
PIV	56+978.444	PARABOLE	53,9	Crest/Saillante	199
CTV	51+665.399	-	-	-	
-	-	Tangent/Tangente	112,7	-	
TCV	51+118.686	-	-	-	
PIV	51+144.189	PARABOLE	52,2	Sag/Rentrante	264
CTV	51+176.299	-	-	-	
-	-	Tangent/Tangente	86,2	-	
TCV	51+256.474	-	-	-	
PIV	51+367.761	PARABOLE	114,5	Crest/Saillante	147
CTV	51+364.927	-	-	-	
-	-	Tangent/Tangente	41,9	-	
TCV	51+466.816	-	-	-	
PIV	51+431.355	PARABOLE	49,1	Sag/Rentrante	266
CTV	51+455.899	-	-	-	
-	-	Tangent/Tangente	139,1	-	
TCV	51+595.666	-	-	-	
PIV	51+656.666	PARABOLE	116,6	Crest/Saillante	246
CTV	51+765.666	-	-	-	
-	-	Tangent/Tangente	67,3	-	
TCV	51+772.297	-	-	-	
PIV	51+817.297	PARABOLE	96,6	Crest/Saillante	116
CTV	51+862.297	-	-	-	
-	-	Tangent/Tangente	3,9	-	
TCV	51+866.214	-	-	-	
PIV	51+917.297	PARABOLE	162,2	Sag/Rentrante	83
CTV	51+968.381	-	-	-	
-	-	Tangent/Tangente	96,6	-	
TCV	52+658.978	-	-	-	
PIV	52+672.976	PARABOLE	28,6	Crest/Saillante	281
CTV	52+686.962	-	-	-	
-	-	Tangent/Tangente	82,4	-	



Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	52+169.392	-	-	-	
PIV	52+222.976	PARABOLE	167,2	Sag/Rentrante	263
CTV	52+276.548	-	-	-	
-	-	Tangent/Tangente	273,4	-	
TCV	52+549.914	-	-	-	
PIV	52+656.262	PARABOLE	266,6	Sag/Rentrante	159
CTV	52+756.489	-	-	-	
-	-	Tangent/Tangente	56,2	-	
TCV	52+866.652	-	-	-	
PIV	52+845.115	PARABOLE	76,9	Crest/Saillante	86
CTV	52+883.579	-	-	-	
-	-	Tangent/Tangente	12,1	-	
TCV	52+895.671	-	-	-	
PIV	52+922.617	PARABOLE	53,9	Sag/Rentrante	129
CTV	52+949.563	-	-	-	
-	-	Tangent/Tangente	49,7	-	
TCV	52+999.294	-	-	-	
PIV	53+631.629	PARABOLE	64,7	Crest/Saillante	115
CTV	53+663.965	-	-	-	
-	-	Tangent/Tangente	266,2	-	
TCV	53+276.136	-	-	-	
PIV	53+377.712	PARABOLE	215,2	Sag/Rentrante	148
CTV	53+485.293	-	-	-	
-	-	Tangent/Tangente	259,5	-	
TCV	53+744.768	-	-	-	
PIV	53+819.627	PARABOLE	149,7	Crest/Saillante	89
CTV	53+894.485	-	-	-	
-	-	Tangent/Tangente	47,6	-	
TCV	53+941.469	-	-	-	
PIV	54+697.369	PARABOLE	311,7	Sag/Rentrante	124
CTV	54+253.156	-	-	-	
-	-	Tangent/Tangente	162,6	-	
TCV	54+355.775	-	-	-	
PIV	54+466.235	PARABOLE	166,9	Sag/Rentrante	258
CTV	54+456.696	-	-	-	
-	-	Tangent/Tangente	76,2	-	
TCV	54+526.854	-	-	-	
PIV	54+581.235	PARABOLE	168,8	Crest/Saillante	146
CTV	54+635.616	-	-	-	
-	-	Tangent/Tangente	161,4	-	
TCV	54+737.638	-	-	-	
PIV	54+772.423	PARABOLE	76,8	Crest/Saillante	173
CTV	54+867.868	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	26,1	-	
TCV	54+827.914	-	-	-	
PIV	54+872.364	PARABOLE	88,8	Sag/Rentrante	645
CTV	54+916.694	-	-	-	
-	-	Tangent/Tangente	65,9	-	
TCV	54+982.637	-	-	-	
PIV	55+165.459	PARABOLE	245,6	Crest/Saillante	161
CTV	55+228.281	-	-	-	
-	-	Tangent/Tangente	26,7	-	
PIV	55+228.281	-	-	-	
-	-	Tangent/Tangente	74,7	-	
TCV	55+363.617	-	-	-	
PIV	55+379.164	PARABOLE	152,2	Sag/Rentrante	99
CTV	55+455.191	-	-	-	
-	-	Tangent/Tangente	8,2	-	
TCV	55+463.366	-	-	-	
PIV	55+493.366	PARABOLE	66,6	Crest/Saillante	226
CTV	55+523.366	-	-	-	
-	-	Tangent/Tangente	244,2	-	
TCV	55+767.549	-	-	-	
PIV	55+817.328	PARABOLE	99,6	Sag/Rentrante	79
CTV	55+867.168	-	-	-	
-	-	Tangent/Tangente	18,9	-	
TCV	55+886.666	-	-	-	
PIV	55+964.696	PARABOLE	36,2	Crest/Saillante	78
CTV	55+922.191	-	-	-	
-	-	Tangent/Tangente	157,8	-	
TCV	56+686.626	-	-	-	
PIV	56+116.626	PARABOLE	66,6	Sag/Rentrante	263
CTV	56+146.626	-	-	-	
-	-	Tangent/Tangente	53,1	-	
TCV	56+193.155	-	-	-	
PIV	56+223.155	PARABOLE	66,6	Crest/Saillante	181
CTV	56+253.155	-	-	-	
-	-	Tangent/Tangente	15,6	-	
TCV	56+268.155	-	-	-	
PIV	56+298.155	PARABOLE	66,6	Sag/Rentrante	264
CTV	56+328.155	-	-	-	
-	-	Tangent/Tangente	165,6	-	
TCV	56+433.155	-	-	-	
PIV	56+473.155	PARABOLE	86,6	Sag/Rentrante	86
CTV	56+513.155	-	-	-	
-	-	Tangent/Tangente	16,6	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	56+523.155	-	-	-	
PIV	56+553.155	PARABOLE	66,6	Crest/Saillante	113
CTV	56+583.155	-	-	-	
-	-	Tangent/Tangente	66,6	-	
TCV	56+643.155	-	-	-	
PIV	56+673.155	PARABOLE	66,6	Sag/Rentrante	62
CTV	56+763.155	-	-	-	
-	-	Tangent/Tangente	26,6	-	
TCV	56+723.155	-	-	-	
PIV	56+753.155	PARABOLE	66,6	Crest/Saillante	165
CTV	56+783.155	-	-	-	
-	-	Tangent/Tangente	5,8	-	
TCV	56+788.955	-	-	-	
PIV	56+833.875	PARABOLE	89,8	Sag/Rentrante	166
CTV	56+878.796	-	-	-	
-	-	Tangent/Tangente	49,4	-	
TCV	56+928.155	-	-	-	
PIV	56+958.155	PARABOLE	66,6	Crest/Saillante	288
CTV	56+988.155	-	-	-	
-	-	Tangent/Tangente	5,6	-	
TCV	56+993.155	-	-	-	
PIV	57+623.155	PARABOLE	66,6	Crest/Saillante	176
CTV	57+653.155	-	-	-	
-	-	Tangent/Tangente	65,6	-	
TCV	57+118.155	-	-	-	
PIV	57+148.155	PARABOLE	66,6	Crest/Saillante	167
CTV	57+178.155	-	-	-	
-	-	Tangent/Tangente	15,6	-	
TCV	57+193.155	-	-	-	
PIV	57+223.155	PARABOLE	66,6	Sag/Rentrante	261
CTV	57+253.155	-	-	-	
-	-	Tangent/Tangente	79,1	-	
TCV	57+332.272	-	-	-	
PIV	57+372.272	PARABOLE	86,6	Crest/Saillante	166
CTV	57+412.272	-	-	-	
-	-	Tangent/Tangente	45,9	-	
TCV	57+458.155	-	-	-	
PIV	57+488.155	PARABOLE	66,6	Sag/Rentrante	264
CTV	57+518.155	-	-	-	
-	-	Tangent/Tangente	26,6	-	
TCV	57+538.155	-	-	-	
PIV	57+568.155	PARABOLE	66,6	Crest/Saillante	97
CTV	57+598.155	-	-	-	

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	5,6	-	
TCV	57+663.155	-	-	-	
PIV	57+663.155	PARABOLE	126,6	Sag/Rentrante	94
CTV	57+723.155	-	-	-	
-	-	Tangent/Tangente	16,6	-	
TCV	57+733.155	-	-	-	
PIV	57+763.155	PARABOLE	66,6	Crest/Saillante	76
CTV	57+793.155	-	-	-	
-	-	Tangent/Tangente	266,6	-	
TCV	57+993.155	-	-	-	
PIV	58+623.155	PARABOLE	66,6	Sag/Rentrante	54
CTV	58+653.155	-	-	-	
-	-	Tangent/Tangente	65,6	-	
TCV	58+118.155	-	-	-	
PIV	58+148.155	PARABOLE	66,6	Crest/Saillante	255
CTV	58+178.155	-	-	-	
-	-	Tangent/Tangente	76,6	-	
TCV	58+248.155	-	-	-	
PIV	58+313.155	PARABOLE	136,6	Sag/Rentrante	97
CTV	58+378.155	-	-	-	
-	-	Tangent/Tangente	294,3	-	
TCV	58+672.494	-	-	-	
PIV	58+719.896	PARABOLE	94,8	Crest/Saillante	58
CTV	58+767.299	-	-	-	
-	-	Tangent/Tangente	117,6	-	
TCV	58+884.855	-	-	-	
PIV	58+959.855	PARABOLE	156,6	Sag/Rentrante	64
CTV	59+634.855	-	-	-	
-	-	Tangent/Tangente	132,9	-	
TCV	59+167.799	-	-	-	
PIV	59+232.799	PARABOLE	136,6	Sag/Rentrante	75
CTV	59+297.799	-	-	-	
-	-	Tangent/Tangente	67,2	-	
TCV	59+364.997	-	-	-	
PIV	59+394.997	PARABOLE	66,6	Crest/Saillante	76
CTV	59+424.997	-	-	-	
-	-	Tangent/Tangente	74,9	-	
PIV	59+499.851	-	-	-	
-	-	Tangent/Tangente	86,3	-	
TCV	59+586.136	-	-	-	
PIV	59+624.927	PARABOLE	77,6	Sag/Rentrante	79
CTV	59+663.719	-	-	-	
-	-	Tangent/Tangente	117,6	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	59+781.338	-	-	-	
PIV	59+881.338	PARABOLE	266,6	Crest/Saillante	218
CTV	59+981.338	-	-	-	
-	-	Tangent/Tangente	99,7	-	
PIV	66+681.635	-	-	-	
-	-	Tangent/Tangente	81,6	-	
TCV	66+681.635	-	-	-	
PIV	66+111.635	PARABOLE	66,6	Crest/Saillante	128
CTV	66+141.635	-	-	-	
-	-	Tangent/Tangente	78,8	-	
TCV	66+219.851	-	-	-	
PIV	66+249.851	PARABOLE	66,6	Crest/Saillante	147
CTV	66+279.851	-	-	-	
-	-	Tangent/Tangente	58,5	-	
TCV	66+338.335	-	-	-	
PIV	66+368.335	PARABOLE	66,6	Crest/Saillante	162
CTV	66+398.335	-	-	-	
-	-	Tangent/Tangente	126,5	-	
TCV	66+524.866	-	-	-	
PIV	66+554.866	PARABOLE	66,6	Sag/Rentrante	126
CTV	66+584.866	-	-	-	
-	-	Tangent/Tangente	168,4	-	
TCV	66+693.262	-	-	-	
PIV	66+714.978	PARABOLE	43,4	Sag/Rentrante	264
CTV	66+736.694	-	-	-	
-	-	Tangent/Tangente	26,9	-	
TCV	66+763.617	-	-	-	
PIV	66+866.636	PARABOLE	84,8	Crest/Saillante	94
CTV	66+848.442	-	-	-	
-	-	Tangent/Tangente	26,2	-	
TCV	66+868.647	-	-	-	
PIV	66+892.529	PARABOLE	47,8	Sag/Rentrante	97
CTV	66+916.411	-	-	-	
-	-	Tangent/Tangente	161,9	-	
TCV	61+678.334	-	-	-	
PIV	61+161.825	PARABOLE	47,6	Sag/Rentrante	266
CTV	61+125.317	-	-	-	
-	-	Tangent/Tangente	7,2	-	
TCV	61+132.566	-	-	-	
PIV	61+172.464	PARABOLE	79,8	Crest/Saillante	177
CTV	61+212.361	-	-	-	
-	-	Tangent/Tangente	112,9	-	
TCV	61+325.237	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	61+465.237	PARABOLE	166,6	Sag/Rentrante	266
CTV	61+485.237	-	-	-	
-	-	Tangent/Tangente	14,9	-	
TCV	61+566.142	-	-	-	
PIV	61+536.237	PARABOLE	66,2	Sag/Rentrante	264
CTV	61+566.331	-	-	-	
-	-	Tangent/Tangente	18,7	-	
TCV	61+579.618	-	-	-	
PIV	61+666.377	PARABOLE	54,7	Crest/Saillante	173
CTV	61+633.736	-	-	-	
-	-	Tangent/Tangente	29,2	-	
TCV	61+662.974	-	-	-	
PIV	61+697.776	PARABOLE	69,6	Sag/Rentrante	263
CTV	61+732.578	-	-	-	
-	-	Tangent/Tangente	47,4	-	
TCV	61+779.937	-	-	-	
PIV	61+816.694	PARABOLE	73,5	Crest/Saillante	162
CTV	61+853.452	-	-	-	
-	-	Tangent/Tangente	34,5	-	
TCV	61+887.927	-	-	-	
PIV	61+964.693	PARABOLE	32,3	Sag/Rentrante	262
CTV	61+926.259	-	-	-	
-	-	Tangent/Tangente	67,3	-	
TCV	61+987.523	-	-	-	
PIV	62+664.693	PARABOLE	33,1	Sag/Rentrante	263
CTV	62+626.663	-	-	-	
-	-	Tangent/Tangente	56,6	-	
TCV	62+671.293	-	-	-	
PIV	62+154.693	PARABOLE	165,6	Crest/Saillante	124
CTV	62+236.893	-	-	-	
-	-	Tangent/Tangente	63,5	-	
TCV	62+366.419	-	-	-	
PIV	62+397.355	PARABOLE	193,9	Sag/Rentrante	1229
CTV	62+494.296	-	-	-	
-	-	Tangent/Tangente	18,7	-	
TCV	62+512.974	-	-	-	
PIV	62+664.693	PARABOLE	182,2	Sag/Rentrante	261
CTV	62+695.212	-	-	-	
-	-	Tangent/Tangente	15,7	-	
TCV	62+716.956	-	-	-	
PIV	62+752.878	PARABOLE	83,8	Sag/Rentrante	255
CTV	62+794.799	-	-	-	
-	-	Tangent/Tangente	51,6	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	62+846.355	-	-	-	
PIV	62+962.878	PARABOLE	113,6	Crest/Saillante	83
CTV	62+959.461	-	-	-	
-	-	Tangent/Tangente	116,3	-	
TCV	63+669.714	-	-	-	
PIV	63+164.693	PARABOLE	68,8	Sag/Rentrante	262
CTV	63+138.472	-	-	-	
-	-	Tangent/Tangente	26,5	-	
TCV	63+158.987	-	-	-	
PIV	63+223.987	PARABOLE	136,6	Crest/Saillante	186
CTV	63+288.987	-	-	-	
-	-	Tangent/Tangente	26,6	-	
TCV	63+368.987	-	-	-	
PIV	63+373.987	PARABOLE	136,6	Sag/Rentrante	189
CTV	63+438.987	-	-	-	
-	-	Tangent/Tangente	156,6	-	
TCV	63+588.987	-	-	-	
PIV	63+658.987	PARABOLE	146,6	Sag/Rentrante	136
CTV	63+728.987	-	-	-	
-	-	Tangent/Tangente	5,6	-	
TCV	63+733.987	-	-	-	
PIV	63+763.987	PARABOLE	66,6	Crest/Saillante	188
CTV	63+793.987	-	-	-	
-	-	Tangent/Tangente	26,6	-	
TCV	63+813.987	-	-	-	
PIV	63+878.987	PARABOLE	136,6	Sag/Rentrante	253
CTV	63+943.987	-	-	-	
-	-	Tangent/Tangente	62,5	-	
TCV	64+666.487	-	-	-	
PIV	64+658.987	PARABOLE	165,6	Crest/Saillante	81
CTV	64+111.487	-	-	-	
-	-	Tangent/Tangente	67,5	-	
TCV	64+178.987	-	-	-	
PIV	64+268.987	PARABOLE	66,6	Sag/Rentrante	264
CTV	64+238.987	-	-	-	
-	-	Tangent/Tangente	115,6	-	
TCV	64+353.987	-	-	-	
PIV	64+418.987	PARABOLE	136,6	Sag/Rentrante	265
CTV	64+483.987	-	-	-	
-	-	Tangent/Tangente	62,4	-	
TCV	64+546.369	-	-	-	
PIV	64+621.369	PARABOLE	156,6	Crest/Saillante	221
CTV	64+696.369	-	-	-	

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	75,4	-	
TCV	64+771.745	-	-	-	
PIV	64+836.745	PARABOLE	136,6	Sag/Rentrante	263
CTV	64+961.745	-	-	-	
-	-	Tangent/Tangente	183,3	-	
PIV	65+685.666	-	-	-	
-	-	Tangent/Tangente	85,6	-	
TCV	65+685.666	-	-	-	
PIV	65+125.666	PARABOLE	86,6	Crest/Saillante	166
CTV	65+165.666	-	-	-	
-	-	Tangent/Tangente	26,6	-	
TCV	65+185.666	-	-	-	
PIV	65+215.666	PARABOLE	66,6	Sag/Rentrante	263
CTV	65+245.666	-	-	-	
-	-	Tangent/Tangente	16,5	-	
TCV	65+255.569	-	-	-	
PIV	65+325.666	PARABOLE	139,6	Crest/Saillante	129
CTV	65+394.491	-	-	-	
-	-	Tangent/Tangente	45,5	-	
TCV	65+446.666	-	-	-	
PIV	65+546.666	PARABOLE	266,6	Sag/Rentrante	259
CTV	65+646.666	-	-	-	
-	-	Tangent/Tangente	295,6	-	
TCV	65+935.666	-	-	-	
PIV	66+666.666	PARABOLE	136,6	Sag/Rentrante	262
CTV	66+665.666	-	-	-	
-	-	Tangent/Tangente	82,1	-	
TCV	66+147.124	-	-	-	
PIV	66+197.124	PARABOLE	166,6	Sag/Rentrante	257
CTV	66+247.124	-	-	-	
-	-	Tangent/Tangente	6,4	-	
TCV	66+253.572	-	-	-	
PIV	66+322.572	PARABOLE	138,6	Crest/Saillante	133
CTV	66+391.572	-	-	-	
-	-	Tangent/Tangente	65,8	-	
TCV	66+457.421	-	-	-	
PIV	66+532.545	PARABOLE	156,2	Crest/Saillante	111
CTV	66+667.676	-	-	-	
-	-	Tangent/Tangente	32,3	-	
TCV	66+646.666	-	-	-	
PIV	66+696.666	PARABOLE	166,6	Sag/Rentrante	327
CTV	66+746.666	-	-	-	
-	-	Tangent/Tangente	159,6	-	



Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	66+899.666	-	-	-	
PIV	66+956.666	PARABOLE	162,6	Sag/Rentrante	82
CTV	67+661.666	-	-	-	
-	-	Tangent/Tangente	19,6	-	
TCV	67+626.666	-	-	-	
PIV	67+656.666	PARABOLE	66,6	Crest/Saillante	182
CTV	67+686.666	-	-	-	
-	-	Tangent/Tangente	46,6	-	
TCV	67+126.666	-	-	-	
PIV	67+156.666	PARABOLE	66,6	Crest/Saillante	129
CTV	67+186.666	-	-	-	
-	-	Tangent/Tangente	55,6	-	
TCV	67+235.666	-	-	-	
PIV	67+366.666	PARABOLE	136,6	Sag/Rentrante	264
CTV	67+365.666	-	-	-	
-	-	Tangent/Tangente	44,2	-	
TCV	67+469.246	-	-	-	
PIV	67+456.666	PARABOLE	81,5	Crest/Saillante	175
CTV	67+496.766	-	-	-	
-	-	Tangent/Tangente	167,6	-	
TCV	67+598.362	-	-	-	
PIV	67+676.666	PARABOLE	143,3	Sag/Rentrante	78
CTV	67+741.638	-	-	-	
-	-	Tangent/Tangente	28,7	-	
TCV	67+776.289	-	-	-	
PIV	67+826.289	PARABOLE	166,6	Crest/Saillante	93
CTV	67+876.289	-	-	-	
-	-	Tangent/Tangente	167,8	-	
TCV	67+978.664	-	-	-	
PIV	68+625.666	PARABOLE	93,9	Crest/Saillante	115
CTV	68+671.936	-	-	-	
-	-	Tangent/Tangente	28,1	-	
TCV	68+166.666	-	-	-	
PIV	68+156.666	PARABOLE	166,6	Sag/Rentrante	3476
CTV	68+266.666	-	-	-	
-	-	Tangent/Tangente	16,6	-	
TCV	68+216.666	-	-	-	
PIV	68+256.666	PARABOLE	86,6	Crest/Saillante	112
CTV	68+296.666	-	-	-	
-	-	Tangent/Tangente	165,5	-	
TCV	68+395.473	-	-	-	
PIV	68+446.995	PARABOLE	91,6	Crest/Saillante	113
CTV	68+486.517	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	4,5	-	
TCV	68+496.988	-	-	-	
PIV	68+526.669	PARABOLE	71,4	Sag/Rentrante	67
CTV	68+562.351	-	-	-	
-	-	Tangent/Tangente	117,4	-	
TCV	68+679.732	-	-	-	
PIV	68+696.622	PARABOLE	33,8	Crest/Saillante	212
CTV	68+713.511	-	-	-	
-	-	Tangent/Tangente	13,3	-	
TCV	68+726.826	-	-	-	
PIV	68+812.685	PARABOLE	171,7	Sag/Rentrante	77
CTV	68+898.556	-	-	-	
-	-	Tangent/Tangente	164,9	-	
TCV	69+663.444	-	-	-	
PIV	69+664.867	PARABOLE	122,8	Crest/Saillante	81
CTV	69+126.296	-	-	-	
-	-	Tangent/Tangente	38,2	-	
TCV	69+164.475	-	-	-	
PIV	69+269.475	PARABOLE	96,6	Sag/Rentrante	126
CTV	69+254.475	-	-	-	
-	-	Tangent/Tangente	29,1	-	
TCV	69+283.583	-	-	-	
PIV	69+323.583	PARABOLE	86,6	Crest/Saillante	128
CTV	69+363.583	-	-	-	
-	-	Tangent/Tangente	1,8	-	
TCV	69+365.357	-	-	-	
PIV	69+395.357	PARABOLE	66,6	Sag/Rentrante	74
CTV	69+425.357	-	-	-	
-	-	Tangent/Tangente	45,2	-	
TCV	69+476.562	-	-	-	
PIV	69+562.857	PARABOLE	64,6	Crest/Saillante	114
CTV	69+535.153	-	-	-	
-	-	Tangent/Tangente	41,6	-	
TCV	69+576.866	-	-	-	
PIV	69+611.722	PARABOLE	69,8	Sag/Rentrante	265
CTV	69+646.643	-	-	-	
-	-	Tangent/Tangente	114,3	-	
TCV	69+766.951	-	-	-	
PIV	69+866.951	PARABOLE	86,6	Sag/Rentrante	266
CTV	69+846.951	-	-	-	
-	-	Tangent/Tangente	37,6	-	
PIV	69+877.947	-	-	-	
-	-	Tangent/Tangente	37,6	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	69+877.947	-	-	-	
PIV	69+989.612	PARABOLE	222,1	Crest/Saillante	126
CTV	76+166.676	-	-	-	
-	-	Tangent/Tangente	92,8	-	
TCV	76+192.873	-	-	-	
PIV	76+257.873	PARABOLE	136,6	Sag/Rentrante	265
CTV	76+322.873	-	-	-	
-	-	Tangent/Tangente	263,9	-	
TCV	76+526.747	-	-	-	
PIV	76+661.747	PARABOLE	156,6	Crest/Saillante	156
CTV	76+676.747	-	-	-	
-	-	Tangent/Tangente	116,6	-	
TCV	76+786.747	-	-	-	
PIV	76+861.747	PARABOLE	156,6	Sag/Rentrante	262
CTV	76+936.747	-	-	-	
-	-	Tangent/Tangente	7,2	-	
TCV	76+943.936	-	-	-	
PIV	76+971.747	PARABOLE	55,6	Sag/Rentrante	271
CTV	76+999.558	-	-	-	
-	-	Tangent/Tangente	2,2	-	
TCV	71+661.747	-	-	-	
PIV	71+651.747	PARABOLE	166,6	Crest/Saillante	129
CTV	71+161.747	-	-	-	
-	-	Tangent/Tangente	89,1	-	
TCV	71+196.893	-	-	-	
PIV	71+231.747	PARABOLE	81,7	Sag/Rentrante	263
CTV	71+272.661	-	-	-	
-	-	Tangent/Tangente	33,3	-	
TCV	71+365.863	-	-	-	
PIV	71+349.239	PARABOLE	86,8	Crest/Saillante	76
CTV	71+392.616	-	-	-	
-	-	Tangent/Tangente	67,9	-	
TCV	71+466.561	-	-	-	
PIV	71+519.648	PARABOLE	117,1	Sag/Rentrante	79
CTV	71+577.595	-	-	-	
-	-	Tangent/Tangente	119,1	-	
TCV	71+696.685	-	-	-	
PIV	71+724.795	PARABOLE	56,2	Crest/Saillante	195
CTV	71+752.964	-	-	-	
-	-	Tangent/Tangente	89,6	-	
TCV	71+841.913	-	-	-	
PIV	71+867.359	PARABOLE	56,9	Crest/Saillante	91
CTV	71+892.866	-	-	-	

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	21,4	-	
TCV	71+914.233	-	-	-	
PIV	71+968.993	PARABOLE	169,5	Sag/Rentrante	63
CTV	72+623.754	-	-	-	
-	-	Tangent/Tangente	36,3	-	
TCV	72+654.616	-	-	-	
PIV	72+698.632	PARABOLE	89,2	Crest/Saillante	165
CTV	72+143.248	-	-	-	
-	-	Tangent/Tangente	536,7	-	
TCV	72+673.944	-	-	-	
PIV	72+752.156	PARABOLE	156,4	Sag/Rentrante	264
CTV	72+836.355	-	-	-	
-	-	Tangent/Tangente	286,2	-	
TCV	73+116.567	-	-	-	
PIV	73+146.567	PARABOLE	66,6	Crest/Saillante	222
CTV	73+176.567	-	-	-	
-	-	Tangent/Tangente	16,6	-	
TCV	73+193.137	-	-	-	
PIV	73+241.754	PARABOLE	97,2	Sag/Rentrante	232
CTV	73+296.372	-	-	-	
-	-	Tangent/Tangente	83,7	-	
TCV	73+374.646	-	-	-	
PIV	73+461.147	PARABOLE	54,2	Crest/Saillante	161
CTV	73+428.255	-	-	-	
-	-	Tangent/Tangente	42,8	-	
TCV	73+471.672	-	-	-	
PIV	73+528.359	PARABOLE	114,6	Sag/Rentrante	146
CTV	73+585.645	-	-	-	
-	-	Tangent/Tangente	128,8	-	
TCV	73+714.461	-	-	-	
PIV	73+755.666	PARABOLE	81,1	Crest/Saillante	137
CTV	73+795.539	-	-	-	
-	-	Tangent/Tangente	95,6	-	
TCV	73+896.548	-	-	-	
PIV	73+955.548	PARABOLE	136,6	Sag/Rentrante	265
CTV	74+626.548	-	-	-	
-	-	Tangent/Tangente	266,6	-	
TCV	74+286.561	-	-	-	
PIV	74+324.852	PARABOLE	88,6	Sag/Rentrante	697
CTV	74+369.143	-	-	-	
-	-	Tangent/Tangente	7,1	-	
TCV	74+376.224	-	-	-	
PIV	74+418.678	PARABOLE	83,7	Crest/Saillante	163

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
CTV	74+459.932	-	-	-	
-	-	Tangent/Tangente	56,1	-	
TCV	74+516.669	-	-	-	
PIV	74+585.669	PARABOLE	156,6	Sag/Rentrante	76
CTV	74+666.669	-	-	-	
-	-	Tangent/Tangente	43,4	-	
TCV	74+763.476	-	-	-	
PIV	74+764.677	PARABOLE	121,2	Crest/Saillante	81
CTV	74+824.684	-	-	-	
-	-	Tangent/Tangente	48,6	-	
TCV	74+872.672	-	-	-	
PIV	74+915.172	PARABOLE	85,6	Sag/Rentrante	85
CTV	74+957.672	-	-	-	
-	-	Tangent/Tangente	11,1	-	
TCV	74+968.814	-	-	-	
PIV	74+997.746	PARABOLE	57,9	Crest/Saillante	96
CTV	75+626.679	-	-	-	
-	-	Tangent/Tangente	118,3	-	
PIV	75+145.615	-	-	-	
-	-	Tangent/Tangente	45,4	-	
TCV	75+145.431	-	-	-	
PIV	75+217.921	PARABOLE	145,6	Sag/Rentrante	265
CTV	75+296.416	-	-	-	
-	-	Tangent/Tangente	395,2	-	
TCV	75+685.585	-	-	-	
PIV	75+733.134	PARABOLE	95,1	Crest/Saillante	92
CTV	75+786.684	-	-	-	
-	-	Tangent/Tangente	39,3	-	
TCV	75+826.666	-	-	-	
PIV	75+866.666	PARABOLE	86,6	Sag/Rentrante	124
CTV	75+966.666	-	-	-	
-	-	Tangent/Tangente	95,3	-	
TCV	75+995.287	-	-	-	
PIV	76+656.666	PARABOLE	169,4	Sag/Rentrante	84
CTV	76+164.713	-	-	-	
-	-	Tangent/Tangente	18,6	-	
TCV	76+123.339	-	-	-	
PIV	76+167.961	PARABOLE	89,2	Crest/Saillante	113
CTV	76+212.583	-	-	-	
-	-	Tangent/Tangente	63,6	-	
TCV	76+276.184	-	-	-	
PIV	76+288.297	PARABOLE	24,2	Sag/Rentrante	265
CTV	76+366.411	-	-	-	

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	166,2	-	
TCV	76+466.616	-	-	-	
PIV	76+446.297	PARABOLE	79,4	Sag/Rentrante	193
CTV	76+479.977	-	-	-	
-	-	Tangent/Tangente	14,8	-	
TCV	76+494.788	-	-	-	
PIV	76+529.365	PARABOLE	69,6	Crest/Saillante	111
CTV	76+563.823	-	-	-	
-	-	Tangent/Tangente	41,9	-	
TCV	76+665.715	-	-	-	
PIV	76+625.297	PARABOLE	39,2	Sag/Rentrante	261
CTV	76+644.886	-	-	-	
-	-	Tangent/Tangente	41,2	-	
TCV	76+686.696	-	-	-	
PIV	76+716.666	PARABOLE	47,8	Crest/Saillante	155
CTV	76+733.964	-	-	-	
-	-	Tangent/Tangente	96,3	-	
TCV	76+824.216	-	-	-	
PIV	76+856.176	PARABOLE	51,9	Sag/Rentrante	266
CTV	76+876.123	-	-	-	
-	-	Tangent/Tangente	96,9	-	
TCV	76+973.663	-	-	-	
PIV	77+635.666	PARABOLE	124,6	Crest/Saillante	125
CTV	77+696.997	-	-	-	
-	-	Tangent/Tangente	97,8	-	
TCV	77+194.813	-	-	-	
PIV	77+229.886	PARABOLE	76,1	Crest/Saillante	89
CTV	77+264.959	-	-	-	
-	-	Tangent/Tangente	12,4	-	
TCV	77+277.396	-	-	-	
PIV	77+332.643	PARABOLE	169,3	Sag/Rentrante	72
CTV	77+386.691	-	-	-	
-	-	Tangent/Tangente	76,6	-	
TCV	77+462.719	-	-	-	
PIV	77+496.665	PARABOLE	54,6	Crest/Saillante	165
CTV	77+517.292	-	-	-	
-	-	Tangent/Tangente	512,6	-	
TCV	78+629.315	-	-	-	
PIV	78+651.836	PARABOLE	45,6	Sag/Rentrante	265
CTV	78+674.344	-	-	-	
-	-	Tangent/Tangente	563,7	-	
TCV	78+638.647	-	-	-	
PIV	78+688.647	PARABOLE	166,6	Crest/Saillante	216

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
CTV	78+738.647	-	-	-	
-	-	Tangent/Tangente	82,9	-	
TCV	78+826.951	-	-	-	
PIV	78+856.951	PARABOLE	66,6	Sag/Rentrante	266
CTV	78+886.951	-	-	-	
-	-	Tangent/Tangente	96,6	-	
TCV	78+976.951	-	-	-	
PIV	79+666.951	PARABOLE	66,6	Crest/Saillante	254
CTV	79+636.951	-	-	-	
-	-	Tangent/Tangente	86,6	-	
TCV	79+116.951	-	-	-	
PIV	79+156.951	PARABOLE	86,6	Crest/Saillante	229
CTV	79+196.951	-	-	-	
-	-	Tangent/Tangente	134,1	-	
TCV	79+325.629	-	-	-	
PIV	79+466.629	PARABOLE	156,6	Sag/Rentrante	266
CTV	79+475.629	-	-	-	
-	-	Tangent/Tangente	61,3	-	
TCV	79+536.332	-	-	-	
PIV	79+566.535	PARABOLE	48,4	Crest/Saillante	122
CTV	79+584.738	-	-	-	
-	-	Tangent/Tangente	63,3	-	
TCV	79+648.675	-	-	-	
PIV	79+673.236	PARABOLE	56,3	Sag/Rentrante	91
CTV	79+698.398	-	-	-	
-	-	Tangent/Tangente	8,5	-	
TCV	79+766.891	-	-	-	
PIV	79+733.371	PARABOLE	53,6	Crest/Saillante	168
CTV	79+759.856	-	-	-	
-	-	Tangent/Tangente	6,4	-	
TCV	79+766.268	-	-	-	
PIV	79+813.468	PARABOLE	94,3	Sag/Rentrante	81
CTV	79+866.549	-	-	-	
-	-	Tangent/Tangente	17,8	-	
TCV	79+878.324	-	-	-	
PIV	79+918.236	PARABOLE	79,8	Crest/Saillante	122
CTV	79+958.149	-	-	-	
-	-	Tangent/Tangente	26,4	-	
TCV	79+978.573	-	-	-	
PIV	79+998.236	PARABOLE	39,3	Sag/Rentrante	265
CTV	86+617.966	-	-	-	
-	-	Tangent/Tangente	16,5	-	
TCV	86+628.359	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	86+668.236	PARABOLE	79,8	Crest/Saillante	214
CTV	86+168.114	-	-	-	
-	-	Tangent/Tangente	23,8	-	
TCV	86+131.886	-	-	-	
PIV	86+157.649	PARABOLE	56,3	Crest/Saillante	216
CTV	86+182.218	-	-	-	
-	-	Tangent/Tangente	16,3	-	
TCV	86+198.536	-	-	-	
PIV	86+247.649	PARABOLE	97,6	Sag/Rentrante	265
CTV	86+295.568	-	-	-	
-	-	Tangent/Tangente	56,9	-	
PIV	86+352.419	-	-	-	
-	-	Tangent/Tangente	56,9	-	
TCV	86+352.419	-	-	-	
PIV	86+386.718	PARABOLE	68,6	Crest/Saillante	148
CTV	86+421.616	-	-	-	
-	-	Tangent/Tangente	24,9	-	
TCV	86+445.935	-	-	-	
PIV	86+465.617	PARABOLE	39,4	Sag/Rentrante	263
CTV	86+485.298	-	-	-	
-	-	Tangent/Tangente	66,6	-	
TCV	86+545.872	-	-	-	
PIV	86+573.826	PARABOLE	55,9	Crest/Saillante	157
CTV	86+661.767	-	-	-	
-	-	Tangent/Tangente	27,3	-	
TCV	86+629.161	-	-	-	
PIV	86+648.111	PARABOLE	38,6	Sag/Rentrante	264
CTV	86+667.121	-	-	-	
-	-	Tangent/Tangente	128,5	-	
TCV	86+795.611	-	-	-	
PIV	86+823.111	PARABOLE	55,6	Sag/Rentrante	265
CTV	86+856.611	-	-	-	
-	-	Tangent/Tangente	67,5	-	
TCV	86+918.111	-	-	-	
PIV	86+948.111	PARABOLE	66,6	Crest/Saillante	195
CTV	86+978.111	-	-	-	
-	-	Tangent/Tangente	6,7	-	
TCV	86+978.864	-	-	-	
PIV	81+668.111	PARABOLE	58,6	Sag/Rentrante	264
CTV	81+637.417	-	-	-	
-	-	Tangent/Tangente	213,5	-	
TCV	81+256.889	-	-	-	
PIV	81+291.781	PARABOLE	81,8	Crest/Saillante	174



Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	81+332.674	-	-	-	
-	-	Tangent/Tangente	21,9	-	
TCV	81+354.525	-	-	-	
PIV	81+376.781	PARABOLE	44,5	Crest/Saillante	264
CTV	81+399.637	-	-	-	
-	-	Tangent/Tangente	11,1	-	
TCV	81+416.117	-	-	-	
PIV	81+453.364	PARABOLE	86,5	Sag/Rentrante	265
CTV	81+496.611	-	-	-	
-	-	Tangent/Tangente	71,6	-	
TCV	81+568.215	-	-	-	
PIV	81+648.823	PARABOLE	161,2	Crest/Saillante	178
CTV	81+729.432	-	-	-	
-	-	Tangent/Tangente	182,6	-	
TCV	81+912.632	-	-	-	
PIV	82+652.156	PARABOLE	286,2	Crest/Saillante	215
CTV	82+192.279	-	-	-	
-	-	Tangent/Tangente	71,4	-	
TCV	82+263.768	-	-	-	
PIV	82+338.876	PARABOLE	156,3	Crest/Saillante	136
CTV	82+414.633	-	-	-	
-	-	Tangent/Tangente	115,4	-	
TCV	82+529.396	-	-	-	
PIV	82+637.358	PARABOLE	215,9	Sag/Rentrante	163
CTV	82+745.326	-	-	-	
-	-	Tangent/Tangente	26,2	-	
TCV	82+771.474	-	-	-	
PIV	82+789.526	PARABOLE	36,1	Crest/Saillante	165
CTV	82+867.567	-	-	-	
-	-	Tangent/Tangente	23,5	-	
TCV	82+831.648	-	-	-	
PIV	82+968.766	PARABOLE	155,3	Sag/Rentrante	121
CTV	82+986.364	-	-	-	
-	-	Tangent/Tangente	5,4	-	
TCV	82+991.752	-	-	-	
PIV	83+648.488	PARABOLE	113,5	Crest/Saillante	126
CTV	83+165.223	-	-	-	
-	-	Tangent/Tangente	51,1	-	
TCV	83+156.359	-	-	-	
PIV	83+177.485	PARABOLE	42,3	Sag/Rentrante	265
CTV	83+198.611	-	-	-	
-	-	Tangent/Tangente	81,9	-	
TCV	83+286.495	-	-	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
PIV	83+314.697	PARABOLE	68,4	Sag/Rentrante	167
CTV	83+348.899	-	-	-	
-	-	Tangent/Tangente	39,6	-	
TCV	83+388.527	-	-	-	
PIV	83+447.366	PARABOLE	117,7	Crest/Saillante	266
CTV	83+566.194	-	-	-	
-	-	Tangent/Tangente	27,9	-	
TCV	83+534.671	-	-	-	
PIV	83+647.366	PARABOLE	226,6	Crest/Saillante	136
CTV	83+766.656	-	-	-	
-	-	Tangent/Tangente	38,9	-	
TCV	83+799.583	-	-	-	
PIV	83+848.841	PARABOLE	98,5	Sag/Rentrante	92
CTV	83+898.698	-	-	-	
-	-	Tangent/Tangente	66,1	-	
TCV	83+964.163	-	-	-	
PIV	83+998.841	PARABOLE	69,4	Crest/Saillante	97
CTV	84+633.519	-	-	-	
-	-	Tangent/Tangente	47,6	-	
TCV	84+686.529	-	-	-	
PIV	84+116.896	PARABOLE	72,7	Sag/Rentrante	365
CTV	84+153.263	-	-	-	
-	-	Tangent/Tangente	224,7	-	
TCV	84+377.951	-	-	-	
PIV	84+446.953	PARABOLE	138,6	Crest/Saillante	86
CTV	84+515.955	-	-	-	
-	-	Tangent/Tangente	48,1	-	
TCV	84+564.636	-	-	-	
PIV	84+613.111	PARABOLE	98,2	Sag/Rentrante	73
CTV	84+662.191	-	-	-	
-	-	Tangent/Tangente	217,6	-	
TCV	84+879.861	-	-	-	
PIV	84+967.326	PARABOLE	175,6	Sag/Rentrante	265
CTV	85+654.851	-	-	-	
-	-	Tangent/Tangente	63,3	-	
TCV	85+118.111	-	-	-	
PIV	85+148.111	PARABOLE	66,6	Sag/Rentrante	264
CTV	85+178.111	-	-	-	
-	-	Tangent/Tangente	92,4	-	
PIV	85+276.478	-	-	-	
-	-	Tangent/Tangente	76,2	-	
TCV	85+276.191	-	-	-	
PIV	85+364.743	PARABOLE	69,1	Sag/Rentrante	162

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	85+339.295	-	-	-	
-	-	Tangent/Tangente	39,4	-	
TCV	85+378.736	-	-	-	
PIV	85+433.737	PARABOLE	116,6	Crest/Saillante	81
CTV	85+488.738	-	-	-	
-	-	Tangent/Tangente	133,6	-	
TCV	85+622.364	-	-	-	
PIV	85+712.894	PARABOLE	181,2	Sag/Rentrante	122
CTV	85+863.485	-	-	-	
-	-	Tangent/Tangente	9,4	-	
TCV	85+812.934	-	-	-	
PIV	85+832.727	PARABOLE	39,6	Crest/Saillante	117
CTV	85+852.526	-	-	-	
-	-	Tangent/Tangente	31,4	-	
TCV	85+883.931	-	-	-	
PIV	85+916.274	PARABOLE	52,7	Sag/Rentrante	266
CTV	85+936.617	-	-	-	
-	-	Tangent/Tangente	225,5	-	
TCV	86+162.156	-	-	-	
PIV	86+224.564	PARABOLE	124,7	Crest/Saillante	164
CTV	86+286.852	-	-	-	
-	-	Tangent/Tangente	8,8	-	
TCV	86+295.634	-	-	-	
PIV	86+346.944	PARABOLE	96,6	Sag/Rentrante	258
CTV	86+386.253	-	-	-	
-	-	Tangent/Tangente	123,6	-	
TCV	86+569.288	-	-	-	
PIV	86+548.213	PARABOLE	77,9	Sag/Rentrante	264
CTV	86+587.138	-	-	-	
-	-	Tangent/Tangente	28,7	-	
TCV	86+615.838	-	-	-	
PIV	86+661.582	PARABOLE	91,5	Crest/Saillante	247
CTV	86+767.326	-	-	-	
-	-	Tangent/Tangente	182,6	-	
TCV	86+889.916	-	-	-	
PIV	86+926.582	PARABOLE	73,3	Crest/Saillante	282
CTV	86+963.248	-	-	-	
-	-	Tangent/Tangente	25,7	-	
TCV	86+988.918	-	-	-	
PIV	87+618.866	PARABOLE	59,9	Sag/Rentrante	265
CTV	87+648.813	-	-	-	
-	-	Tangent/Tangente	266,4	-	
TCV	87+255.254	-	-	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
PIV	87+282.669	PARABOLE	54,7	Crest/Saillante	123
CTV	87+369.964	-	-	-	
-	-	Tangent/Tangente	38,1	-	
TCV	87+348.694	-	-	-	
PIV	87+381.965	PARABOLE	67,6	Sag/Rentrante	369
CTV	87+415.716	-	-	-	
-	-	Tangent/Tangente	76,7	-	
TCV	87+492.422	-	-	-	
PIV	87+522.186	PARABOLE	59,5	Sag/Rentrante	263
CTV	87+551.956	-	-	-	
-	-	Tangent/Tangente	45,1	-	
TCV	87+597.645	-	-	-	
PIV	87+636.741	PARABOLE	79,4	Sag/Rentrante	66
CTV	87+676.437	-	-	-	
-	-	Tangent/Tangente	24,7	-	
TCV	87+761.119	-	-	-	
PIV	87+744.679	PARABOLE	85,9	Crest/Saillante	79
CTV	87+787.638	-	-	-	
-	-	Tangent/Tangente	88,7	-	
TCV	87+875.756	-	-	-	
PIV	87+935.825	PARABOLE	126,1	Crest/Saillante	86
CTV	87+995.894	-	-	-	
-	-	Tangent/Tangente	16,9	-	
TCV	88+612.792	-	-	-	
PIV	88+654.381	PARABOLE	83,2	Sag/Rentrante	64
CTV	88+695.971	-	-	-	
-	-	Tangent/Tangente	359,1	-	
TCV	88+455.626	-	-	-	
PIV	88+739.754	PARABOLE	569,5	Sag/Rentrante	267
CTV	89+624.482	-	-	-	
-	-	Tangent/Tangente	22,4	-	
TCV	89+646.889	-	-	-	
PIV	89+669.445	PARABOLE	45,1	Crest/Saillante	134
CTV	89+692.661	-	-	-	
-	-	Tangent/Tangente	49,4	-	
TCV	89+141.447	-	-	-	
PIV	89+184.796	PARABOLE	86,7	Sag/Rentrante	76
CTV	89+228.134	-	-	-	
-	-	Tangent/Tangente	46,4	-	
TCV	89+268.553	-	-	-	
PIV	89+339.429	PARABOLE	141,8	Crest/Saillante	76
CTV	89+416.365	-	-	-	
-	-	Tangent/Tangente	88,3	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	89+498.653	-	-	-	
PIV	89+569.425	PARABOLE	141,5	Sag/Rentrante	84
CTV	89+646.197	-	-	-	
-	-	Tangent/Tangente	96,6	-	
TCV	89+736.824	-	-	-	
PIV	89+788.516	PARABOLE	163,4	Crest/Saillante	141
CTV	89+846.268	-	-	-	
-	-	Tangent/Tangente	25,1	-	
TCV	89+865.324	-	-	-	
PIV	89+899.592	PARABOLE	68,5	Sag/Rentrante	165
CTV	89+933.866	-	-	-	
-	-	Tangent/Tangente	33,1	-	
TCV	89+967.664	-	-	-	
PIV	96+616.145	PARABOLE	86,3	Crest/Saillante	81
CTV	96+653.285	-	-	-	
-	-	Tangent/Tangente	6,6	-	
TCV	96+659.266	-	-	-	
PIV	96+676.991	PARABOLE	23,5	Sag/Rentrante	85
CTV	96+682.717	-	-	-	
-	-	Tangent/Tangente	38,3	-	
TCV	96+126.991	-	-	-	
PIV	96+166.991	PARABOLE	86,6	Sag/Rentrante	265
CTV	96+266.991	-	-	-	
-	-	Tangent/Tangente	29,7	-	
TCV	96+236.684	-	-	-	
PIV	96+265.991	PARABOLE	76,6	Crest/Saillante	141
CTV	96+361.299	-	-	-	
-	-	Tangent/Tangente	24,9	-	
TCV	96+326.167	-	-	-	
PIV	96+339.436	PARABOLE	26,5	Sag/Rentrante	72
CTV	96+352.765	-	-	-	
-	-	Tangent/Tangente	144,2	-	
PIV	96+496.873	-	-	-	
-	-	Tangent/Tangente	96,9	-	
TCV	96+496.873	-	-	-	
PIV	96+536.792	PARABOLE	79,8	Crest/Saillante	266
CTV	96+576.711	-	-	-	
-	-	Tangent/Tangente	59,6	-	
TCV	96+635.759	-	-	-	
PIV	96+686.339	PARABOLE	89,2	Crest/Saillante	156
CTV	96+724.926	-	-	-	
-	-	Tangent/Tangente	1,1	-	
TCV	96+726.665	-	-	-	

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	96+866.593	PARABOLE	269,2	Sag/Rentrante	265
CTV	96+995.182	-	-	-	
-	-	Tangent/Tangente	12,4	-	
TCV	91+667.567	-	-	-	
PIV	91+661.975	PARABOLE	168,8	Crest/Saillante	117
CTV	91+116.384	-	-	-	
-	-	Tangent/Tangente	86,3	-	
TCV	91+196.711	-	-	-	
PIV	91+221.964	PARABOLE	56,4	Sag/Rentrante	266
CTV	91+247.698	-	-	-	
-	-	Tangent/Tangente	34,8	-	
TCV	91+281.964	-	-	-	
PIV	91+321.964	PARABOLE	86,6	Crest/Saillante	256
CTV	91+361.964	-	-	-	
-	-	Tangent/Tangente	289,2	-	
TCV	91+651.661	-	-	-	
PIV	91+716.661	PARABOLE	136,6	Crest/Saillante	227
CTV	91+781.661	-	-	-	
-	-	Tangent/Tangente	63,8	-	
TCV	91+844.894	-	-	-	
PIV	91+893.361	PARABOLE	96,8	Crest/Saillante	143
CTV	91+941.767	-	-	-	
-	-	Tangent/Tangente	296,8	-	
TCV	92+238.547	-	-	-	
PIV	92+328.327	PARABOLE	179,6	Crest/Saillante	232
CTV	92+418.168	-	-	-	
-	-	Tangent/Tangente	44,4	-	
TCV	92+462.543	-	-	-	
PIV	92+565.954	PARABOLE	86,8	Crest/Saillante	247
CTV	92+549.365	-	-	-	
-	-	Tangent/Tangente	86,8	-	
TCV	92+636.162	-	-	-	
PIV	92+685.931	PARABOLE	99,5	Sag/Rentrante	169
CTV	92+735.699	-	-	-	
-	-	Tangent/Tangente	41,3	-	
TCV	92+777.633	-	-	-	
PIV	92+865.942	PARABOLE	57,8	Sag/Rentrante	265
CTV	92+834.851	-	-	-	
-	-	Tangent/Tangente	16,6	-	
TCV	92+844.868	-	-	-	
PIV	92+965.942	PARABOLE	122,1	Crest/Saillante	127
CTV	92+967.615	-	-	-	
-	-	Tangent/Tangente	46,3	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	93+667.319	-	-	-	
PIV	93+655.966	PARABOLE	97,3	Sag/Rentrante	262
CTV	93+164.613	-	-	-	
-	-	Tangent/Tangente	146,1	-	
TCV	93+256.675	-	-	-	
PIV	93+286.539	PARABOLE	71,7	Sag/Rentrante	113
CTV	93+322.462	-	-	-	
-	-	Tangent/Tangente	135,4	-	
TCV	93+457.799	-	-	-	
PIV	93+556.666	PARABOLE	184,4	Crest/Saillante	174
CTV	93+642.261	-	-	-	
-	-	Tangent/Tangente	6,5	-	
TCV	93+648.715	-	-	-	
PIV	93+686.352	PARABOLE	63,3	Crest/Saillante	136
CTV	93+711.988	-	-	-	
-	-	Tangent/Tangente	36,6	-	
TCV	93+748.584	-	-	-	
PIV	93+861.669	PARABOLE	226,1	Sag/Rentrante	262
CTV	93+974.634	-	-	-	
-	-	Tangent/Tangente	47,8	-	
TCV	94+622.386	-	-	-	
PIV	94+656.666	PARABOLE	55,2	Sag/Rentrante	265
CTV	94+677.614	-	-	-	
-	-	Tangent/Tangente	335,9	-	
TCV	94+413.567	-	-	-	
PIV	94+563.262	PARABOLE	179,5	Crest/Saillante	229
CTV	94+593.616	-	-	-	
-	-	Tangent/Tangente	176,2	-	
TCV	94+769.249	-	-	-	
PIV	94+882.188	PARABOLE	225,9	Sag/Rentrante	263
CTV	94+995.127	-	-	-	
-	-	Tangent/Tangente	169,6	-	
TCV	95+164.176	-	-	-	
PIV	95+186.793	PARABOLE	153,2	Crest/Saillante	156
CTV	95+257.416	-	-	-	
-	-	Tangent/Tangente	18,5	-	
TCV	95+275.873	-	-	-	
PIV	95+366.666	PARABOLE	48,3	Sag/Rentrante	266
CTV	95+324.127	-	-	-	
-	-	Tangent/Tangente	75,9	-	
PIV	95+466.666	-	-	-	
-	-	Tangent/Tangente	125,6	-	
TCV	95+475.666	-	-	-	

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
PIV	95+546.666	PARABOLE	136,6	Sag/Rentrante	135
CTV	95+665.666	-	-	-	
-	-	Tangent/Tangente	56,2	-	
TCV	95+661.226	-	-	-	
PIV	95+722.993	PARABOLE	123,5	Crest/Saillante	99
CTV	95+784.761	-	-	-	
-	-	Tangent/Tangente	85,5	-	
TCV	95+876.278	-	-	-	
PIV	95+953.234	PARABOLE	165,9	Sag/Rentrante	266
CTV	96+636.189	-	-	-	
-	-	Tangent/Tangente	168,5	-	
TCV	96+144.716	-	-	-	
PIV	96+196.989	PARABOLE	164,6	Sag/Rentrante	265
CTV	96+249.268	-	-	-	
-	-	Tangent/Tangente	267,3	-	
TCV	96+516.579	-	-	-	
PIV	96+596.989	PARABOLE	166,8	Sag/Rentrante	269
CTV	96+677.466	-	-	-	
-	-	Tangent/Tangente	139,4	-	
TCV	96+816.796	-	-	-	
PIV	96+867.769	PARABOLE	161,8	Crest/Saillante	126
CTV	96+918.629	-	-	-	
-	-	Tangent/Tangente	88,6	-	
TCV	97+667.231	-	-	-	
PIV	97+686.867	PARABOLE	159,3	Sag/Rentrante	261
CTV	97+166.563	-	-	-	
-	-	Tangent/Tangente	54,7	-	
TCV	97+221.213	-	-	-	
PIV	97+269.763	PARABOLE	97,6	Sag/Rentrante	255
CTV	97+318.193	-	-	-	
-	-	Tangent/Tangente	5,8	-	
TCV	97+324.611	-	-	-	
PIV	97+385.314	PARABOLE	122,6	Crest/Saillante	94
CTV	97+446.617	-	-	-	
-	-	Tangent/Tangente	76,9	-	
TCV	97+517.513	-	-	-	
PIV	97+557.674	PARABOLE	79,1	Sag/Rentrante	65
CTV	97+596.635	-	-	-	
-	-	Tangent/Tangente	39,9	-	
TCV	97+636.575	-	-	-	
PIV	97+675.151	PARABOLE	77,2	Crest/Saillante	78
CTV	97+713.727	-	-	-	
-	-	Tangent/Tangente	75,9	-	



Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	97+789.594	-	-	-	
PIV	97+832.932	PARABOLE	86,7	Sag/Rentrante	135
CTV	97+876.271	-	-	-	
-	-	Tangent/Tangente	114,2	-	
TCV	97+996.456	-	-	-	
PIV	98+671.935	PARABOLE	163,6	Crest/Saillante	126
CTV	98+153.413	-	-	-	
-	-	Tangent/Tangente	16,4	-	
TCV	98+163.765	-	-	-	
PIV	98+267.184	PARABOLE	86,8	Sag/Rentrante	263
CTV	98+256.664	-	-	-	
-	-	Tangent/Tangente	95,6	-	
TCV	98+346.197	-	-	-	
PIV	98+366.166	PARABOLE	39,9	Sag/Rentrante	264
CTV	98+386.123	-	-	-	
-	-	Tangent/Tangente	47,2	-	
TCV	98+433.351	-	-	-	
PIV	98+491.914	PARABOLE	117,1	Sag/Rentrante	174
CTV	98+556.477	-	-	-	
-	-	Tangent/Tangente	85,1	-	
TCV	98+635.576	-	-	-	
PIV	98+744.729	PARABOLE	218,3	Crest/Saillante	98
CTV	98+853.882	-	-	-	
-	-	Tangent/Tangente	95,8	-	
TCV	98+949.641	-	-	-	
PIV	99+612.232	PARABOLE	125,2	Sag/Rentrante	76
CTV	99+674.823	-	-	-	
-	-	Tangent/Tangente	76,2	-	
TCV	99+144.998	-	-	-	
PIV	99+262.232	PARABOLE	114,5	Crest/Saillante	166
CTV	99+259.467	-	-	-	
-	-	Tangent/Tangente	444,6	-	
TCV	99+764.629	-	-	-	
PIV	99+753.784	PARABOLE	99,5	Sag/Rentrante	69
CTV	99+863.546	-	-	-	
-	-	Tangent/Tangente	9,4	-	
TCV	99+812.951	-	-	-	
PIV	99+843.524	PARABOLE	61,1	Crest/Saillante	84
CTV	99+874.696	-	-	-	
-	-	Tangent/Tangente	18,6	-	
TCV	99+892.682	-	-	-	
PIV	99+928.677	PARABOLE	73,2	Crest/Saillante	84
CTV	99+965.272	-	-	-	

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	39,6	-	
TCV	166+664.255	-	-	-	
PIV	166+628.646	PARABOLE	47,6	Sag/Rentrante	51
CTV	166+651.826	-	-	-	
-	-	Tangent/Tangente	161,6	-	
TCV	166+213.449	-	-	-	
PIV	166+251.734	PARABOLE	76,6	Sag/Rentrante	165
CTV	166+296.626	-	-	-	
-	-	Tangent/Tangente	87,5	-	
TCV	166+377.517	-	-	-	
PIV	166+426.734	PARABOLE	98,4	Crest/Saillante	86
CTV	166+475.951	-	-	-	
-	-	Tangent/Tangente	263,6	-	
TCV	166+678.985	-	-	-	
PIV	166+761.646	PARABOLE	45,3	Sag/Rentrante	261
CTV	166+724.295	-	-	-	
-	-	Tangent/Tangente	79,4	-	
TCV	166+863.712	-	-	-	
PIV	166+843.558	PARABOLE	79,7	Sag/Rentrante	319
CTV	166+883.464	-	-	-	
-	-	Tangent/Tangente	86,6	-	
TCV	166+976.666	-	-	-	
PIV	161+666.666	PARABOLE	66,6	Sag/Rentrante	262
CTV	161+636.666	-	-	-	
-	-	Tangent/Tangente	25,4	-	
TCV	161+655.438	-	-	-	
PIV	161+691.453	PARABOLE	72,6	Crest/Saillante	176
CTV	161+127.469	-	-	-	
-	-	Tangent/Tangente	151,1	-	
TCV	161+278.523	-	-	-	
PIV	161+335.628	PARABOLE	113,6	Sag/Rentrante	261
CTV	161+391.533	-	-	-	
-	-	Tangent/Tangente	65,9	-	
TCV	161+457.396	-	-	-	
PIV	161+522.616	PARABOLE	136,4	Crest/Saillante	94
CTV	161+587.836	-	-	-	
-	-	Tangent/Tangente	46,3	-	
TCV	161+628.136	-	-	-	
PIV	161+661.364	PARABOLE	66,5	Sag/Rentrante	136
CTV	161+694.592	-	-	-	
-	-	Tangent/Tangente	35,3	-	
TCV	161+729.876	-	-	-	
PIV	161+761.921	PARABOLE	64,1	Crest/Saillante	153

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	161+793.965	-	-	-	
-	-	Tangent/Tangente	82,1	-	
TCV	161+876.671	-	-	-	
PIV	161+899.429	PARABOLE	46,7	Sag/Rentrante	112
CTV	161+922.788	-	-	-	
-	-	Tangent/Tangente	19,4	-	
TCV	161+942.179	-	-	-	
PIV	161+965.975	PARABOLE	47,6	Crest/Saillante	113
CTV	161+989.772	-	-	-	
-	-	Tangent/Tangente	111,6	-	
TCV	162+161.363	-	-	-	
PIV	162+217.353	PARABOLE	232,6	Sag/Rentrante	96
CTV	162+333.343	-	-	-	
-	-	Tangent/Tangente	3,9	-	
PIV	162+337.271	-	-	-	6

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
PIV	67+400.606	-	-	-	-
-	-	Tangent/Tangente	131,5	-	-
TCV	67+536.090	-	-	-	-
PIV	67+597.090	PARABOLE	130,0	Sag/Rentrante	667
CTV	67+666.090	-	-	-	-
-	-	Tangent/Tangente	160,0	-	-
TCV	67+786.090	-	-	-	-
PIV	67+847.090	PARABOLE	130,0	Sag/Rentrante	664
CTV	67+916.090	-	-	-	-
-	-	Tangent/Tangente	65,6	-	-
TCV	67+937.739	-	-	-	-
PIV	68+006.739	PARABOLE	130,0	Crest/Saillante	674
CTV	68+067.739	-	-	-	-
-	-	Tangent/Tangente	6,9	-	-
TCV	68+074.650	-	-	-	-
PIV	68+139.650	PARABOLE	130,0	Crest/Saillante	184
CTV	68+604.650	-	-	-	-
-	-	Tangent/Tangente	70,0	-	-
PIV	68+674.636	-	-	-	-
-	-	Tangent/Tangente	685,0	-	-
TCV	68+559.638	-	-	-	-
PIV	68+664.638	PARABOLE	130,0	Sag/Rentrante	144
CTV	68+689.638	-	-	-	-
-	-	Tangent/Tangente	144,9	-	-
TCV	68+834.556	-	-	-	-
PIV	68+899.556	PARABOLE	130,0	Crest/Saillante	108
CTV	68+964.556	-	-	-	-
-	-	Tangent/Tangente	45,1	-	-
TCV	69+009.636	-	-	-	-
PIV	69+074.636	PARABOLE	130,0	Crest/Saillante	166
CTV	69+139.636	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	69+159.664	-	-	-	-
PIV	69+664.664	PARABOLE	130,0	Sag/Rentrante	679
CTV	69+689.664	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	69+309.638	-	-	-	-
PIV	69+374.638	PARABOLE	130,0	Sag/Rentrante	666
CTV	69+439.638	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	69+459.638	-	-	-	-
PIV	69+564.638	PARABOLE	130,0	Sag/Rentrante	666
CTV	69+589.638	-	-	-	-
-	-	Tangent/Tangente	610,0	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	69+799.638	-	-	-	-
PIV	69+849.638	PARABOLE	100,0	Sag/Rentrante	665
CTV	69+899.638	-	-	-	-
-	-	Tangent/Tangente	10,0	-	-
TCV	69+909.638	-	-	-	-
PIV	69+974.638	PARABOLE	130,0	Crest/Saillante	607
CTV	30+039.638	-	-	-	-
-	-	Tangent/Tangente	7,5	-	-
TCV	30+047.138	-	-	-	-
PIV	30+116.138	PARABOLE	130,0	Sag/Rentrante	601
CTV	30+177.138	-	-	-	-
-	-	Tangent/Tangente	336,5	-	-
TCV	30+509.638	-	-	-	-
PIV	30+574.638	PARABOLE	130,0	Crest/Saillante	168
CTV	30+639.638	-	-	-	-
-	-	Tangent/Tangente	145,0	-	-
TCV	30+784.638	-	-	-	-
PIV	30+849.638	PARABOLE	130,0	Crest/Saillante	603
CTV	30+914.638	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	30+934.638	-	-	-	-
PIV	30+999.638	PARABOLE	130,0	Sag/Rentrante	665
CTV	31+064.638	-	-	-	-
-	-	Tangent/Tangente	45,0	-	-
TCV	31+109.638	-	-	-	-
PIV	31+174.638	PARABOLE	130,0	Crest/Saillante	614
CTV	31+639.638	-	-	-	-
-	-	Tangent/Tangente	67,5	-	-
TCV	31+667.138	-	-	-	-
PIV	31+699.638	PARABOLE	65,0	Sag/Rentrante	666
CTV	31+336.138	-	-	-	-
-	-	Tangent/Tangente	16,5	-	-
TCV	31+344.638	-	-	-	-
PIV	31+374.638	PARABOLE	60,0	Crest/Saillante	644
CTV	31+404.638	-	-	-	-
-	-	Tangent/Tangente	80,0	-	-
TCV	31+484.638	-	-	-	-
PIV	31+549.638	PARABOLE	130,0	Crest/Saillante	665
CTV	31+614.638	-	-	-	-
-	-	Tangent/Tangente	96,5	-	-
TCV	31+707.138	-	-	-	-
PIV	31+749.638	PARABOLE	85,0	Sag/Rentrante	666
CTV	31+796.138	-	-	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	67,5	-	-
TCV	31+819.638	-	-	-	-
PIV	31+849.638	PARABOLE	60,0	Sag/Rentrante	667
CTV	31+879.638	-	-	-	-
-	-	Tangent/Tangente	55,0	-	-
TCV	31+934.638	-	-	-	-
PIV	31+999.638	PARABOLE	130,0	Crest/Saillante	303
CTV	36+064.638	-	-	-	-
-	-	Tangent/Tangente	46,6	-	-
TCV	36+106.861	-	-	-	-
PIV	36+181.861	PARABOLE	150,0	Crest/Saillante	115
CTV	36+656.861	-	-	-	-
-	-	Tangent/Tangente	15,3	-	-
TCV	36+676.138	-	-	-	-
PIV	36+337.138	PARABOLE	130,0	Sag/Rentrante	156
CTV	36+406.138	-	-	-	-
-	-	Tangent/Tangente	66,5	-	-
TCV	36+464.668	-	-	-	-
PIV	36+499.668	PARABOLE	150,0	Sag/Rentrante	666
CTV	36+574.668	-	-	-	-
-	-	Tangent/Tangente	46,5	-	-
TCV	36+617.138	-	-	-	-
PIV	36+649.638	PARABOLE	65,0	Crest/Saillante	403
CTV	36+686.138	-	-	-	-
-	-	Tangent/Tangente	66,5	-	-
TCV	36+704.638	-	-	-	-
PIV	36+737.138	PARABOLE	65,0	Crest/Saillante	666
CTV	36+769.638	-	-	-	-
-	-	Tangent/Tangente	5,0	-	-
TCV	36+774.638	-	-	-	-
PIV	36+799.638	PARABOLE	50,0	Sag/Rentrante	666
CTV	36+864.638	-	-	-	-
-	-	Tangent/Tangente	46,9	-	-
TCV	36+867.500	-	-	-	-
PIV	36+900.000	PARABOLE	65,0	Crest/Saillante	336
CTV	36+936.500	-	-	-	-
-	-	Tangent/Tangente	667,5	-	-
PIV	33+600.000	PARABOLE	80,0	Crest/Saillante	370
CTV	33+640.000	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	33+300.000	-	-	-	-
PIV	33+365.000	PARABOLE	50,0	Crest/Saillante	509
CTV	33+350.000	-	-	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	10,0	-	-
TCV	33+360.000	-	-	-	-
PIV	33+385.000	PARABOLE	50,0	Sag/Rentrante	666
CTV	33+410.000	-	-	-	-
-	-	Tangent/Tangente	34,6	-	-
TCV	33+444.638	-	-	-	-
PIV	33+474.638	PARABOLE	60,0	Sag/Rentrante	667
CTV	33+504.638	-	-	-	-
-	-	Tangent/Tangente	65,0	-	-
TCV	33+569.636	-	-	-	-
PIV	33+559.636	PARABOLE	60,0	Sag/Rentrante	665
CTV	33+589.636	-	-	-	-
-	-	Tangent/Tangente	3,6	-	-
TCV	33+593.646	-	-	-	-
PIV	33+663.646	PARABOLE	60,0	Crest/Saillante	151
CTV	33+653.646	-	-	-	-
-	-	Tangent/Tangente	16,4	-	-
TCV	33+669.638	-	-	-	-
PIV	33+699.638	PARABOLE	60,0	Sag/Rentrante	666
CTV	33+769.638	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
-	-	Tangent/Tangente	10,0	-	-
TCV	33+914.638	-	-	-	-
PIV	33+944.638	PARABOLE	60,0	Sag/Rentrante	665
CTV	33+974.638	-	-	-	-
-	-	Tangent/Tangente	6,3	-	-
TCV	33+976.907	-	-	-	-
PIV	34+009.407	PARABOLE	65,0	Crest/Saillante	634
CTV	34+041.907	-	-	-	-
-	-	Tangent/Tangente	67,7	-	-
TCV	34+069.638	-	-	-	-
PIV	34+099.638	PARABOLE	60,0	Sag/Rentrante	665
CTV	34+169.638	-	-	-	-
-	-	Tangent/Tangente	65,0	-	-
TCV	34+154.638	-	-	-	-
PIV	34+619.638	PARABOLE	130,0	Crest/Saillante	646
CTV	34+684.638	-	-	-	-
-	-	Tangent/Tangente	85,0	-	-
TCV	34+369.638	-	-	-	-
PIV	34+399.638	PARABOLE	60,0	Crest/Saillante	635
CTV	34+469.638	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	34+444.638	-	-	-	-
PIV	34+474.638	PARABOLE	60,0	Sag/Rentrante	667

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
CTV	34+504.638	-	-	-	-
-	-	Tangent/Tangente	75,0	-	-
TCV	34+579.638	-	-	-	-
PIV	34+609.638	PARABOLE	60,0	Sag/Rentrante	666
CTV	34+639.638	-	-	-	-
-	-	Tangent/Tangente	5,0	-	-
TCV	34+644.638	-	-	-	-
PIV	34+674.638	PARABOLE	60,0	Crest/Saillante	660
CTV	34+704.638	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	34+719.638	-	-	-	-
PIV	34+749.638	PARABOLE	60,0	Sag/Rentrante	666
CTV	34+779.638	-	-	-	-
-	-	Tangent/Tangente	40,0	-	-
TCV	34+819.638	-	-	-	-
PIV	34+849.638	PARABOLE	60,0	Sag/Rentrante	664
CTV	34+879.638	-	-	-	-
-	-	Tangent/Tangente	90,0	-	-
TCV	34+969.638	-	-	-	-
PIV	34+999.638	PARABOLE	60,0	Crest/Saillante	306
CTV	35+069.638	-	-	-	-
-	-	Tangent/Tangente	155,0	-	-
TCV	35+184.616	-	-	-	-
PIV	35+649.616	PARABOLE	130,0	Crest/Saillante	160
CTV	35+314.616	-	-	-	-
-	-	Tangent/Tangente	77,5	-	-
TCV	35+396.138	-	-	-	-
PIV	35+464.638	PARABOLE	65,0	Crest/Saillante	610
CTV	35+457.138	-	-	-	-
-	-	Tangent/Tangente	16,6	-	-
TCV	35+469.337	-	-	-	-
PIV	35+534.946	PARABOLE	131,6	Sag/Rentrante	103
CTV	35+600.548	-	-	-	-
-	-	Tangent/Tangente	11,9	-	-
TCV	35+616.419	-	-	-	-
PIV	35+649.638	PARABOLE	74,4	Crest/Saillante	164
CTV	35+686.857	-	-	-	-
-	-	Tangent/Tangente	30,3	-	-
TCV	35+717.138	-	-	-	-
PIV	35+749.638	PARABOLE	65,0	Crest/Saillante	660
CTV	35+786.138	-	-	-	-
-	-	Tangent/Tangente	6,5	-	-
TCV	35+784.638	-	-	-	-
PIV	35+849.638	PARABOLE	130,0	Sag/Rentrante	665



Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	35+914.638	-	-	-	-
-	-	Tangent/Tangente	68,1	-	-
TCV	35+946.731	-	-	-	-
PIV	35+975.631	PARABOLE	65,0	Sag/Rentrante	664
CTV	36+007.731	-	-	-	-
-	-	Tangent/Tangente	16,1	-	-
TCV	36+063.848	-	-	-	-
PIV	36+053.848	PARABOLE	60,0	Crest/Saillante	619
CTV	36+083.848	-	-	-	-
-	-	Tangent/Tangente	3,8	-	-
TCV	36+087.666	-	-	-	-
PIV	36+160.166	PARABOLE	65,0	Sag/Rentrante	666
CTV	36+156.666	-	-	-	-
-	-	Tangent/Tangente	3,9	-	-
TCV	36+156.536	-	-	-	-
PIV	36+186.536	PARABOLE	60,0	Crest/Saillante	168
CTV	36+616.536	-	-	-	-
-	-	Tangent/Tangente	76,3	-	-
TCV	36+696.876	-	-	-	-
PIV	36+365.376	PARABOLE	65,0	Sag/Rentrante	667
CTV	36+357.876	-	-	-	-
-	-	Tangent/Tangente	58,7	-	-
TCV	36+416.536	-	-	-	-
PIV	36+449.036	PARABOLE	65,0	Sag/Rentrante	663
CTV	36+481.536	-	-	-	-
-	-	Tangent/Tangente	35,0	-	-
TCV	36+516.536	-	-	-	-
PIV	36+549.036	PARABOLE	65,0	Sag/Rentrante	666
CTV	36+581.536	-	-	-	-
-	-	Tangent/Tangente	10,0	-	-
TCV	36+591.536	-	-	-	-
PIV	36+664.036	PARABOLE	65,0	Sag/Rentrante	660
CTV	36+656.536	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	36+676.536	-	-	-	-
PIV	36+709.036	PARABOLE	65,0	Crest/Saillante	600
CTV	36+741.536	-	-	-	-
-	-	Tangent/Tangente	50,5	-	-
TCV	36+791.984	-	-	-	-
PIV	36+864.484	PARABOLE	65,0	Crest/Saillante	178
CTV	36+856.984	-	-	-	-
-	-	Tangent/Tangente	10,6	-	-
TCV	36+867.168	-	-	-	-
PIV	36+909.036	PARABOLE	83,7	Sag/Rentrante	666

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
CTV	36+950.896	-	-	-	-
-	-	Tangent/Tangente	3,1	-	-
TCV	36+954.036	-	-	-	-
PIV	36+999.036	PARABOLE	90,0	Crest/Saillante	403
CTV	37+044.036	-	-	-	-
-	-	Tangent/Tangente	18,0	-	-
TCV	37+066.048	-	-	-	-
PIV	37+167.048	PARABOLE	130,0	Sag/Rentrante	666
CTV	37+196.048	-	-	-	-
-	-	Tangent/Tangente	1,9	-	-
TCV	37+193.981	-	-	-	-
PIV	37+678.981	PARABOLE	170,0	Crest/Saillante	130
CTV	37+363.981	-	-	-	-
-	-	Tangent/Tangente	3,6	-	-
TCV	37+367.144	-	-	-	-
PIV	37+449.036	PARABOLE	163,8	Crest/Saillante	109
CTV	37+530.960	-	-	-	-
-	-	Tangent/Tangente	0,6	-	-
TCV	37+531.105	-	-	-	-
PIV	37+605.944	PARABOLE	149,7	Sag/Rentrante	94
CTV	37+680.786	-	-	-	-
-	-	Tangent/Tangente	0,8	-	-
TCV	37+681.536	-	-	-	-
PIV	37+719.036	PARABOLE	75,0	Sag/Rentrante	664
CTV	37+756.536	-	-	-	-
-	-	Tangent/Tangente	3,6	-	-
TCV	37+759.691	-	-	-	-
PIV	37+789.691	PARABOLE	60,0	Crest/Saillante	168
CTV	37+819.691	-	-	-	-
-	-	Tangent/Tangente	66,0	-	-
TCV	37+845.658	-	-	-	-
PIV	37+969.370	PARABOLE	167,4	Sag/Rentrante	98
CTV	38+013.086	-	-	-	-
-	-	Tangent/Tangente	119,0	-	-
TCV	38+136.033	-	-	-	-
PIV	38+197.033	PARABOLE	130,0	Crest/Saillante	106
CTV	38+666.033	-	-	-	-
-	-	Tangent/Tangente	9,0	-	-
TCV	38+671.064	-	-	-	-
PIV	38+349.036	PARABOLE	156,0	Crest/Saillante	666
CTV	38+467.040	-	-	-	-
-	-	Tangent/Tangente	161,6	-	-
TCV	38+548.644	-	-	-	-
PIV	38+631.688	PARABOLE	166,9	Sag/Rentrante	164

Point	Stationning Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
CTV	38+715.136	-	-	-	-
-	-	Tangent/Tangente	53,9	-	-
TCV	38+769.036	-	-	-	-
PIV	38+799.036	PARABOLE	60,0	Crest/Saillante	344
CTV	38+869.036	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	38+844.036	-	-	-	-
PIV	38+874.036	PARABOLE	60,0	Sag/Rentrante	658
CTV	38+904.036	-	-	-	-
-	-	Tangent/Tangente	5,0	-	-
TCV	38+909.036	-	-	-	-
PIV	38+939.036	PARABOLE	60,0	Crest/Saillante	170
CTV	38+969.036	-	-	-	-
-	-	Tangent/Tangente	54,5	-	-
TCV	39+063.538	-	-	-	-
PIV	39+099.036	PARABOLE	151,0	Crest/Saillante	103
CTV	39+174.566	-	-	-	-
-	-	Tangent/Tangente	4,6	-	-
TCV	39+179.163	-	-	-	-
PIV	39+619.163	PARABOLE	80,0	Crest/Saillante	136
CTV	39+659.163	-	-	-	-
-	-	Tangent/Tangente	60,8	-	-
TCV	39+319.993	-	-	-	-
PIV	39+366.501	PARABOLE	93,0	Sag/Rentrante	656
CTV	39+413.009	-	-	-	-
-	-	Tangent/Tangente	66,5	-	-
PIV	39+435.535	-	-	-	-
-	-	Tangent/Tangente	66,5	-	-
TCV	39+458.060	-	-	-	-
PIV	39+563.060	PARABOLE	130,0	Crest/Saillante	636
CTV	39+588.060	-	-	-	-
-	-	Tangent/Tangente	45,1	-	-
TCV	39+633.116	-	-	-	-
PIV	39+686.017	PARABOLE	97,8	Sag/Rentrante	157
CTV	39+730.966	-	-	-	-
-	-	Tangent/Tangente	70,5	-	-
TCV	39+801.460	-	-	-	-
PIV	39+864.304	PARABOLE	165,8	Sag/Rentrante	358
CTV	39+967.187	-	-	-	-
-	-	Tangent/Tangente	33,5	-	-
TCV	39+960.656	-	-	-	-
PIV	40+066.808	PARABOLE	164,3	Crest/Saillante	109
CTV	40+084.963	-	-	-	-
-	-	Tangent/Tangente	135,6	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	40+660.151	-	-	-	-
PIV	40+366.684	PARABOLE	604,3	Sag/Rentrante	167
CTV	40+464.417	-	-	-	-
-	-	Tangent/Tangente	31,1	-	-
TCV	40+455.563	-	-	-	-
PIV	40+560.563	PARABOLE	130,0	Sag/Rentrante	167
CTV	40+585.563	-	-	-	-
-	-	Tangent/Tangente	33,6	-	-
TCV	40+619.116	-	-	-	-
PIV	40+719.039	PARABOLE	199,8	Crest/Saillante	168
CTV	40+818.963	-	-	-	-
-	-	Tangent/Tangente	50,6	-	-
TCV	40+869.157	-	-	-	-
PIV	40+968.873	PARABOLE	119,4	Crest/Saillante	115
CTV	40+988.588	-	-	-	-
-	-	Tangent/Tangente	60,1	-	-
TCV	41+048.666	-	-	-	-
PIV	41+116.358	PARABOLE	135,4	Sag/Rentrante	665
CTV	41+184.050	-	-	-	-
-	-	Tangent/Tangente	88,0	-	-
TCV	41+676.089	-	-	-	-
PIV	41+367.130	PARABOLE	110,1	Sag/Rentrante	154
CTV	41+386.170	-	-	-	-
-	-	Tangent/Tangente	57,3	-	-
TCV	41+439.456	-	-	-	-
PIV	41+506.539	PARABOLE	134,6	Crest/Saillante	107
CTV	41+573.666	-	-	-	-
-	-	Tangent/Tangente	45,4	-	-
TCV	41+619.036	-	-	-	-
PIV	41+649.036	PARABOLE	60,0	Crest/Saillante	654
CTV	41+679.036	-	-	-	-
-	-	Tangent/Tangente	0,7	-	-
TCV	41+679.687	-	-	-	-
PIV	41+718.364	PARABOLE	77,4	Sag/Rentrante	666
CTV	41+757.041	-	-	-	-
-	-	Tangent/Tangente	3,1	-	-
TCV	41+760.161	-	-	-	-
PIV	41+809.560	PARABOLE	98,7	Crest/Saillante	179
CTV	41+858.879	-	-	-	-
-	-	Tangent/Tangente	15,1	-	-
TCV	41+873.983	-	-	-	-
PIV	41+938.983	PARABOLE	130,0	Sag/Rentrante	665
CTV	46+003.983	-	-	-	-
-	-	Tangent/Tangente	0,0	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	46+004.036	-	-	-	-
PIV	46+049.036	PARABOLE	90,0	Sag/Rentrante	659
CTV	46+094.036	-	-	-	-
-	-	Tangent/Tangente	40,0	-	-
TCV	46+134.036	-	-	-	-
PIV	46+199.036	PARABOLE	130,0	Crest/Saillante	617
CTV	46+664.036	-	-	-	-
-	-	Tangent/Tangente	70,3	-	-
TCV	46+334.303	-	-	-	-
PIV	46+399.303	PARABOLE	130,0	Crest/Saillante	601
CTV	46+464.303	-	-	-	-
-	-	Tangent/Tangente	5,8	-	-
TCV	46+470.093	-	-	-	-
PIV	46+534.840	PARABOLE	169,5	Sag/Rentrante	608
CTV	46+599.588	-	-	-	-
-	-	Tangent/Tangente	48,6	-	-
TCV	46+648.158	-	-	-	-
PIV	46+713.158	PARABOLE	130,0	Crest/Saillante	107
CTV	46+778.158	-	-	-	-
-	-	Tangent/Tangente	6,1	-	-
TCV	46+784.666	-	-	-	-
PIV	46+849.666	PARABOLE	130,0	Crest/Saillante	164
CTV	46+914.666	-	-	-	-
-	-	Tangent/Tangente	13,6	-	-
TCV	46+967.456	-	-	-	-
PIV	43+004.045	PARABOLE	153,6	Crest/Saillante	166
CTV	43+080.635	-	-	-	-
-	-	Tangent/Tangente	58,5	-	-
TCV	43+139.100	-	-	-	-
PIV	43+604.100	PARABOLE	130,0	Sag/Rentrante	90
CTV	43+669.100	-	-	-	-
-	-	Tangent/Tangente	66,4	-	-
TCV	43+691.564	-	-	-	-
PIV	43+364.064	PARABOLE	65,0	Crest/Saillante	185
CTV	43+356.564	-	-	-	-
-	-	Tangent/Tangente	7,5	-	-
TCV	43+364.066	-	-	-	-
PIV	43+404.066	PARABOLE	80,0	Crest/Saillante	660
CTV	43+444.066	-	-	-	-
-	-	Tangent/Tangente	65,0	-	-
-	-	Tangent/Tangente	94,0	-	-
TCV	43+783.016	-	-	-	-
PIV	43+848.016	PARABOLE	130,0	Sag/Rentrante	168
CTV	43+913.016	-	-	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	71,0	-	-
TCV	43+984.036	-	-	-	-
PIV	44+034.036	PARABOLE	100,0	Sag/Rentrante	109
CTV	44+084.036	-	-	-	-
-	-	Tangent/Tangente	0,0	-	-
TCV	44+084.070	-	-	-	-
PIV	44+184.070	PARABOLE	600,0	Crest/Saillante	118
CTV	44+684.070	-	-	-	-
-	-	Tangent/Tangente	134,8	-	-
TCV	44+418.894	-	-	-	-
PIV	44+498.894	PARABOLE	160,0	Sag/Rentrante	91
CTV	44+578.894	-	-	-	-
-	-	Tangent/Tangente	646,4	-	-
TCV	44+865.648	-	-	-	-
PIV	44+890.648	PARABOLE	130,0	Crest/Saillante	113
CTV	44+955.648	-	-	-	-
-	-	Tangent/Tangente	63,9	-	-
TCV	44+979.146	-	-	-	-
PIV	45+044.146	PARABOLE	130,0	Crest/Saillante	136
CTV	45+109.146	-	-	-	-
-	-	Tangent/Tangente	4,9	-	-
TCV	45+114.040	-	-	-	-
PIV	45+164.040	PARABOLE	100,0	Crest/Saillante	161
CTV	45+614.040	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	45+669.059	-	-	-	-
PIV	45+679.059	PARABOLE	100,0	Sag/Rentrante	659
CTV	45+369.059	-	-	-	-
-	-	Tangent/Tangente	45,0	-	-
TCV	45+374.063	-	-	-	-
PIV	45+404.063	PARABOLE	60,0	Crest/Saillante	113
CTV	45+434.063	-	-	-	-
-	-	Tangent/Tangente	180,5	-	-
TCV	45+614.538	-	-	-	-
PIV	45+679.538	PARABOLE	130,0	Sag/Rentrante	103
CTV	45+744.538	-	-	-	-
-	-	Tangent/Tangente	59,9	-	-
TCV	45+804.475	-	-	-	-
PIV	45+883.506	PARABOLE	158,1	Crest/Saillante	135
CTV	45+966.537	-	-	-	-
-	-	Tangent/Tangente	4,1	-	-
TCV	45+966.609	-	-	-	-
PIV	46+031.609	PARABOLE	130,0	Sag/Rentrante	89
CTV	46+096.609	-	-	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	16,4	-	-
TCV	46+109.036	-	-	-	-
PIV	46+174.036	PARABOLE	130,0	Sag/Rentrante	106
CTV	46+639.036	-	-	-	-
-	-	Tangent/Tangente	66,5	-	-
TCV	46+661.486	-	-	-	-
PIV	46+354.177	PARABOLE	185,4	Crest/Saillante	118
CTV	46+446.868	-	-	-	-
-	-	Tangent/Tangente	37,6	-	-
TCV	46+484.019	-	-	-	-
PIV	46+549.019	PARABOLE	130,0	Crest/Saillante	147
CTV	46+614.019	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	46+634.035	-	-	-	-
PIV	46+674.035	PARABOLE	80,0	Crest/Saillante	656
CTV	46+714.035	-	-	-	-
-	-	Tangent/Tangente	10,0	-	-
TCV	46+764.036	-	-	-	-
PIV	46+789.036	PARABOLE	130,0	Crest/Saillante	160
CTV	46+854.036	-	-	-	-
-	-	Tangent/Tangente	35,8	-	-
TCV	46+889.840	-	-	-	-
PIV	46+974.840	PARABOLE	170,0	Sag/Rentrante	93
CTV	47+059.840	-	-	-	-
-	-	Tangent/Tangente	319,6	-	-
TCV	47+379.039	-	-	-	-
PIV	47+444.039	PARABOLE	130,0	Crest/Saillante	136
CTV	47+509.039	-	-	-	-
-	-	Tangent/Tangente	137,4	-	-
TCV	47+646.391	-	-	-	-
PIV	47+711.391	PARABOLE	130,0	Crest/Saillante	118
CTV	47+776.391	-	-	-	-
-	-	Tangent/Tangente	4,9	-	-
TCV	47+781.696	-	-	-	-
PIV	47+831.696	PARABOLE	100,0	Sag/Rentrante	138
CTV	47+881.696	-	-	-	-
-	-	Tangent/Tangente	46,7	-	-
TCV	47+964.036	-	-	-	-
PIV	47+989.036	PARABOLE	130,0	Sag/Rentrante	666
CTV	48+054.036	-	-	-	-
-	-	Tangent/Tangente	5,0	-	-
TCV	48+059.036	-	-	-	-
PIV	48+164.036	PARABOLE	130,0	Crest/Saillante	196
CTV	48+189.036	-	-	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	5,0	-	-
TCV	48+194.036	-	-	-	-
PIV	48+659.036	PARABOLE	130,0	Sag/Rentrante	106
CTV	48+364.036	-	-	-	-
-	-	Tangent/Tangente	165,0	-	-
TCV	48+449.069	-	-	-	-
PIV	48+534.069	PARABOLE	170,0	Crest/Saillante	104
CTV	48+619.069	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	48+634.036	-	-	-	-
PIV	48+664.036	PARABOLE	60,0	Crest/Saillante	154
CTV	48+694.036	-	-	-	-
-	-	Tangent/Tangente	5,0	-	-
TCV	48+699.036	-	-	-	-
PIV	48+731.536	PARABOLE	65,0	Sag/Rentrante	664
CTV	48+764.036	-	-	-	-
-	-	Tangent/Tangente	5,0	-	-
TCV	48+769.036	-	-	-	-
PIV	48+799.036	PARABOLE	60,0	Sag/Rentrante	666
CTV	48+869.036	-	-	-	-
-	-	Tangent/Tangente	8,7	-	-
TCV	48+837.776	-	-	-	-
PIV	48+884.036	PARABOLE	96,5	Crest/Saillante	167
CTV	48+930.688	-	-	-	-
-	-	Tangent/Tangente	38,7	-	-
TCV	48+969.036	-	-	-	-
PIV	48+999.036	PARABOLE	60,0	Sag/Rentrante	664
CTV	49+069.036	-	-	-	-
-	-	Tangent/Tangente	40,0	-	-
TCV	49+069.036	-	-	-	-
PIV	49+099.036	PARABOLE	60,0	Sag/Rentrante	665
CTV	49+169.036	-	-	-	-
-	-	Tangent/Tangente	96,9	-	-
TCV	49+665.945	-	-	-	-
PIV	49+674.036	PARABOLE	96,6	Crest/Saillante	184
CTV	49+366.119	-	-	-	-
-	-	Tangent/Tangente	14,4	-	-
TCV	49+336.536	-	-	-	-
PIV	49+369.036	PARABOLE	65,0	Crest/Saillante	686
CTV	49+401.536	-	-	-	-
-	-	Tangent/Tangente	7,5	-	-
TCV	49+409.036	-	-	-	-
PIV	49+489.036	PARABOLE	160,0	Sag/Rentrante	186
CTV	49+569.036	-	-	-	-



Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	95,0	-	-
TCV	49+664.036	-	-	-	-
PIV	49+714.036	PARABOLE	100,0	Crest/Saillante	131
CTV	49+764.036	-	-	-	-
-	-	Tangent/Tangente	6,5	-	-
TCV	49+766.536	-	-	-	-
PIV	49+811.536	PARABOLE	90,0	Sag/Rentrante	664
CTV	49+856.536	-	-	-	-
-	-	Tangent/Tangente	18,6	-	-
TCV	49+874.731	-	-	-	-
PIV	49+909.087	PARABOLE	68,7	Crest/Saillante	630
CTV	49+943.446	-	-	-	-
-	-	Tangent/Tangente	15,6	-	-
TCV	49+959.036	-	-	-	-
PIV	50+064.036	PARABOLE	130,0	Sag/Rentrante	665
CTV	50+089.036	-	-	-	-
-	-	Tangent/Tangente	665,0	-	-
TCV	50+354.036	-	-	-	-
PIV	50+419.036	PARABOLE	130,0	Crest/Saillante	138
CTV	50+484.036	-	-	-	-
-	-	Tangent/Tangente	9,9	-	-
TCV	50+493.981	-	-	-	-
PIV	50+533.981	PARABOLE	80,0	Sag/Rentrante	665
CTV	50+573.981	-	-	-	-
-	-	Tangent/Tangente	10,1	-	-
TCV	50+584.036	-	-	-	-
PIV	50+649.036	PARABOLE	130,0	Sag/Rentrante	666
CTV	50+714.036	-	-	-	-
-	-	Tangent/Tangente	36,3	-	-
TCV	50+750.365	-	-	-	-
PIV	50+786.865	PARABOLE	65,0	Crest/Saillante	156
CTV	50+815.365	-	-	-	-
-	-	Tangent/Tangente	1,0	-	-
TCV	50+816.356	-	-	-	-
PIV	50+851.356	PARABOLE	70,0	Sag/Rentrante	665
CTV	50+886.356	-	-	-	-
-	-	Tangent/Tangente	6,4	-	-
TCV	50+888.750	-	-	-	-
PIV	50+949.036	PARABOLE	160,6	Sag/Rentrante	686
CTV	51+009.314	-	-	-	-
-	-	Tangent/Tangente	67,6	-	-
TCV	51+036.530	-	-	-	-
PIV	51+101.530	PARABOLE	130,0	Crest/Saillante	108
CTV	51+166.530	-	-	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
-	-	Tangent/Tangente	16,5	-	-
TCV	51+179.036	-	-	-	-
PIV	51+644.036	PARABOLE	130,0	Crest/Saillante	136
CTV	51+309.036	-	-	-	-
-	-	Tangent/Tangente	0,0	-	-
TCV	51+309.073	-	-	-	-
PIV	51+406.134	PARABOLE	186,1	Sag/Rentrante	184
CTV	51+495.195	-	-	-	-
-	-	Tangent/Tangente	38,9	-	-
TCV	51+534.085	-	-	-	-
PIV	51+574.085	PARABOLE	80,0	Crest/Saillante	619
CTV	51+614.085	-	-	-	-
-	-	Tangent/Tangente	4,9	-	-
TCV	51+619.036	-	-	-	-
PIV	51+649.036	PARABOLE	60,0	Sag/Rentrante	665
CTV	51+679.036	-	-	-	-
-	-	Tangent/Tangente	4,3	-	-
TCV	51+683.689	-	-	-	-
PIV	51+718.689	PARABOLE	70,0	Crest/Saillante	143
CTV	51+753.689	-	-	-	-
-	-	Tangent/Tangente	1,5	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	51+860.117	-	-	-	-
PIV	51+900.117	PARABOLE	160,0	Sag/Rentrante	665
CTV	51+980.117	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
PIV	56+000.083	-	-	-	-
-	-	Tangent/Tangente	4,9	-	-
TCV	56+004.973	-	-	-	-
PIV	56+069.973	PARABOLE	130,0	Crest/Saillante	197
CTV	56+134.973	-	-	-	-
-	-	Tangent/Tangente	567,9	-	-
TCV	56+706.903	-	-	-	-
PIV	56+776.878	PARABOLE	139,9	Sag/Rentrante	93
CTV	56+846.856	-	-	-	-
-	-	Tangent/Tangente	174,1	-	-
TCV	53+016.967	-	-	-	-
PIV	53+136.305	PARABOLE	630,7	Crest/Saillante	104
CTV	53+647.644	-	-	-	-
-	-	Tangent/Tangente	49,8	-	-
TCV	53+697.479	-	-	-	-
PIV	53+347.658	PARABOLE	99,6	Sag/Rentrante	664
CTV	53+397.038	-	-	-	-
-	-	Tangent/Tangente	88,7	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	53+485.759	-	-	-	-
PIV	53+561.711	PARABOLE	151,9	Crest/Saillante	138
CTV	53+637.666	-	-	-	-
-	-	Tangent/Tangente	667,3	-	-
TCV	53+905.000	-	-	-	-
PIV	53+960.000	PARABOLE	110,0	Sag/Rentrante	666
CTV	54+015.000	-	-	-	-
-	-	Tangent/Tangente	76,0	-	-
TCV	54+087.000	-	-	-	-
PIV	54+105.000	PARABOLE	36,0	Sag/Rentrante	666
CTV	54+163.000	-	-	-	-
-	-	Tangent/Tangente	77,0	-	-
TCV	54+600.000	-	-	-	-
PIV	54+650.000	PARABOLE	100,0	Crest/Saillante	141
CTV	54+300.000	-	-	-	-
-	-	Tangent/Tangente	65,0	-	-
TCV	54+365.000	-	-	-	-
PIV	54+460.000	PARABOLE	190,0	Sag/Rentrante	664
CTV	54+515.000	-	-	-	-
-	-	Tangent/Tangente	370,0	-	-
TCV	54+885.000	-	-	-	-
PIV	54+960.000	PARABOLE	150,0	Sag/Rentrante	665
CTV	55+035.000	-	-	-	-
-	-	Tangent/Tangente	65,0	-	-
TCV	55+100.000	-	-	-	-
PIV	55+175.000	PARABOLE	150,0	Crest/Saillante	693
CTV	55+650.000	-	-	-	-
-	-	Tangent/Tangente	160,0	-	-
TCV	55+370.000	-	-	-	-
PIV	55+460.000	PARABOLE	100,0	Sag/Rentrante	149
CTV	55+470.000	-	-	-	-
-	-	Tangent/Tangente	35,0	-	-
TCV	55+505.000	-	-	-	-
PIV	55+580.000	PARABOLE	150,0	Crest/Saillante	118
CTV	55+655.000	-	-	-	-
-	-	Tangent/Tangente	85,0	-	-
TCV	55+740.000	-	-	-	-
PIV	55+800.000	PARABOLE	160,0	Sag/Rentrante	665
CTV	55+860.000	-	-	-	-
-	-	Tangent/Tangente	35,0	-	-
TCV	55+895.000	-	-	-	-
PIV	55+955.000	PARABOLE	160,0	Sag/Rentrante	660
CTV	56+015.000	-	-	-	-
-	-	Tangent/Tangente	85,0	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	56+100.000	-	-	-	-
PIV	56+615.000	PARABOLE	630,0	Crest/Saillante	106
CTV	56+330.000	-	-	-	-
-	-	Tangent/Tangente	160,0	-	-
TCV	56+450.000	-	-	-	-
PIV	56+515.000	PARABOLE	130,0	Sag/Rentrante	93
CTV	56+580.000	-	-	-	-
-	-	Tangent/Tangente	650,0	-	-
TCV	56+830.000	-	-	-	-
PIV	56+885.000	PARABOLE	110,0	Crest/Saillante	151
CTV	56+940.000	-	-	-	-
-	-	Tangent/Tangente	105,0	-	-
TCV	57+045.000	-	-	-	-
PIV	57+100.000	PARABOLE	110,0	Sag/Rentrante	78
CTV	57+155.000	-	-	-	-
-	-	Tangent/Tangente	65,0	-	-
TCV	57+180.000	-	-	-	-
PIV	57+650.000	PARABOLE	140,0	Crest/Saillante	109
CTV	57+360.000	-	-	-	-
-	-	Tangent/Tangente	135,0	-	-
TCV	57+455.000	-	-	-	-
PIV	57+530.000	PARABOLE	150,0	Sag/Rentrante	186
CTV	57+605.000	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	57+665.000	-	-	-	-
PIV	57+740.000	PARABOLE	150,0	Crest/Saillante	109
CTV	57+815.000	-	-	-	-
-	-	Tangent/Tangente	75,0	-	-
TCV	57+890.000	-	-	-	-
PIV	57+980.000	PARABOLE	180,0	Crest/Saillante	100
CTV	58+070.000	-	-	-	-
-	-	Tangent/Tangente	150,0	-	-
TCV	58+660.000	-	-	-	-
PIV	58+670.000	PARABOLE	100,0	Sag/Rentrante	69
CTV	58+360.000	-	-	-	-
-	-	Tangent/Tangente	645,0	-	-
TCV	58+565.000	-	-	-	-
PIV	58+630.000	PARABOLE	130,0	Crest/Saillante	617
CTV	58+695.000	-	-	-	-
-	-	Tangent/Tangente	95,0	-	-
TCV	58+790.000	-	-	-	-
PIV	58+840.000	PARABOLE	100,0	Sag/Rentrante	664
CTV	58+890.000	-	-	-	-
-	-	Tangent/Tangente	160,0	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	59+010.000	-	-	-	-
PIV	59+040.000	PARABOLE	60,0	Sag/Rentrante	660
CTV	59+070.000	-	-	-	-
-	-	Tangent/Tangente	55,0	-	-
TCV	59+165.000	-	-	-	-
PIV	59+600.000	PARABOLE	150,0	Crest/Saillante	131
CTV	59+675.000	-	-	-	-
-	-	Tangent/Tangente	165,0	-	-
TCV	59+400.000	-	-	-	-
PIV	59+470.000	PARABOLE	140,0	Crest/Saillante	141
CTV	59+540.000	-	-	-	-
-	-	Tangent/Tangente	65,0	-	-
TCV	59+565.000	-	-	-	-
PIV	59+630.000	PARABOLE	130,0	Sag/Rentrante	169
CTV	59+695.000	-	-	-	-
-	-	Tangent/Tangente	95,0	-	-
TCV	59+790.000	-	-	-	-
PIV	59+840.000	PARABOLE	100,0	Sag/Rentrante	78
CTV	59+890.000	-	-	-	-
-	-	Tangent/Tangente	85,0	-	-
TCV	59+975.000	-	-	-	-
PIV	60+070.000	PARABOLE	190,0	Crest/Saillante	106
CTV	60+165.000	-	-	-	-
-	-	Tangent/Tangente	80,0	-	-
TCV	60+645.000	-	-	-	-
PIV	60+390.000	PARABOLE	690,0	Crest/Saillante	136
CTV	60+535.000	-	-	-	-
-	-	Tangent/Tangente	85,0	-	-
TCV	60+660.000	-	-	-	-
PIV	60+685.000	PARABOLE	130,0	Sag/Rentrante	98
CTV	60+750.000	-	-	-	-
-	-	Tangent/Tangente	135,0	-	-
TCV	60+885.000	-	-	-	-
PIV	60+980.000	PARABOLE	190,0	Crest/Saillante	117
CTV	61+075.000	-	-	-	-
-	-	Tangent/Tangente	35,0	-	-
TCV	61+110.000	-	-	-	-
PIV	61+160.000	PARABOLE	100,0	Sag/Rentrante	660
CTV	61+610.000	-	-	-	-
-	-	Tangent/Tangente	105,0	-	-
TCV	61+315.000	-	-	-	-
PIV	61+430.000	PARABOLE	630,0	Sag/Rentrante	665
CTV	61+545.000	-	-	-	-
-	-	Tangent/Tangente	80,0	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	61+665.000	-	-	-	-
PIV	61+655.000	PARABOLE	60,0	Crest/Saillante	111
CTV	61+685.000	-	-	-	-
-	-	Tangent/Tangente	100,0	-	-
TCV	61+785.000	-	-	-	-
PIV	61+835.000	PARABOLE	100,0	Sag/Rentrante	68
CTV	61+885.000	-	-	-	-
-	-	Tangent/Tangente	100,0	-	-
TCV	61+985.000	-	-	-	-
PIV	66+165.000	PARABOLE	680,0	Crest/Saillante	168
CTV	66+665.000	-	-	-	-
-	-	Tangent/Tangente	635,0	-	-
TCV	66+500.000	-	-	-	-
PIV	66+580.000	PARABOLE	160,0	Sag/Rentrante	665
CTV	66+660.000	-	-	-	-
-	-	Tangent/Tangente	110,0	-	-
TCV	66+770.000	-	-	-	-
PIV	66+830.000	PARABOLE	160,0	Crest/Saillante	197
CTV	66+890.000	-	-	-	-
-	-	Tangent/Tangente	70,0	-	-
TCV	66+960.000	-	-	-	-
PIV	63+050.000	PARABOLE	180,0	Sag/Rentrante	150
CTV	63+140.000	-	-	-	-
-	-	Tangent/Tangente	150,0	-	-
TCV	63+690.000	-	-	-	-
PIV	63+350.000	PARABOLE	160,0	Crest/Saillante	161
CTV	63+410.000	-	-	-	-
-	-	Tangent/Tangente	106,5	-	-
TCV	63+516.500	-	-	-	-
PIV	63+590.000	PARABOLE	155,0	Sag/Rentrante	665
CTV	63+667.500	-	-	-	-
-	-	Tangent/Tangente	776,5	-	-
TCV	64+440.000	-	-	-	-
PIV	64+490.000	PARABOLE	100,0	Sag/Rentrante	661
CTV	64+540.000	-	-	-	-
-	-	Tangent/Tangente	100,0	-	-
TCV	64+640.000	-	-	-	-
PIV	64+715.000	PARABOLE	150,0	Crest/Saillante	160
CTV	64+790.000	-	-	-	-
-	-	Tangent/Tangente	106,5	-	-
TCV	64+896.500	-	-	-	-
PIV	64+960.000	PARABOLE	135,0	Sag/Rentrante	665
CTV	65+067.500	-	-	-	-
-	-	Tangent/Tangente	676,5	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	65+300.000	-	-	-	-
PIV	65+365.000	PARABOLE	130,0	Sag/Rentrante	660
CTV	65+430.000	-	-	-	-
-	-	Tangent/Tangente	75,0	-	-
TCV	65+505.000	-	-	-	-
PIV	65+585.000	PARABOLE	160,0	Crest/Saillante	105
CTV	65+665.000	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	65+765.000	-	-	-	-
PIV	65+775.000	PARABOLE	100,0	Sag/Rentrante	664
CTV	65+865.000	-	-	-	-
-	-	Tangent/Tangente	55,0	-	-
TCV	65+880.000	-	-	-	-
PIV	65+940.000	PARABOLE	160,0	Sag/Rentrante	664
CTV	66+000.000	-	-	-	-
-	-	Tangent/Tangente	30,0	-	-
TCV	66+030.000	-	-	-	-
PIV	66+090.000	PARABOLE	160,0	Crest/Saillante	189
CTV	66+150.000	-	-	-	-
-	-	Tangent/Tangente	370,0	-	-
TCV	66+560.000	-	-	-	-
PIV	66+580.000	PARABOLE	160,0	Sag/Rentrante	665
CTV	66+640.000	-	-	-	-
-	-	Tangent/Tangente	135,0	-	-
TCV	66+775.000	-	-	-	-
PIV	66+865.000	PARABOLE	100,0	Crest/Saillante	601
CTV	66+875.000	-	-	-	-
-	-	Tangent/Tangente	55,0	-	-
TCV	66+930.000	-	-	-	-
PIV	67+030.000	PARABOLE	600,0	Sag/Rentrante	665
CTV	67+130.000	-	-	-	-
-	-	Tangent/Tangente	367,0	-	-
TCV	67+497.000	-	-	-	-
PIV	67+666.000	PARABOLE	650,0	Crest/Saillante	160
CTV	67+747.000	-	-	-	-
-	-	Tangent/Tangente	48,0	-	-
TCV	67+795.000	-	-	-	-
PIV	67+845.000	PARABOLE	100,0	Sag/Rentrante	89
CTV	67+895.000	-	-	-	-
-	-	Tangent/Tangente	140,0	-	-
TCV	68+035.000	-	-	-	-
PIV	68+160.000	PARABOLE	650,0	Sag/Rentrante	185
CTV	68+685.000	-	-	-	-
-	-	Tangent/Tangente	45,0	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	68+330.000	-	-	-	-
PIV	68+430.000	PARABOLE	600,0	Crest/Saillante	169
CTV	68+530.000	-	-	-	-
-	-	Tangent/Tangente	695,0	-	-
TCV	68+865.000	-	-	-	-
PIV	68+860.000	PARABOLE	70,0	Sag/Rentrante	150
CTV	68+895.000	-	-	-	-
-	-	Tangent/Tangente	55,0	-	-
TCV	68+950.000	-	-	-	-
PIV	69+065.000	PARABOLE	150,0	Crest/Saillante	105
CTV	69+100.000	-	-	-	-
-	-	Tangent/Tangente	695,0	-	-
TCV	69+395.000	-	-	-	-
PIV	69+465.000	PARABOLE	60,0	Sag/Rentrante	666
CTV	69+455.000	-	-	-	-
-	-	Tangent/Tangente	45,0	-	-
TCV	69+500.000	-	-	-	-
PIV	69+550.000	PARABOLE	100,0	Crest/Saillante	104
CTV	69+600.000	-	-	-	-
-	-	Tangent/Tangente	80,0	-	-
TCV	69+680.000	-	-	-	-
PIV	69+730.000	PARABOLE	100,0	Sag/Rentrante	116
CTV	69+780.000	-	-	-	-
-	-	Tangent/Tangente	165,0	-	-
TCV	69+905.000	-	-	-	-
PIV	70+030.000	PARABOLE	650,0	Sag/Rentrante	166
CTV	70+155.000	-	-	-	-
-	-	Tangent/Tangente	110,0	-	-
TCV	70+665.000	-	-	-	-
PIV	70+350.000	PARABOLE	170,0	Crest/Saillante	166
CTV	70+435.000	-	-	-	-
-	-	Tangent/Tangente	90,0	-	-
TCV	70+565.000	-	-	-	-
PIV	70+560.000	PARABOLE	70,0	Crest/Saillante	156
CTV	70+595.000	-	-	-	-
-	-	Tangent/Tangente	50,0	-	-
TCV	70+645.000	-	-	-	-
PIV	70+680.000	PARABOLE	70,0	Crest/Saillante	104
CTV	70+715.000	-	-	-	-
-	-	Tangent/Tangente	30,0	-	-
TCV	70+745.000	-	-	-	-
PIV	70+780.000	PARABOLE	70,0	Sag/Rentrante	105
CTV	70+815.000	-	-	-	-
-	-	Tangent/Tangente	70,0	-	-



Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	70+885.000	-	-	-	-
PIV	70+900.000	PARABOLE	30,0	Sag/Rentrante	664
CTV	70+915.000	-	-	-	-
-	-	Tangent/Tangente	75,0	-	-
TCV	70+990.000	-	-	-	-
PIV	71+115.000	PARABOLE	650,0	Crest/Saillante	111
CTV	71+640.000	-	-	-	-
-	-	Tangent/Tangente	75,0	-	-
TCV	71+315.000	-	-	-	-
PIV	71+375.000	PARABOLE	160,0	Sag/Rentrante	96
CTV	71+435.000	-	-	-	-
-	-	Tangent/Tangente	193,0	-	-
TCV	71+668.000	-	-	-	-
PIV	71+668.000	PARABOLE	80,0	Sag/Rentrante	661
CTV	71+708.000	-	-	-	-
-	-	Tangent/Tangente	47,0	-	-
TCV	71+755.000	-	-	-	-
PIV	71+845.000	PARABOLE	180,0	Crest/Saillante	108
CTV	71+935.000	-	-	-	-
-	-	Tangent/Tangente	40,0	-	-
TCV	71+975.000	-	-	-	-
PIV	76+015.000	PARABOLE	80,0	Sag/Rentrante	661
CTV	76+055.000	-	-	-	-
-	-	Tangent/Tangente	455,0	-	-
TCV	76+510.000	-	-	-	-
PIV	76+600.000	PARABOLE	180,0	Sag/Rentrante	94
CTV	76+690.000	-	-	-	-
-	-	Tangent/Tangente	80,0	-	-
TCV	76+770.000	-	-	-	-
PIV	76+980.000	PARABOLE	460,0	Crest/Saillante	110
CTV	73+190.000	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	73+650.000	-	-	-	-
PIV	73+310.000	PARABOLE	160,0	Sag/Rentrante	96
CTV	73+370.000	-	-	-	-
-	-	Tangent/Tangente	660,0	-	-
TCV	73+630.000	-	-	-	-
PIV	73+730.000	PARABOLE	600,0	Sag/Rentrante	109
CTV	73+830.000	-	-	-	-
-	-	Tangent/Tangente	75,0	-	-
TCV	73+905.000	-	-	-	-
PIV	73+990.000	PARABOLE	170,0	Crest/Saillante	104
CTV	74+075.000	-	-	-	-
-	-	Tangent/Tangente	565,0	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	74+640.000	-	-	-	-
PIV	74+700.000	PARABOLE	160,0	Sag/Rentrante	146
CTV	74+760.000	-	-	-	-
-	-	Tangent/Tangente	40,0	-	-
TCV	74+800.000	-	-	-	-
PIV	74+890.000	PARABOLE	180,0	Crest/Saillante	116
CTV	74+980.000	-	-	-	-
-	-	Tangent/Tangente	40,0	-	-
TCV	75+060.000	-	-	-	-
PIV	75+080.000	PARABOLE	160,0	Sag/Rentrante	687
CTV	75+140.000	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	75+160.000	-	-	-	-
PIV	75+630.000	PARABOLE	140,0	Crest/Saillante	169
CTV	75+300.000	-	-	-	-
-	-	Tangent/Tangente	40,0	-	-
TCV	75+340.000	-	-	-	-
PIV	75+400.000	PARABOLE	160,0	Sag/Rentrante	664
CTV	75+460.000	-	-	-	-
-	-	Tangent/Tangente	190,0	-	-
TCV	75+650.000	-	-	-	-
PIV	75+730.000	PARABOLE	160,0	Sag/Rentrante	666
CTV	75+810.000	-	-	-	-
-	-	Tangent/Tangente	656,1	-	-
TCV	76+066.075	-	-	-	-
PIV	76+616.075	PARABOLE	300,0	Crest/Saillante	144
CTV	76+366.075	-	-	-	-
-	-	Tangent/Tangente	360,0	-	-
TCV	76+766.081	-	-	-	-
PIV	76+866.081	PARABOLE	600,0	Sag/Rentrante	116
CTV	76+966.081	-	-	-	-
-	-	Tangent/Tangente	93,4	-	-
TCV	77+019.446	-	-	-	-
PIV	77+114.317	PARABOLE	189,8	Crest/Saillante	119
CTV	77+609.196	-	-	-	-
-	-	Tangent/Tangente	7,4	-	-
TCV	77+616.617	-	-	-	-
PIV	77+681.617	PARABOLE	130,0	Crest/Saillante	135
CTV	77+346.617	-	-	-	-
-	-	Tangent/Tangente	36,6	-	-
TCV	77+378.855	-	-	-	-
PIV	77+498.855	PARABOLE	640,0	Sag/Rentrante	163
CTV	77+618.855	-	-	-	-
-	-	Tangent/Tangente	34,8	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	77+653.660	-	-	-	-
PIV	77+689.935	PARABOLE	76,6	Crest/Saillante	168
CTV	77+766.650	-	-	-	-
-	-	Tangent/Tangente	37,1	-	-
TCV	77+763.341	-	-	-	-
PIV	77+787.071	PARABOLE	47,5	Crest/Saillante	168
CTV	77+810.801	-	-	-	-
-	-	Tangent/Tangente	13,6	-	-
TCV	77+864.357	-	-	-	-
PIV	77+857.367	PARABOLE	65,9	Sag/Rentrante	131
CTV	77+890.696	-	-	-	-
-	-	Tangent/Tangente	45,6	-	-
TCV	77+935.896	-	-	-	-
PIV	77+995.896	PARABOLE	160,0	Crest/Saillante	139
CTV	78+055.896	-	-	-	-
-	-	Tangent/Tangente	107,8	-	-
TCV	78+163.658	-	-	-	-
PIV	78+663.658	PARABOLE	600,0	Sag/Rentrante	136
CTV	78+363.658	-	-	-	-
-	-	Tangent/Tangente	37,6	-	-
TCV	78+401.645	-	-	-	-
PIV	78+433.745	PARABOLE	65,0	Crest/Saillante	133
CTV	78+466.645	-	-	-	-
-	-	Tangent/Tangente	30,1	-	-
TCV	78+496.304	-	-	-	-
PIV	78+538.804	PARABOLE	85,0	Crest/Saillante	166
CTV	78+581.304	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	78+596.340	-	-	-	-
PIV	78+666.340	PARABOLE	60,0	Sag/Rentrante	173
CTV	78+656.340	-	-	-	-
-	-	Tangent/Tangente	59,1	-	-
TCV	78+715.485	-	-	-	-
PIV	78+734.335	PARABOLE	37,7	Crest/Saillante	139
CTV	78+753.185	-	-	-	-
-	-	Tangent/Tangente	100,3	-	-
TCV	78+853.477	-	-	-	-
PIV	78+875.667	PARABOLE	43,5	Sag/Rentrante	666
CTV	78+896.977	-	-	-	-
-	-	Tangent/Tangente	49,6	-	-
TCV	78+946.608	-	-	-	-
PIV	78+959.608	PARABOLE	66,0	Crest/Saillante	171
CTV	78+976.608	-	-	-	-
-	-	Tangent/Tangente	79,0	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	79+051.637	-	-	-	-
PIV	79+151.637	PARABOLE	600,0	Sag/Rentrante	616
CTV	79+651.637	-	-	-	-
-	-	Tangent/Tangente	66,6	-	-
TCV	79+317.886	-	-	-	-
PIV	79+373.086	PARABOLE	110,4	Crest/Saillante	158
CTV	79+468.686	-	-	-	-
-	-	Tangent/Tangente	67,6	-	-
TCV	79+455.887	-	-	-	-
PIV	79+486.083	PARABOLE	60,4	Sag/Rentrante	666
CTV	79+516.680	-	-	-	-
-	-	Tangent/Tangente	1,8	-	-
TCV	79+518.110	-	-	-	-
PIV	79+668.110	PARABOLE	300,0	Sag/Rentrante	663
CTV	79+818.110	-	-	-	-
-	-	Tangent/Tangente	64,3	-	-
TCV	79+886.464	-	-	-	-
PIV	79+966.464	PARABOLE	80,0	Crest/Saillante	185
CTV	79+966.464	-	-	-	-
-	-	Tangent/Tangente	454,0	-	-
TCV	80+416.440	-	-	-	-
PIV	80+456.440	PARABOLE	80,0	Sag/Rentrante	661
CTV	80+496.440	-	-	-	-
-	-	Tangent/Tangente	96,5	-	-
TCV	80+588.918	-	-	-	-
PIV	80+657.918	PARABOLE	138,0	Crest/Saillante	169
CTV	80+766.918	-	-	-	-
-	-	Tangent/Tangente	70,6	-	-
TCV	80+797.130	-	-	-	-
PIV	80+847.130	PARABOLE	100,0	Crest/Saillante	657
CTV	80+897.130	-	-	-	-
-	-	Tangent/Tangente	19,9	-	-
TCV	80+917.068	-	-	-	-
PIV	80+986.068	PARABOLE	130,0	Sag/Rentrante	366
CTV	81+047.068	-	-	-	-
-	-	Tangent/Tangente	143,8	-	-
TCV	81+190.834	-	-	-	-
PIV	81+640.834	PARABOLE	100,0	Crest/Saillante	156
CTV	81+690.834	-	-	-	-
-	-	Tangent/Tangente	14,6	-	-
TCV	81+305.416	-	-	-	-
PIV	81+355.416	PARABOLE	100,0	Sag/Rentrante	666
CTV	81+405.416	-	-	-	-
-	-	Tangent/Tangente	60,7	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	81+466.080	-	-	-	-
PIV	81+566.080	PARABOLE	600,0	Crest/Saillante	130
CTV	81+666.080	-	-	-	-
-	-	Tangent/Tangente	30,6	-	-
TCV	81+656.698	-	-	-	-
PIV	81+706.698	PARABOLE	100,0	Sag/Rentrante	666
CTV	81+756.698	-	-	-	-
-	-	Tangent/Tangente	34,0	-	-
TCV	81+790.743	-	-	-	-
PIV	81+855.743	PARABOLE	130,0	Crest/Saillante	133
CTV	81+960.743	-	-	-	-
-	-	Tangent/Tangente	14,5	-	-
TCV	81+935.633	-	-	-	-
PIV	86+015.633	PARABOLE	160,0	Sag/Rentrante	139
CTV	86+095.633	-	-	-	-
-	-	Tangent/Tangente	1,0	-	-
TCV	86+096.661	-	-	-	-
PIV	86+166.661	PARABOLE	140,0	Crest/Saillante	134
CTV	86+636.661	-	-	-	-
-	-	Tangent/Tangente	144,7	-	-
TCV	86+380.979	-	-	-	-
PIV	86+470.979	PARABOLE	180,0	Sag/Rentrante	99
CTV	86+560.979	-	-	-	-
-	-	Tangent/Tangente	3,8	-	-
TCV	86+564.790	-	-	-	-
PIV	86+659.790	PARABOLE	190,0	Crest/Saillante	109
CTV	86+754.790	-	-	-	-
-	-	Tangent/Tangente	76,5	-	-
TCV	86+867.313	-	-	-	-
PIV	86+897.313	PARABOLE	140,0	Sag/Rentrante	665
CTV	86+967.313	-	-	-	-
-	-	Tangent/Tangente	93,7	-	-
TCV	83+060.991	-	-	-	-
PIV	83+110.991	PARABOLE	100,0	Crest/Saillante	157
CTV	83+160.991	-	-	-	-
-	-	Tangent/Tangente	61,6	-	-
TCV	83+186.603	-	-	-	-
PIV	83+646.603	PARABOLE	160,0	Sag/Rentrante	666
CTV	83+306.603	-	-	-	-
-	-	Tangent/Tangente	607,1	-	-
TCV	83+509.763	-	-	-	-
PIV	83+569.866	PARABOLE	40,3	Crest/Saillante	135
CTV	83+550.009	-	-	-	-
-	-	Tangent/Tangente	66,9	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	83+576.966	-	-	-	-
PIV	83+606.966	PARABOLE	60,0	Sag/Rentrante	664
CTV	83+636.966	-	-	-	-
-	-	Tangent/Tangente	48,4	-	-
TCV	83+681.336	-	-	-	-
PIV	83+751.336	PARABOLE	140,0	Crest/Saillante	137
CTV	83+861.336	-	-	-	-
-	-	Tangent/Tangente	64,1	-	-
TCV	83+885.434	-	-	-	-
PIV	83+908.319	PARABOLE	45,8	Sag/Rentrante	663
CTV	83+931.603	-	-	-	-
-	-	Tangent/Tangente	3,3	-	-
TCV	83+934.540	-	-	-	-
PIV	83+979.540	PARABOLE	90,0	Crest/Saillante	114
CTV	84+064.540	-	-	-	-
-	-	Tangent/Tangente	6,6	-	-
TCV	84+067.098	-	-	-	-
PIV	84+077.098	PARABOLE	100,0	Sag/Rentrante	89
CTV	84+167.098	-	-	-	-
-	-	Tangent/Tangente	146,0	-	-
TCV	84+673.058	-	-	-	-
PIV	84+306.880	PARABOLE	67,6	Sag/Rentrante	666
CTV	84+340.706	-	-	-	-
-	-	Tangent/Tangente	75,6	-	-
TCV	84+415.966	-	-	-	-
PIV	84+451.549	PARABOLE	71,6	Crest/Saillante	115
CTV	84+487.173	-	-	-	-
-	-	Tangent/Tangente	86,0	-	-
TCV	84+569.186	-	-	-	-
PIV	84+614.186	PARABOLE	90,0	Crest/Saillante	166
CTV	84+659.186	-	-	-	-
-	-	Tangent/Tangente	13,3	-	-
TCV	84+676.467	-	-	-	-
PIV	84+737.467	PARABOLE	130,0	Sag/Rentrante	101
CTV	84+806.467	-	-	-	-
-	-	Tangent/Tangente	64,0	-	-
TCV	84+866.496	-	-	-	-
PIV	84+876.496	PARABOLE	100,0	Crest/Saillante	165
CTV	84+966.496	-	-	-	-
-	-	Tangent/Tangente	115,6	-	-
TCV	85+046.078	-	-	-	-
PIV	85+106.078	PARABOLE	160,0	Sag/Rentrante	619
CTV	85+166.078	-	-	-	-
-	-	Tangent/Tangente	167,3	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	85+369.350	-	-	-	-
PIV	85+379.350	PARABOLE	100,0	Sag/Rentrante	366
CTV	85+469.350	-	-	-	-
-	-	Tangent/Tangente	16,9	-	-
TCV	85+446.604	-	-	-	-
PIV	85+567.604	PARABOLE	650,0	Crest/Saillante	117
CTV	85+696.604	-	-	-	-
-	-	Tangent/Tangente	108,5	-	-
TCV	85+800.654	-	-	-	-
PIV	85+850.654	PARABOLE	100,0	Sag/Rentrante	664
CTV	85+900.654	-	-	-	-
-	-	Tangent/Tangente	154,4	-	-
TCV	86+055.038	-	-	-	-
PIV	86+105.038	PARABOLE	100,0	Sag/Rentrante	666
CTV	86+155.038	-	-	-	-
-	-	Tangent/Tangente	178,0	-	-
TCV	86+333.058	-	-	-	-
PIV	86+433.058	PARABOLE	600,0	Crest/Saillante	154
CTV	86+533.058	-	-	-	-
-	-	Tangent/Tangente	146,8	-	-
TCV	86+675.810	-	-	-	-
PIV	86+765.810	PARABOLE	100,0	Sag/Rentrante	666
CTV	86+775.810	-	-	-	-
-	-	Tangent/Tangente	639,5	-	-
TCV	87+015.663	-	-	-	-
PIV	87+075.663	PARABOLE	160,0	Crest/Saillante	143
CTV	87+135.663	-	-	-	-
-	-	Tangent/Tangente	7,4	-	-
TCV	87+146.666	-	-	-	-
PIV	87+666.666	PARABOLE	160,0	Sag/Rentrante	140
CTV	87+306.666	-	-	-	-
-	-	Tangent/Tangente	600,3	-	-
TCV	87+506.957	-	-	-	-
PIV	87+587.957	PARABOLE	170,0	Crest/Saillante	166
CTV	87+676.957	-	-	-	-
-	-	Tangent/Tangente	64,6	-	-
TCV	87+697.541	-	-	-	-
PIV	87+747.541	PARABOLE	100,0	Sag/Rentrante	665
CTV	87+797.541	-	-	-	-
-	-	Tangent/Tangente	169,6	-	-
TCV	87+967.161	-	-	-	-
PIV	88+057.161	PARABOLE	180,0	Crest/Saillante	167
CTV	88+147.161	-	-	-	-
-	-	Tangent/Tangente	36,7	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	88+179.843	-	-	-	-
PIV	88+615.093	PARABOLE	70,5	Sag/Rentrante	115
CTV	88+650.343	-	-	-	-
-	-	Tangent/Tangente	4,8	-	-
TCV	88+655.165	-	-	-	-
PIV	88+345.165	PARABOLE	180,0	Crest/Saillante	113
CTV	88+435.165	-	-	-	-
-	-	Tangent/Tangente	3,4	-	-
TCV	88+438.564	-	-	-	-
PIV	88+498.564	PARABOLE	160,0	Sag/Rentrante	118
CTV	88+558.564	-	-	-	-
-	-	Tangent/Tangente	34,6	-	-
TCV	88+593.149	-	-	-	-
PIV	88+648.149	PARABOLE	110,0	Crest/Saillante	148
CTV	88+703.149	-	-	-	-
-	-	Tangent/Tangente	5,0	-	-
TCV	88+708.175	-	-	-	-
PIV	88+753.175	PARABOLE	90,0	Sag/Rentrante	104
CTV	88+798.175	-	-	-	-
-	-	Tangent/Tangente	134,6	-	-
TCV	88+936.781	-	-	-	-
PIV	89+066.781	PARABOLE	660,0	Crest/Saillante	137
CTV	89+196.781	-	-	-	-
-	-	Tangent/Tangente	304,6	-	-
TCV	89+496.956	-	-	-	-
PIV	89+636.956	PARABOLE	680,0	Sag/Rentrante	193
CTV	89+776.956	-	-	-	-
-	-	Tangent/Tangente	179,8	-	-
TCV	89+956.737	-	-	-	-
PIV	90+096.737	PARABOLE	680,0	Crest/Saillante	116
CTV	90+636.737	-	-	-	-
-	-	Tangent/Tangente	16,6	-	-
TCV	90+649.691	-	-	-	-
PIV	90+304.691	PARABOLE	110,0	Sag/Rentrante	108
CTV	90+359.691	-	-	-	-
-	-	Tangent/Tangente	59,7	-	-
TCV	90+419.066	-	-	-	-
PIV	90+564.106	PARABOLE	690,6	Sag/Rentrante	664
CTV	90+709.181	-	-	-	-
-	-	Tangent/Tangente	166,8	-	-
TCV	90+835.996	-	-	-	-
PIV	90+885.996	PARABOLE	100,0	Sag/Rentrante	601
CTV	90+935.996	-	-	-	-
-	-	Tangent/Tangente	35,9	-	-



Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	90+971.960	-	-	-	-
PIV	91+166.987	PARABOLE	306,1	Crest/Saillante	108
CTV	91+674.053	-	-	-	-
-	-	Tangent/Tangente	3,6	-	-
TCV	91+677.666	-	-	-	-
PIV	91+346.666	PARABOLE	130,0	Sag/Rentrante	104
CTV	91+407.666	-	-	-	-
-	-	Tangent/Tangente	614,9	-	-
TCV	91+666.568	-	-	-	-
PIV	91+687.568	PARABOLE	130,0	Crest/Saillante	138
CTV	91+756.568	-	-	-	-
-	-	Tangent/Tangente	67,9	-	-
TCV	91+780.456	-	-	-	-
PIV	91+846.348	PARABOLE	131,8	Sag/Rentrante	147
CTV	91+916.640	-	-	-	-
-	-	Tangent/Tangente	39,0	-	-
TCV	91+951.646	-	-	-	-
PIV	96+001.646	PARABOLE	100,0	Crest/Saillante	170
CTV	96+051.646	-	-	-	-
-	-	Tangent/Tangente	460,6	-	-
TCV	96+471.819	-	-	-	-
PIV	96+571.819	PARABOLE	600,0	Crest/Saillante	176
CTV	96+671.819	-	-	-	-
-	-	Tangent/Tangente	11,0	-	-
TCV	96+686.859	-	-	-	-
PIV	96+766.859	PARABOLE	160,0	Sag/Rentrante	114
CTV	96+846.859	-	-	-	-
-	-	Tangent/Tangente	7,3	-	-
TCV	96+850.153	-	-	-	-
PIV	96+915.153	PARABOLE	130,0	Crest/Saillante	156
CTV	96+980.153	-	-	-	-
-	-	Tangent/Tangente	35,6	-	-
TCV	93+015.713	-	-	-	-
PIV	93+080.713	PARABOLE	130,0	Crest/Saillante	183
CTV	93+145.713	-	-	-	-
-	-	Tangent/Tangente	10,6	-	-
TCV	93+156.337	-	-	-	-
PIV	93+310.798	PARABOLE	308,9	Sag/Rentrante	664
CTV	93+465.659	-	-	-	-
-	-	Tangent/Tangente	64,8	-	-
TCV	93+530.015	-	-	-	-
PIV	93+610.015	PARABOLE	160,0	Crest/Saillante	184
CTV	93+690.015	-	-	-	-
-	-	Tangent/Tangente	69,9	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	93+719.914	-	-	-	-
PIV	93+749.914	PARABOLE	60,0	Sag/Rentrante	666
CTV	93+779.914	-	-	-	-
-	-	Tangent/Tangente	5,0	-	-
TCV	93+784.963	-	-	-	-
PIV	93+814.963	PARABOLE	60,0	Crest/Saillante	160
CTV	93+844.963	-	-	-	-
-	-	Tangent/Tangente	9,8	-	-
TCV	93+854.719	-	-	-	-
PIV	93+894.719	PARABOLE	80,0	Sag/Rentrante	663
CTV	93+934.719	-	-	-	-
-	-	Tangent/Tangente	98,8	-	-
TCV	94+033.549	-	-	-	-
PIV	94+098.549	PARABOLE	130,0	Sag/Rentrante	664
CTV	94+163.549	-	-	-	-
-	-	Tangent/Tangente	637,0	-	-
TCV	94+400.588	-	-	-	-
PIV	94+465.588	PARABOLE	130,0	Crest/Saillante	181
CTV	94+530.588	-	-	-	-
-	-	Tangent/Tangente	61,5	-	-
TCV	94+556.049	-	-	-	-
PIV	94+606.049	PARABOLE	100,0	Sag/Rentrante	603
CTV	94+656.049	-	-	-	-
-	-	Tangent/Tangente	65,1	-	-
TCV	94+677.136	-	-	-	-
PIV	94+707.136	PARABOLE	60,0	Crest/Saillante	138
CTV	94+737.136	-	-	-	-
-	-	Tangent/Tangente	6,3	-	-
TCV	94+743.468	-	-	-	-
PIV	94+833.468	PARABOLE	180,0	Crest/Saillante	188
CTV	94+963.468	-	-	-	-
-	-	Tangent/Tangente	11,7	-	-
TCV	94+935.083	-	-	-	-
PIV	95+035.083	PARABOLE	600,0	Sag/Rentrante	664
CTV	95+135.083	-	-	-	-
-	-	Tangent/Tangente	37,1	-	-
TCV	95+176.156	-	-	-	-
PIV	95+636.156	PARABOLE	160,0	Crest/Saillante	148
CTV	95+696.156	-	-	-	-
-	-	Tangent/Tangente	63,4	-	-
TCV	95+355.519	-	-	-	-
PIV	95+415.519	PARABOLE	160,0	Sag/Rentrante	666
CTV	95+475.519	-	-	-	-
-	-	Tangent/Tangente	66,9	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	95+506.387	-	-	-	-
PIV	95+636.387	PARABOLE	660,0	Sag/Rentrante	166
CTV	95+766.387	-	-	-	-
-	-	Tangent/Tangente	655,8	-	-
TCV	96+018.666	-	-	-	-
PIV	96+083.666	PARABOLE	130,0	Crest/Saillante	113
CTV	96+148.666	-	-	-	-
-	-	Tangent/Tangente	13,9	-	-
TCV	96+166.138	-	-	-	-
PIV	96+667.138	PARABOLE	130,0	Crest/Saillante	110
CTV	96+696.138	-	-	-	-
-	-	Tangent/Tangente	35,3	-	-
TCV	96+367.405	-	-	-	-
PIV	96+396.405	PARABOLE	130,0	Sag/Rentrante	151
CTV	96+457.405	-	-	-	-
-	-	Tangent/Tangente	31,6	-	-
TCV	96+488.650	-	-	-	-
PIV	96+668.650	PARABOLE	680,0	Sag/Rentrante	633
CTV	96+768.650	-	-	-	-
-	-	Tangent/Tangente	38,9	-	-
TCV	96+807.561	-	-	-	-
PIV	96+876.561	PARABOLE	130,0	Crest/Saillante	164
CTV	96+937.561	-	-	-	-
-	-	Tangent/Tangente	155,0	-	-
TCV	97+096.544	-	-	-	-
PIV	97+157.544	PARABOLE	130,0	Crest/Saillante	183
CTV	97+666.544	-	-	-	-
-	-	Tangent/Tangente	16,4	-	-
TCV	97+638.946	-	-	-	-
PIV	97+308.946	PARABOLE	140,0	Crest/Saillante	96
CTV	97+378.946	-	-	-	-
-	-	Tangent/Tangente	104,5	-	-
TCV	97+483.463	-	-	-	-
PIV	97+513.463	PARABOLE	60,0	Sag/Rentrante	88
CTV	97+543.463	-	-	-	-
-	-	Tangent/Tangente	68,4	-	-
TCV	97+571.814	-	-	-	-
PIV	97+631.814	PARABOLE	160,0	Sag/Rentrante	114
CTV	97+691.814	-	-	-	-
-	-	Tangent/Tangente	60,0	-	-
TCV	97+711.856	-	-	-	-
PIV	97+741.856	PARABOLE	60,0	Crest/Saillante	140
CTV	97+771.856	-	-	-	-
-	-	Tangent/Tangente	61,4	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	97+833.619	-	-	-	-
PIV	97+863.619	PARABOLE	60,0	Crest/Saillante	413
CTV	97+893.619	-	-	-	-
-	-	Tangent/Tangente	70,7	-	-
TCV	97+963.936	-	-	-	-
PIV	97+993.936	PARABOLE	60,0	Sag/Rentrante	665
CTV	98+063.936	-	-	-	-
-	-	Tangent/Tangente	145,8	-	-
TCV	98+169.696	-	-	-	-
PIV	98+369.696	PARABOLE	400,0	Crest/Saillante	686
CTV	98+569.696	-	-	-	-
-	-	Tangent/Tangente	396,7	-	-
TCV	98+966.375	-	-	-	-
PIV	99+037.476	PARABOLE	150,6	Sag/Rentrante	131
CTV	99+116.577	-	-	-	-
-	-	Tangent/Tangente	90,5	-	-
TCV	99+603.113	-	-	-	-
PIV	99+668.113	PARABOLE	130,0	Crest/Saillante	104
CTV	99+333.113	-	-	-	-
-	-	Tangent/Tangente	74,4	-	-
TCV	99+407.479	-	-	-	-
PIV	99+437.479	PARABOLE	60,0	Sag/Rentrante	664
CTV	99+467.479	-	-	-	-
-	-	Tangent/Tangente	81,6	-	-
TCV	99+549.097	-	-	-	-
PIV	99+579.097	PARABOLE	60,0	Crest/Saillante	166
CTV	99+609.097	-	-	-	-
-	-	Tangent/Tangente	11,6	-	-
TCV	99+660.734	-	-	-	-
PIV	99+660.734	PARABOLE	80,0	Sag/Rentrante	664
CTV	99+700.734	-	-	-	-
-	-	Tangent/Tangente	165,6	-	-
TCV	99+865.976	-	-	-	-
PIV	99+963.751	PARABOLE	195,5	Sag/Rentrante	116
CTV	100+061.565	-	-	-	-
-	-	Tangent/Tangente	36,6	-	-
TCV	100+097.705	-	-	-	-
PIV	100+187.705	PARABOLE	180,0	Crest/Saillante	104
CTV	100+677.705	-	-	-	-
-	-	Tangent/Tangente	610,1	-	-
TCV	100+487.799	-	-	-	-
PIV	100+597.799	PARABOLE	660,0	Crest/Saillante	169
CTV	100+707.799	-	-	-	-
-	-	Tangent/Tangente	69,8	-	-

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
TCV	100+777.631	-	-	-	-
PIV	100+850.154	PARABOLE	145,0	Sag/Rentrante	141
CTV	100+966.678	-	-	-	-
-	-	Tangent/Tangente	56,7	-	-
TCV	100+975.358	-	-	-	-
PIV	101+040.358	PARABOLE	130,0	Crest/Saillante	160
CTV	101+105.358	-	-	-	-
-	-	Tangent/Tangente	37,4	-	-
TCV	101+146.764	-	-	-	-
PIV	101+196.764	PARABOLE	100,0	Sag/Rentrante	660
CTV	101+646.764	-	-	-	-
-	-	Tangent/Tangente	67,3	-	-
TCV	101+670.066	-	-	-	-
PIV	101+300.066	PARABOLE	60,0	Crest/Saillante	164
CTV	101+330.066	-	-	-	-
-	-	Tangent/Tangente	81,8	-	-
TCV	101+411.907	-	-	-	-
PIV	101+476.907	PARABOLE	130,0	Sag/Rentrante	169
CTV	101+541.907	-	-	-	-
-	-	Tangent/Tangente	344,0	-	-
TCV	101+885.874	-	-	-	-
PIV	101+945.874	PARABOLE	160,0	Crest/Saillante	146
CTV	106+005.874	-	-	-	-
-	-	Tangent/Tangente	7,8	-	-
TCV	106+013.766	-	-	-	-
PIV	106+043.766	PARABOLE	60,0	Sag/Rentrante	661
CTV	106+073.766	-	-	-	-
-	-	Tangent/Tangente	56,9	-	-
TCV	106+130.579	-	-	-	-
PIV	106+160.579	PARABOLE	60,0	Sag/Rentrante	666
CTV	106+190.579	-	-	-	-
-	-	Tangent/Tangente	19,9	-	-
TCV	106+610.446	-	-	-	-
PIV	106+675.446	PARABOLE	130,0	Crest/Saillante	166
CTV	106+340.446	-	-	-	-
-	-	Tangent/Tangente	116,4	-	-
TCV	106+456.809	-	-	-	-
PIV	106+556.809	PARABOLE	600,0	Sag/Rentrante	160
CTV	106+656.809	-	-	-	-
-	-	Tangent/Tangente	113,8	-	-
TCV	106+770.600	-	-	-	-
PIV	106+800.600	PARABOLE	60,0	Crest/Saillante	118
CTV	106+830.600	-	-	-	-
-	-	Tangent/Tangente	78,4	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	106+908.976	-	-	-	-
PIV	106+938.976	PARABOLE	60,0	Sag/Rentrante	153
CTV	106+968.976	-	-	-	-
-	-	Tangent/Tangente	31,8	-	-
PIV	103+000.758	-	-	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	0+000.776	-	-	-	-
-	-	Tangent/Tangente	77,4	-	-
TCV	0+078.210	-	-	-	-
PIV	0+087.501	PARABOLE	18,6	Sag/Rentrante	262
CTV	0+096.793	-	-	-	-
-	-	Tangent/Tangente	27,4	-	-
TCV	0+124.185	-	-	-	-
PIV	0+175.004	PARABOLE	101,6	Crest/Saillante	187
CTV	0+225.824	-	-	-	-
-	-	Tangent/Tangente	46,4	-	-
TCV	0+272.255	-	-	-	-
PIV	0+287.255	PARABOLE	30,0	Crest/Saillante	115
CTV	0+302.255	-	-	-	-
-	-	Tangent/Tangente	3,5	-	-
TCV	0+305.718	-	-	-	-
PIV	0+325.002	PARABOLE	38,6	Sag/Rentrante	263
CTV	0+344.286	-	-	-	-
-	-	Tangent/Tangente	320,3	-	-
TCV	0+664.566	-	-	-	-
PIV	0+700.490	PARABOLE	71,8	Crest/Saillante	138
CTV	0+736.414	-	-	-	-
-	-	Tangent/Tangente	19,7	-	-
TCV	0+756.090	-	-	-	-
PIV	0+800.623	PARABOLE	89,1	Sag/Rentrante	262
CTV	0+845.155	-	-	-	-
-	-	Tangent/Tangente	22,0	-	-
TCV	0+867.203	-	-	-	-
PIV	0+900.629	PARABOLE	66,9	Sag/Rentrante	266
CTV	0+934.056	-	-	-	-
-	-	Tangent/Tangente	101,0	-	-
TCV	1+035.027	-	-	-	-
PIV	1+060.000	PARABOLE	49,9	Crest/Saillante	184
CTV	1+084.973	-	-	-	-
-	-	Tangent/Tangente	26,2	-	-
TCV	1+111.143	-	-	-	-
PIV	1+136.000	PARABOLE	49,7	Sag/Rentrante	265
CTV	1+160.857	-	-	-	-
-	-	Tangent/Tangente	0,3	-	-
TCV	1+161.111	-	-	-	-
PIV	1+200.916	PARABOLE	79,6	Crest/Saillante	184
CTV	1+240.721	-	-	-	-
-	-	Tangent/Tangente	71,0	-	-
TCV	1+311.718	-	-	-	-
PIV	1+354.224	PARABOLE	85,0	Crest/Saillante	316

Point	Stationing Chaînage	Element Élément	Length Longueur (m)	Type	Speed Vitesse (km/h)
CTV	1+396.730	-	-	-	-
-	-	Tangent/Tangente	35,5	-	-
TCV	1+432.203	-	-	-	-
PIV	1+474.796	PARABOLE	85,2	Sag/Rentrante	266
CTV	1+517.389	-	-	-	-
-	-	Tangent/Tangente	142,6	-	-
TCV	1+659.953	-	-	-	-
PIV	1+724.800	PARABOLE	129,7	Crest/Saillante	260
CTV	1+789.646	-	-	-	-
-	-	Tangent/Tangente	7,1	-	-
TCV	1+796.713	-	-	-	-
PIV	1+839.112	PARABOLE	84,8	Sag/Rentrante	266
CTV	1+881.512	-	-	-	-
-	-	Tangent/Tangente	29,0	-	-
TCV	1+910.546	-	-	-	-
PIV	1+975.392	PARABOLE	129,7	Crest/Saillante	210
CTV	2+040.239	-	-	-	-
-	-	Tangent/Tangente	10,4	-	-
TCV	2+050.665	-	-	-	-
PIV	2+090.665	PARABOLE	80,0	Sag/Rentrante	265
CTV	2+130.665	-	-	-	-
-	-	Tangent/Tangente	4,3	-	-
TCV	2+135.000	-	-	-	-
PIV	2+175.000	PARABOLE	80,0	Crest/Saillante	173
CTV	2+215.000	-	-	-	-
-	-	Tangent/Tangente	50,0	-	-
TCV	2+265.046	-	-	-	-
PIV	2+280.000	PARABOLE	29,9	Sag/Rentrante	265
CTV	2+294.954	-	-	-	-
-	-	Tangent/Tangente	74,1	-	-
TCV	2+369.061	-	-	-	-
PIV	2+389.050	PARABOLE	40,0	Crest/Saillante	361
CTV	2+409.039	-	-	-	-
-	-	Tangent/Tangente	50,9	-	-
TCV	2+459.903	-	-	-	-
PIV	2+480.000	PARABOLE	40,2	Crest/Saillante	896
CTV	2+500.097	-	-	-	-
-	-	Tangent/Tangente	94,8	-	-
TCV	2+594.880	-	-	-	-
PIV	2+622.813	PARABOLE	55,9	Sag/Rentrante	265
CTV	2+650.746	-	-	-	-
-	-	Tangent/Tangente	3,5	-	-
TCV	2+654.212	-	-	-	-



Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	2+673.830	PARABOLE	39,2	Crest/Saillante	124
CTV	2+693.448	-	-	-	-
-	-	Tangent/Tangente	12,5	-	-
TCV	2+705.990	-	-	-	-
PIV	2+724.721	PARABOLE	37,5	Sag/Rentrante	265
CTV	2+743.452	-	-	-	-
-	-	Tangent/Tangente	21,9	-	-
TCV	2+765.316	-	-	-	-
PIV	2+830.222	PARABOLE	129,8	Crest/Saillante	228
CTV	2+895.129	-	-	-	-
-	-	Tangent/Tangente	28,7	-	-
TCV	2+923.869	-	-	-	-
PIV	2+988.761	PARABOLE	129,8	Sag/Rentrante	266
CTV	3+053.652	-	-	-	-
-	-	Tangent/Tangente	11,9	-	-
TCV	3+065.504	-	-	-	-
PIV	3+105.371	PARABOLE	79,7	Crest/Saillante	174
CTV	3+145.238	-	-	-	-
-	-	Tangent/Tangente	3,0	-	-
TCV	3+148.225	-	-	-	-
PIV	3+193.123	PARABOLE	89,8	Sag/Rentrante	265
CTV	3+238.020	-	-	-	-
-	-	Tangent/Tangente	227,3	-	-
TCV	3+465.345	-	-	-	-
PIV	3+530.417	PARABOLE	130,1	Crest/Saillante	373
CTV	3+595.488	-	-	-	-
-	-	Tangent/Tangente	26,8	-	-
TCV	3+622.336	-	-	-	-
PIV	3+687.403	PARABOLE	130,1	Sag/Rentrante	267
CTV	3+752.471	-	-	-	-
-	-	Tangent/Tangente	514,6	-	-
TCV	4+267.033	-	-	-	-
PIV	4+330.764	PARABOLE	127,5	Sag/Rentrante	265
CTV	4+394.494	-	-	-	-
-	-	Tangent/Tangente	37,1	-	-
TCV	4+431.633	-	-	-	-
-	-	Tangent/Tangente	46,5	-	-
TCV	4+607.660	-	-	-	-
PIV	4+672.435	PARABOLE	129,6	Crest/Saillante	102
CTV	4+737.209	-	-	-	-
-	-	Tangent/Tangente	135,1	-	-
TCV	4+872.358	-	-	-	-
PIV	4+943.246	PARABOLE	141,8	Sag/Rentrante	266

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
CTV	5+014.135	-	-	-	-
-	-	Tangent/Tangente	144,5	-	-
TCV	5+158.662	-	-	-	-
PIV	5+218.645	PARABOLE	120,0	Crest/Saillante	187
CTV	5+278.628	-	-	-	-
-	-	Tangent/Tangente	131,4	-	-
TCV	5+410.000	-	-	-	-
PIV	5+460.000	PARABOLE	100,0	Sag/Rentrante	107
CTV	5+510.000	-	-	-	-
-	-	Tangent/Tangente	10,0	-	-
TCV	5+520.000	-	-	-	-
PIV	5+570.000	PARABOLE	100,0	Crest/Saillante	196
CTV	5+620.000	-	-	-	-
-	-	Tangent/Tangente	130,0	-	-
PIV	5+750.000	-	-	-	-
-	-	Tangent/Tangente	95,0	-	-
TCV	5+845.000	-	-	-	-
PIV	5+900.000	PARABOLE	110,0	Crest/Saillante	176
CTV	5+955.000	-	-	-	-
-	-	Tangent/Tangente	235,0	-	-
PIV	6+190.000	-	-	-	-
-	-	Tangent/Tangente	290,0	-	-
TCV	6+480.000	-	-	-	-
PIV	6+550.000	PARABOLE	140,0	Crest/Saillante	124
CTV	6+620.000	-	-	-	-
-	-	Tangent/Tangente	55,0	-	-
TCV	6+675.000	-	-	-	-
PIV	6+720.000	PARABOLE	90,0	Sag/Rentrante	86
CTV	6+765.000	-	-	-	-
-	-	Tangent/Tangente	119,2	-	-
TCV	6+884.210	-	-	-	-
PIV	6+953.861	PARABOLE	139,3	Crest/Saillante	126
CTV	7+023.512	-	-	-	-
-	-	Tangent/Tangente	7,1	-	-
TCV	7+030.593	-	-	-	-
PIV	7+098.027	PARABOLE	134,9	Sag/Rentrante	264
CTV	7+165.462	-	-	-	-
-	-	Tangent/Tangente	109,5	-	-
TCV	7+274.950	-	-	-	-
PIV	7+340.000	PARABOLE	130,1	Crest/Saillante	338
CTV	7+405.050	-	-	-	-
-	-	Tangent/Tangente	11,1	-	-
TCV	7+416.153	-	-	-	-

Point	Stationing Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
PIV	7+483.587	PARABOLE	134,9	Sag/Rentrante	266
CTV	7+551.021	-	-	-	-
-	-	Tangent/Tangente	230,6	-	-
TCV	7+781.574	-	-	-	-
PIV	7+860.000	PARABOLE	156,9	Sag/Rentrante	92
CTV	7+938.426	-	-	-	-
-	-	Tangent/Tangente	28,3	-	-
TCV	7+966.723	-	-	-	-
PIV	8+060.000	PARABOLE	186,6	Crest/Saillante	97
CTV	8+153.277	-	-	-	-
-	-	Tangent/Tangente	119,4	-	-
TCV	8+272.628	-	-	-	-
PIV	8+345.000	PARABOLE	144,7	Crest/Saillante	92
CTV	8+417.372	-	-	-	-
-	-	Tangent/Tangente	22,6	-	-
TCV	8+440.000	-	-	-	-
PIV	8+490.000	PARABOLE	100,0	Sag/Rentrante	65
CTV	8+540.000	-	-	-	-
-	-	Tangent/Tangente	31,1	-	-
TCV	8+571.125	-	-	-	-
PIV	8+600.000	PARABOLE	57,8	Sag/Rentrante	266
CTV	8+628.875	-	-	-	-
-	-	Tangent/Tangente	61,1	-	-
TCV	8+690.000	-	-	-	-
PIV	8+750.000	PARABOLE	120,0	Sag/Rentrante	121
CTV	8+810.000	-	-	-	-
-	-	Tangent/Tangente	70,0	-	-
TCV	8+880.000	-	-	-	-
PIV	8+930.000	PARABOLE	100,0	Crest/Saillante	202
CTV	8+980.000	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	8+995.000	-	-	-	-
PIV	9+025.000	PARABOLE	60,0	Sag/Rentrante	160
CTV	9+055.000	-	-	-	-
-	-	Tangent/Tangente	35,0	-	-
TCV	9+090.000	-	-	-	-
PIV	9+120.000	PARABOLE	60,0	Crest/Saillante	95
CTV	9+150.000	-	-	-	-
-	-	Tangent/Tangente	150,3	-	-
TCV	9+300.250	-	-	-	-
PIV	9+365.000	PARABOLE	129,5	Crest/Saillante	65
CTV	9+429.750	-	-	-	-
-	-	Tangent/Tangente	14,7	-	-

Point	Stationning Chaînage	Element Élément	Lenght Longueur (m)	Type	Speed Vitesse (km/h)
TCV	9+444.453	-	-	-	-
PIV	9+521.484	PARABOLE	154,1	Sag/Rentrante	50
CTV	9+598.515	-	-	-	-
-	-	Tangent/Tangente	91,5	-	-
TCV	9+690.047	-	-	-	-
PIV	9+755.000	PARABOLE	129,9	Crest/Saillante	178
CTV	9+819.953	-	-	-	-
-	-	Tangent/Tangente	210,0	-	-
TCV	10+030.000	-	-	-	-
PIV	10+080.000	PARABOLE	100,0	Sag/Rentrante	67
CTV	10+130.000	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	10+145.017	-	-	-	-
PIV	10+175.000	PARABOLE	60,0	Crest/Saillante	70
CTV	10+204.983	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	10+220.000	-	-	-	-
PIV	10+250.000	PARABOLE	60,0	Sag/Rentrante	85
CTV	10+280.000	-	-	-	-
-	-	Tangent/Tangente	15,0	-	-
TCV	10+295.000	-	-	-	-
PIV	10+325.000	PARABOLE	60,0	Sag/Rentrante	250
CTV	10+355.000	-	-	-	-
-	-	Tangent/Tangente	10,0	-	-
PIV	10+365.000	-	-	-	-